
AMERICA'S FINEST TREE NURSERY



PRINCETON NURSERIES

Wholesale Price List

FALL 1955

William Flemer's Sons, Inc.

Princeton, N. J.

Telephone 1-1776



FOREWORD

You cannot buy better nursery stock than you will find at Princeton.

The pictures in this catalogue were taken August 27th and are representative of the excellent quality of our very complete ornamental line.

YOUR INSPECTION IS INVITED

Through the use of highly specialized equipment, much of which is of our own design, we effect great savings in many operations. These savings are reflected in our reasonable prices.

Your special attention is called to-

| Norway Maple | Page 7 |
|-----------------------|--------|
| Red Maple | 9 |
| Oriental Plane | 50 |
| Pin Oak | 57 |
| Thornless Honeylocust | 32 |
| Kwanzan Cherry | 55 |
| Weeping Cherry | 54 |

and our very full listing of flowering shrubs.

SEND YOUR WANT LIST

WM. FLEMER, JR. WM. FLEMER, III GEO. S. HARRIS

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK. WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITOR.

PRINCETON NURSERIES PRINCETON, NEW JERSEY

Princeton Products Are Quality Products
EARLY PURCHASE ASSURES BETTER ASSORTMENT

It is our constant aim to produce the finest stock that can be grown and to sell at reasonable prices.



Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

TERMS

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

5% DISCOUNT will be allowed for CASH IN FULL WHEN ORDER IS PLACED, providing digging or delivery is scheduled for not less than thirty days from date of order.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

| Diam. | | Estima | ated | |
|---------|---------|--------|------|------|
| of ball | Size | Weig | ght | Each |
| 10" | 18/24" | 30 | lbs | .75 |
| 12" | 2/3' | | lbs | |
| 13" | 3/4' | 60 | lbs | 1.90 |
| 15" | 4/5' | | lbs | 2.40 |
| 16" | 5/6' | | lbs | 3.00 |
| 18" | 6/8' | 150 | lbs | 4.25 |
| 21" | 8/10' | | lbs | 6.00 |
| 24" | 2" cal. | | lbs | 8.25 |

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery noted below.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

BOXING CHARGES

| Length | 12x15" | 15x16" | 17x20" | 19x24" | 23x28" | 27x32" | 32x36" |
|--------|--------|--------|--------|--------|--------|--------|--------|
| 4' | \$1.40 | 1.60 | 1.90 | 2.40 | 2.60 | 3.00 | 2.60 |
| 6' | 2.10 | 2.40 | 2.85 | 3.60 | 3.90 | 4.50 | 5.40 |
| 8' | 2.80 | 3.20 | 3.80 | 4.80 | 5.10 | 6.00 | 7.20 |
| 10' | 3.50 | 4.00 | 4.75 | 6.00 | 6.50 | 7.50 | 9.00 |
| 12' | 4.20 | 4.80 | 5.70 | 7.20 | 7.80 | 9.00 | 10.80 |
| 14' | 4.90 | 5.60 | 6.65 | 8.40 | 9.10 | 10.50 | 12.60 |

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Although we maintain and operate a number of trucks for delivery of our orders and for which a reasonable charge is made, it is very difficult for us to attempt to deliver the vast volume of material we produce and we strongly urge that our customers send their own trucks, or hire local trucks, to pick up their orders here at the nursery as soon as we send notification that orders are ready.

When you send your trucks for material, we will be very glad to load the stock carefully with our help and supply ample quantities of good damp packing material, without extra charge. We will handle the loads to the best of our ability and can even make arrangements to load your trucks in the evening, if necesary.

Be sure to bring tarpaulin or suitable coverings to protect the plants on the truck, so they will not dry out on the road.

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1-1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.



ABELIA GRANDIFLORA—Glossy Abelia. Good plants. An excellent evergreen shrub. Blooms all summer.

| - | A | }? |
|----------|----------|----|
| -10 | Γ | 19 |

| | Unit P 1-9 | rice in Qua 10-49 | antities 50-249 | |
|--|---------------|----------------------|--------------------|--|
| ABELIA grandiflora, 3'-4' | | Glossy | Abelia | |
| Evergreen. Lilac-white tinted flowers. Bl | looms all | summer. | | |
| 12 to 15 in., B. R. Puddled | .60 | .50 | .40 | |
| 15 to 18 in., B. R. Puddled | .75 | .60 | .50 | |
| 18 to 24 in., B. R. Puddled | 1.10 | .95 | .75 | |
| 2 to 3 ft., B. R. Puddled | 1.50 | 1.25 | 1.00 | |
| 15 to 18 in., B&B | 1.50 | 1.25 | 1.00 | |
| 18 to 24 in., B&B | 1.90 | 1.50 | 1.25 | |
| 2 to 3 ft., B&B | 2.60 | 2.20 | 1.75 | |
| 3 to 3½ ft., B&B | 3.40 | 2.80 | 2.25 | |
| ACANTHOPANAX pentaphyllum (sieboldiamu Glossy rich green foliage. Thrives in sh posures and dry locations. Good for hedg | aded ar | eas, north | | |
| 12 to 18 in | .45 | .37 | .30 | |
| 18 to 24 in | .60 | .50 | .40 | |
| 2 to 3 ft | .75 | .60 | .50 | |
| 3 to 4 ft | .90 | .75 | .60 | |
| JAPANESE MAPLES | | | | |
| ACER palmatum atropurpureum, 6'-8' | Jap | oanese Red | Maple | |
| A good dwarf tree with rich purple leaves | s all sum | mer. Best | in sun. | |
| 12 to 15 in., B&B | | 2.80 | | |
| 15 to 18 in., B&B | | 3.75 | | |
| 18 to 24 in., B&B | 6.75 | 5.50 | | |



ACER dasycarpum—Silver Maple. We do a good job on Silver Maple. A lot of tree for the money. You can't buy better trees. Wier's Cutleaf Maple at right.

| ACER Palmatum nigrum, 6'-8' A select strain of purple Japanese Maple with darker leaves. 15 to 18 in., B&B |
|--|
| 15 to 18 in., B&B |
| 15 to 18 in., B&B |
| ACER—MAPLES |
| |
| - buergerianum, 40' Trident Maple |
| Similar to Ginnala. Makes bigger tree. |
| 3 to 4 ft |
| 4 to 5 ft. 2.25 1.90 1.50 |
| 5 to 6 ft |
| 6 to 8 ft. 4.10 3.50 2.75 |
| 8 to 10 ft 5.60 4.75 |
| — campestre, 25' Hedge Maple |
| Corky bark. Good in dry locations in undergrowth. Grows slowly. |
| 3 to 4 ft |
| 4 to 5 ft |
| 5 to 6 ft |
| 6 to 8 ft. 5.25 4.40 3.50 |
| — dasycarpum, 60'-80' Silver Maple |
| Quick growing, graceful. Leaves silvery underneath. |
| 6 to 8 ft |
| 8 to 10 ft., 1 to 1¼ in |
| 8 to 10 ft., 1 1/4 to 1 1/2 in 3.40 2.80 2.25 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.90 4.05 3.25 |
| 11 to 13 ft., 1 \(\frac{1}{3} \) to 2 in 6.35 5.30 4.25 |

| ACER dasycarpum pyramidalis, 60'-80' | Pyram | id Silv | er Maple |
|---|---------------|---------|----------|
| An attractive pyramidal form of Acer and distinctive. | dasycarpum | . Fast | growing |
| 4 to 5 ft | 1.90 | 1.50 | 1.25 |
| 5 to 6 ft | 2.40 | 2.00 | 1.60 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 4.50 | 3.75 | 3.00 |
| 9 to 11 ft., 1½ to 1¾ in | 5.60 | 4.75 | 3.75 |
| 10 to 12 ft., 1 3/4 to 2 in | 6.75 | 5.50 | 4.50 |
| 11 to 13 ft., 2 to $2\frac{1}{2}$ in | 8.50 | 7.00 | 5.50 |
| — — wieri, 60'-80' | Wier's | Cutle | af Maple |
| Graceful, drooping form. Deeply cut le | eaves. | | |
| 5 to 6 ft | 2.10 | 1.75 | 1.40 |
| 6 to 8 ft | 2.70 | 2.25 | 1.80 |
| 8 to 10 ft | 4.00 | 3.30 | 2.60 |
| 10 to 12 ft., 1½ to 1¾ in | 5.25 | 4.40 | 3.50 |
| 11 to 13 ft., $1\frac{3}{4}$ to 2 in | 6.35 | 5.25 | - |
| — ginnala, 10'-12' | | Am | ur Maple |
| Compact growing. Excellent fall colori | ng. Very har | dy. | |
| 3 to 4 ft | 1.25 | 1.05 | .85 |
| 4 to 5 ft | 1.65 | 1.35 | 1.10 |
| 5 to 6 ft | 2.40 | 2.00 | 1.60 |
| 6 to 8 ft | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft | 4.65 | 4.05 | 3.25 |
| — platanoides, 50'-75' | | Norw | ay Maple |
| Most popular for street planting. Dark | green foliage | | |
| well spaced and nicely branched. | 5100H 10110G0 | | spiemou, |
| 5 to 6 ft | 2.60 | 2.20 | 1.75 |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 to 1¼ in | 5.25 | 4.40 | 3.50 |
| 9 to 11 ft., 1 1/4 to 1 1/2 in | 7.50 | 6.00 | 5.00 |
| 10 to 12 ft., 1½ to 1¾ in | 10.50 | 8.80 | 7.00 |
| 11 to 13 ft., 1 1/2 to 1 1/4 in | | 11.00 | 9.00 |
| | | | |
| 12 to 14 ft., 2 to 2 1/4 in | | 14.00 | 11.00 |
| 13 to 15 ft., 2 1/4 to 2 1/2 in | 20.00 | 16.00 | 13.00 |

| SPECIAL | | | | |
|---------|--------------------|-----------|---|--|
| | | Norwa | y Maple | |
| les. | | | | |
| 1-9 | 10-49 | 50-249 | 250-up | |
| .90 | .75 | .60 | | |
| 1.30 | 1.10 | .90 | | |
| 1.50 | 1.25 | 1.00 | .80 | |
| 1.75 | 1.40 | 1.15 | 1.00 | |
| | 1-9 .90 1.30 | les. 1-9 | Norwa les. 1-9 10-49 50-249 .90 .75 .60 1.30 1.10 .90 1.50 1.25 1.00 | |



ACER platanoides—Norway Maple. As fine as can be grown. Well balanced tops. Clean straight trunks. A Princeton specialty.

| | Unit 1 1-9 | Price in Qu 10-49 | antities 50-249 |
|--|-------------------------------|-----------------------------------|----------------------------|
| ACER platanoides columnare, 50'-75' | Colum | nar Norwa | v Maple |
| An outstanding, compact growing tree. Vector dense tree is desired. | | | |
| 5 to 6 ft | 3.40 | 2.80 | 2.25 |
| 6 to 8 ft | 4.65 | 4.05 | 3.25 |
| 8 to 10 ft., 1 to 1¼ in | 6.75 | 5.50 | |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 9.00 | 7.50 | |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 12.00 | 10.00 | |
| 11 to 13 ft., 1 ¾ to 2 in | 16.50 | 13.50 | 11.00 |
| 12 to 14 ft., 2 to 2 1/4 in | 20.00 | 16.00 | |
| — Crimson King, 30'-40' (Plant Patent #' Rich purple leaves hold their color enti of all purple leafed maples. Grown unde 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. | re seaso er licens 3.75 | on. By far to by patent 3.00 4.40 | the best cowner. 2.50 3.50 |
| — drummondi, 20'-30' Silver Green leaves with almost white edging the leaf. A showy novelty. | | ated Norwa Collows con | |
| 4 to 5 ft | 2.70 | 2.25 | |
| 5 to 6 ft | 3.75 | 3.00 | |
| — schwedleri, 40'-60' Purple leaved Norway Maple. | | Schwedle | r Maple |
| 5 to 6 ft | 3.75 | 3.00 | 2.50 |
| 6 to 8 ft | 4.65 | 4.05 | 3.50 |
| 8 to 10 ft., 1 to 1 1/4 in | 7.50 | 6.00 | |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 10.50 | 8.80 | |
| , | 10.00 | 0.00 | |



ACER rubrum—Red or Scarlet Maple. Good heads and straight trunks. A specially selected strain for the utmost in fall coloration.

| | Unit P 1-9 | rice in Qu 10-49 | iantities 50 -24 9 |
|--|--|--|--|
| ACER pseudoplatanus, 60' Vigorous growing. Spreading habit. Goo seashore. | d in expo | | ee Maple ions and |
| 4 to 5 ft | 1.95 2.50 3.75 5.25 7.50 | $egin{array}{c} 1.60 \\ 2.20 \\ 3.00 \\ 4.40 \\ 6.00 \\ \end{array}$ | 1.30 1.75 2.50 3.50 5.00 |
| - rubrum, 50'-75' Brilliant fall coloring. Excellent in dam | | | - |
| 4 to 5 ft | 1.90 2.50 3.40 4.65 7.15 10.00 12.00 | | 1.25 1.65 2.25 3.25 4.75 6.50 |
| — saccharum, 50'-75' A stately, long lived tree. Rich autumn in most locations. | coloring. | | ar Maple isfactory |
| 6 to 8 ft | $4.10 \\ 5.25 \\ 7.50$ | $\begin{array}{c} 3.50 \\ 4.40 \\ 6.00 \end{array}$ | 2.75 |
| 10 to 12 ft., 1 ½ to 1 ¾ in. 11 to 13 ft., 1 ¾ to 2 in. 12 to 14 ft., 2 to 2 ¼ in. 12 to 14 ft., 2 ¼ to 2 ½ in. | 10.50 13.50 17.00 20.00 | 8.80 11.00 14.00 16.00 | |

Unit Price in Quantities 1-9 10-49 50-249

| ACTINIDIA arguta, 20'-30' | | Border A | ctinidia |
|--|------------------------|--------------|------------------|
| | lonly once | | |
| Greenish white flowers in July. Rich of | iark gree | en fortage. | remow |
| berries. | | | |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.10 | .95 | .75 |
| | | | • • • |
| AILANTHUS glandulosa, 50'-60' | | Tree of | Heaven |
| Succeeds under most adverse city condi- | tions Ha | c large leas | neg and |
| grows rapidly. | tions. 11a | s large lea | ves and |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | 3.75 | 3.00 | 2.50 |
| 10 to 12 ft., 2½ to 3 in | | 4.00 | |
| 10 00 12 10., 2 /2 00 5 111, | 1 | 1.00 | |
| AKEBIA quinata, 15'-20' | | Fiveleaf | Akebia |
| An excellent vine. Deep green. Purple flo | owona in | May Holds | foliago |
| until winter. | owers in . | may. Holus | Tomage |
| | | | |
| 1 year | .60 | .50 | .40 |
| 2 year | .85 | .70 | .55 |
| • | | | |
| ALMOND, FLOWERING (See PRUNUS) | | | |
| | | | |
| ALTHEA (See HIBISCUS) | | | |
| AMELANCHIER canadensis 20'-30' | | Downy sh | adblow |
| Juneberry, Early white flowers, Edible small | 1 red fru | it | |
| · · | 1 100 110 | | |
| 12 to 18 in | . 70 | .55 | .45 |
| 18 to 24 in | .85 | .70 | .55 |
| 2 to 2½ ft | 1.00 | .80 | .65 |
| 2 ½ to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | |
| | | | |
| — laevis, 20′-30′ | \mathbf{A} | llegheny sh | adblow |
| New leaves are smooth and have red | dish hue | Large di | rooning |
| flowers; purple fruits. | aisii nac | . Large u | doping |
| 12 to 18 in | .70 | .55 | |
| 18 to 24 in | .85 | .70 | |
| | •00 | ••• | |
| AMORPHA fruticosa, 8'-10' | | Indi | gobush |
| Deep purple flowers in June. Spreading | habit T | | |
| resistant. | name. 1 | ough and t | nought |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | $.7\overset{\circ}{5}$ | .60 | $.\overline{50}$ |
| 3 to 4 ft | 1.00 | .80 | .65 |
| 5 to 4 It | 1.00 | .00 | .00 |
| AMPELOPSIS heterophylla, 25'-30' | Porc | elain Ampl | nelopsis |
| A sturdy vine with excellent foliage. Ve | | - | _ |
| | ery attra | ctive turqu | oise |
| colored fruit. | | | |
| 2 year | .75 | .60 | .50 |
| — quinquefolia, (30′-50′ | | Virginia | Creeper |
| (Parthenocissus q.) | | , 0 | por |
| The state of the s | villiant - | utumn col- | win ~ |
| Very adaptable. Rapid growing vine. B | | | ning. |
| 1 year | .27 | .22 | .18 |
| 2 year | .33 | .27 | .22 |
| | | | |

| AMPELOPSIS quinquefolia engelmanni, 30'-4 Excellent self-clinging vine. Richly colo | | ngelmann (foliage. | Creeper |
|---|--|--|-------------------------------------|
| 1 year | .27 | .22 | .18 |
| 2 year | .33 | .27 | .22 |
| — tricuspidata veitchi, 40'-50' | | Bosi | ton Ivy |
| Dense, self-clinging vine. Blue-black be | erries. | | |
| 12 to 18 in., 1 year | .37 | .30 | .25 |
| 12 to 18 in., 2 year | | .45 | .35 |
| 3 in. pots | .60 | .50 | .40 |
| —— lowi, 6'-8' | | Geranium (| _ |
| Dwarf type of veitchi, with smaller, deeful and distinct. | ply-cut fo | oliage. Very | grace- |
| 3 in. pot | 1.00 | .80 | .65 |
| AMYGDALIS nana (See PRUNUS GLANDUI | LOSA) | | |
| ANDROMEDA (See PIERIS) | | | |
| ARALIA spinosa, 18'-20' | | Hercul | es-club |
| A tropical appearing tree. White flowers | in July. | Succeeds in | shade. |
| 4 to 5 ft | $\boldsymbol{1.25}$ | 1.05 | .85 |
| 5 to 6 ft | 1.65 | $\boldsymbol{1.35}$ | 1.10 |
| ARBORVITAE (See THUJA) | | | |
| ARONIA arbutifolia, 6'-8' | | Red Chok | eberry |
| Bright red berries in fall. | | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| hailliantiquina (l. 0) | | | |
| — brilliantissima, 6'-8' | | int red chok | eberry |
| Similar to arbutifolia but more brillian | t berries. | | • |
| Similar to arbutifolia but more brillians | t berries. .45 | .37 | .30 |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 | $\begin{matrix} .37 \\ .50 \end{matrix}$ | .30 |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 .85 | .37 $.50$ $.70$ | .30 $.40$ $.55$ |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 | .37 $.50$ $.70$ $.80$ | .30 $.40$ $.55$ $.65$ |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 .85 1.00 | .37 $.50$ $.70$ | .30 $.40$ $.55$ $.65$ |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 .85 1.00 | .37 .50 .70 .80 Black Chok | .30 .40 .55 .65 |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 .85 1.00 fall. | .37 .50 .70 .80 Black Chok | .30 .40 .55 .65 .eberry |
| Similar to arbutifolia but more brilliand 12 to 18 in | t berries. .45 .60 .85 1.00 fall. .45 .60 | .37 .50 .70 .80 Black Chok | .30 .40 .55 .65 .eberry |
| Similar to arbutifolia but more brilliand 12 to 18 in | .45 .60 .85 1.00 fall. | .37 .50 .70 .80 Black Chok | .30 .40 .55 .65 .eberry |

ASH GREEN (See FRAXINUS)

ASH WHITE (See FRAXINUS)





Right to left—Azalea Amonea; Azalea Kaempferi Othello; Pieris Japonica (Japanese Andromeda).

Unit Price in Quantities 1-9 10-49 50-249

AZALEAS (RHODODENDRON)

AZALEA amoena (Rhodo, obtusum amoenum) 3'-4' Amoena Azalea Evergreen. Conspicuous, purple-red flowers. April-May. Leaves turn a rich, bronze-green in winter.

| 6 to 8 in., B&B | 1.45 | 1.20 | .95 |
|-------------------|------|------|------|
| 8 to 10 in., B&B | 1.75 | 1.40 | 1.15 |
| 10 to 12 in., B&B | 2.10 | 1.75 | 1.40 |
| 12 to 15 in., B&B | 2.75 | 2.30 | 1.85 |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| 18 to 24 in., B&B | 5.25 | 4.40 | 3.50 |

- hinodegiri, 3'-4'

Hinodegiri Azalea

Evergreen. Larger leaves and looser growth than Amoena; flowers very bright scarlet; effective in masses or with Rhododendron.

| 6 to 8 in., B&B | 1.45 | 1.20 | .95 |
|-------------------|------|------|------|
| 8 to 10 in., B&B | 1.75 | 1.40 | 1.15 |
| 10 to 12 in., B&B | 2.10 | 1.75 | 1.40 |
| 12 to 15 in., B&B | 2.75 | 2.30 | 1.85 |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 |

— kaempferi, 4'-5'

Torch Azalea

2.25

| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
|-------------------|------|------|------|
| 2 to 2½ ft., B&B | 6.00 | 5.00 | 4.00 |

AZALEA KAEMPFERI HYBRIDS

| Cleopatra—Lilac-rose flowers. 12-15"; 15-18" | ; 18-24" | | |
|--|----------------|---------|-----------|
| Louise—Light-rose flowers. 12-15"; 15-18"; 1 | 8-24" | | |
| Othello—Brick-red flowers. 12-15"; 15-18"; | 18-24" | | |
| Wilhelmina Vuyk—The very best hardy whi | te. 12-15"; | 15-18"; | 18 - 24'' |
| 12 to 15 in., B&B | 2.60° | 2.20 | 1.75 |
| 15 to 18 in., B&B | 3.50 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| KURUME AZALEAS—EVE | RGREEN | | |
| Christmas Cheer—Crimson. 6-9"; 9-12"; 12- | ·15" | | |
| Ellerno Drilliant rod flourous 9 19" 19 15" | . 15 10" | | |

Flame—Brilliant red flowers. 9-12"; 12-15" Snow—Large pure white flowers. 9-12"; 12-15"; 15-18" Kurume varieties at following prices.

Carmen—Rose-pink flowers. 12-15"; 15-18"; 18-24"

| 6 | to | 8 i | n | 1.45 | 1.20 | .95 |
|----|----|-----|-----|------|------|------|
| 8 | to | 10 | in, | 1.75 | 1.40 | 1.15 |
| 10 | to | 12 | in, | 2.10 | 1.75 | 1.40 |
| 12 | to | 15 | in | 2.75 | 2.30 | 1.85 |
| 15 | to | 18 | in | 3.75 | 3.00 | 2.50 |

AZALEA ledifolia alba (Indica), 4'-6' Snow Azalea Evergreen. Large single white flowers, freely produced. Makes a striking background for Azalea hinodegiri, blooming at the same time.

| 12 to 15 in. | B&B | 2.75 | 2.30 | 1.85 |
|---------------|----------|------|------|------|
| T 00 10 111., | 25 00 25 | | 00 | *.00 |
| 15 to 18 in | B&B | 3.75 | 3.00 | 2.50 |

| 15 to 18 in., B&B | 3.50 | 2.80 | |
|-------------------|------|------|--|
| 18 to 24 in., B&B | 4.50 | 3.75 | |
| 2 to 2½ ft., B&B | 6.00 | 5.00 | |

— macrantha, 2½'-3' Red Salmon Azalea Single salmon-pink flower. Blooms a month later than most

Azaleas. Quite attractive with glossy foliage.

| 12 to 15 in., | B&B | 2.50 | 2.05 | 1.65 |
|---------------|-----|------|------|------|
| 15 to 18 in., | B&B | 2.85 | 2.35 | 1.90 |
| 18 to 24 in., | B&B | 3.50 | 2.80 | 2.35 |

— poukhanensis 1'-3' Korean Azalea Single purple lilac flowers are borne profusely in May. Very hardy.

| 9 to 12 in | 2.10 | 1.75 | 1.40 |
|-------------|------|------|------|
| 12 to 15 in | 2.90 | 2.40 | 1.95 |
| 15 to 18 in | 3.75 | 3.00 | 2.50 |

— yodogawa (yedoense) 3'-4' Yodogawa Azalea Double, pinkish-lavender flowers. May. Very hardy and of exceptional merit.

| 9 to 12 in., B&B | 2.10 | 1.75 | 1.40 |
|-------------------|---------------------|---------------------|---------------------|
| 12 to 15 in., B&B | $\frac{2.10}{3.00}$ | $\frac{1.79}{2.50}$ | $\frac{1.40}{2.00}$ |
| 15 to 18 in., B&B | 0.00 | 3.00 | 2.50 |
| 19 to 10 m., D&D | 0.10 | 5.00 | 4.00 |

-->{ B }∻--

BAYBERRY—(See MYRICA)

BEACH PLUM (See PRUNUS)

BEAUTYBUSH (See KOLKWITZIA)

| BENZOIN aestivale (LINDERA benz Yellow flowers in spring follow Spicy aromatic foliage. | | | _ | cebush |
|---|--------------|-------------------|---------------------|--------|
| 18 to 24 in | | .55 | .45 | .35 |
| 2 to 3 ft | | .70 | .55 | .45 |
| 3 to 4 ft | | .90 | .75 | .60 |
| 4 to 5 ft | | .10 | .95 | .75 |
| | | .10 | . 9 0 | .10 |
| BERBERIS—HARDY EVERGREEN | TYPES | | | |
| — julianae, 4'-6' | | Winter | green Ba | rberry |
| Medium growth. Broad spined | leaves. | | | |
| 12 to 15 in., B&B | 1 | .90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | | .60 | 2.20 | 1.75 |
| 10 00 10 111, 202 | _ | • • • • | | 1,10 |
| — triacanthophora, 4'-6' | | Three | Spine Bar | rberry |
| Fast growing, evergreen. Spined | l leaves, bu | shy habi | t. | |
| 6 to 9 in., B&B | 1 | .90 | 1.50 | 1.25 |
| 9 to 12 in., B&B | 2 | .25 | 1.90 | 1.50 |
| 12 to 15 in., B&B | | .00 | 2.50 | 2.00 |
| , | | | | |
| — verruculosa, 3' | | 7 | Varty Bai | rberry |
| Dwarf, spreading compact habit. yellow flowers. Black fruit. | Shiny ever | green fo | liage. Fra | ıgrant |
| 6 to 9 in., B&B | 2 | .10 | 1.75 | 1.40 |
| 9 to 12 in., B&B | | .60 | 2.20 | 1.75 |
| 12 to 15 in., B&B | | .15 | 2.60 | |
| 15 to 18 in. B&B | | .75 | 3.00 | |
| 15 to 16 m. B&B | | . 1 9 | 3.00 | |
| BERBERIS—DECIDUOUS TYPES | | | | |
| — mentorensis | | \mathbf{M} | entor Bar | rberry |
| Upright type with dark green Very drought resistant. | foliage. Ex | cellent i | dall color | ation. |
| 12 to 15 in | | .60 | .50 | .40 |
| 15 to 18 in | | .75 | .60 | .50 |
| 18 to 24 in | | .90 | .75 | .60 |
| 2 to 2½ ft | | .10 | .95 | .75 |
| 2 00 2 /2 20000000000000000000000000000 | | | | ••• |
| | Unit Price | e in Quai 0-49 | ntities 50-249 2 | 50-un |
| | | | | |
| — thunbergi, 4'-5' | | _ | anese Bai | • |
| Rugged, low hedge plant. Red b because of spiny growth. Richly | | | | arrier |
| 9 to 12 in., 2 yr. trsp | .19 . | .16 | .13 | .11 |
| 12 to 15 in., 2 yr. trsp | .25 . | .23 | .19 | .16 |
| 15 to 18 in., 2 yr. trsp | .34 . | .29 | .24 | .22 |
| 18 to 24 in., 2 yr. trsp | .52 . | .45 | .35 | .28 |
| | | | | |

Order in multiples of 10 where possible.

| | \mathbf{U} | nit Price | in Quanti | ties |
|---|---------------|---------------------|--|--|
| | 1-9 | 10-49 | 50-249 | 250-up |
| BERBERIS thunbergi, 2 year, not t | manenles | tod | | - |
| 9 to 12 in | .10 | .09 | .07 | .06 |
| 12 to 15 in | .13 | .11 | .09 | .08 |
| 15 to 18 in | .17 | .15 | .12 | .11 |
| 18 to 24 in | $\frac{1}{2}$ | .20 | .16 | .14 |
| | | , _ , | .10 | |
| | | 1-9 | 10-49 | 50 - 249 |
| — — atropurpurea, 4'-5' | | Red J | apanese E | Barberry |
| Reddish-purple type of thunbe | ergi. Exc | ellent for | putting | in sales |
| yard operation. | | | | |
| 9 to 12 in | | .33 | .27 | .22 |
| 12 to 15 in | | .45 | .37 | .30 |
| ——— nana, 15″-18″ | | Crimson | Pygmy I | Barberry |
| Dwarf globular habit. Striking | red folia | | - 18, 1 | 30150113 |
| 6 to 9 in | | 0.90 | .75 | .60 |
| 9 to 12 in | | 1.10 | .95 | .75 |
| 12 to 15 in | | 1.30 | 1.10 | .90 |
| ovocto 5' | | Tunob | oden Colu | m n h o n n == |
| — erecta, 5' Narrow upright habit. | | rruene | edge Colu | mnoerry |
| 12 to 15 in | | .40 | .35 | .27 |
| 15 to 18 in | | .50 | .40 | $\overset{\cdot 2}{.32}$ |
| | | .00 | . 10 | .02 |
| *BETULA alba (pendula), 30'-50' | | Euro | pean Whi | te Birch |
| Very attractive tree with white | bark. | | | |
| 4 to 5 ft | | 1.10 | .95 | .75 |
| 5 to 6 ft | | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft | | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft | | 3.75 | $\frac{3.00}{2.5}$ | 2.50 |
| 10 to 12 ft | | $\frac{4.50}{0.00}$ | 3.75 | 3.00 |
| 12 to 14 ft | | 6.00 | 5.00 | 4.00 |
| *— — CLUMPS, two or more st | ems | | | |
| 3 to 4 ft | | 1.20 | 1.00 | .80 |
| 4 to 5 ft | | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | | 3.90 | 2.50 | 2.00 |
| *— — fastigiata 50' | Dyron | nidal Euro | noon Whi | ito Piroh |
| | | | | |
| 4 to 5 ft | | $\frac{3.75}{4.75}$ | $egin{array}{c} 3.00 \ 4.00 \end{array}$ | $egin{array}{c} 2.50 \ 3.00 \end{array}$ |
| 5 to 6 ft | | 4.10 | 4.00 | 5.00 |
| *—— laciniata (pen. laciniata), 3 | 0'-40' | Cutle | af Weepi | ng B irch |
| Deeply cut leaves. Silvery whi | te bark. | Drooping | branches. | |
| 4 to 5 ft | | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | | 2.25 | 1.90 | 1.50 |
| 6 to 8 ft | | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft | | 4.50 | 3.75 | $\frac{3.00}{10.0}$ |
| 10 to 12 ft | | 6.00 | 5.00 | 4.00 |
| *— lenta, 40'-50' | | | $Sw\epsilon$ | et Birch |
| Has attractive smooth, reddis | sh bark. | and consi | | |
| spring. | | 1 | | |
| 5 to 6 ft | | 1.65 | 1.35 | 1.10 |
| 6 to 8 ft | | $\frac{1.00}{2.10}$ | 1.75 | 1.40 |
| 0 00 0 20111111111111111111111111111111 | | | | |

Additional charge for multiple stems according to quality.

^{*}EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE.

| | Unit I 1-9 | Price in Qua 10-49 | entities 50-249 |
|--|------------------|---|---|
| *BETULA papyrifera, 40' | Par | per or Cano | e Birch |
| 4 to 5 ft | _ | 1.25 | 1.00 |
| 5 to 6 ft | | 1.90 | 1.50 |
| 6 to 8 ft | | 2.80 | 2.25 |
| 8 to 10 ft | | 4.05 | $\frac{3.25}{4.50}$ |
| 10 to 12 ft | 6.75 | 5.50 | 4.50 |
| *— populifolia, 30'-40' | | • | Birch |
| Thrives in poor or sandy soil. Windlesself. | | | |
| 4 to 5 ft | | 1.05 | .85 |
| 5 to 6 ft | | $\substack{1.25 \\ 2.20}$ | $\begin{array}{c} 1.00 \\ 1.75 \end{array}$ |
| 6 to 8 ft 8 to 10 ft., 1¼ to 1½ in | | $\frac{2.20}{3.00}$ | $\frac{1.75}{2.50}$ |
| BIGNONIA grandiflora, 25'-40' (Camp | psis gr.) Chines | | creeper |
| Orange-yellow trumpet-like flowe | | August. | |
| 1 year | | .50 | .40 |
| 2 year | | .70 | .55 |
| —— Mme. Gallen, 25'-40' (Campsis M A beautiful hybrid with dark ora | | _ | creeper |
| 1 yr., 18 to 24 in | - | .50 | .40 |
| 2 yr., 2 to 3 ft | | .60 | .50 |
| 3 yr., 3 to 4 ft | | .80 | .65 |
| — radicans, 25'-40' (Campsis rad.) Strong growing. Scarlet-orange fl | lowers. | Trumpet | creeper |
| 1 year 2 year | | $\begin{array}{c} .25 \\ .37 \end{array}$ | $\begin{array}{c} .20 \\ .30 \end{array}$ |
| BIOTA—(See THUJA ORIENTALIS) | | | |
| BIRCH (See BETULA) | | | |
| BITTERSWEET (See CELASTRUS) | | | |
| BOX (See BUXUS) | | | |
| BUDDLEIA | ummer Flower | ing Butterf | ly Bush |
| — Concord, 4'. Blue. | | | |
| - Dubonnet, 4'. Lavender. | | | |
| — He de France, 4'. Dark Purple—fr | agrant. | | |
| - Pink Charming, 4'-6'. Long panicle | s of pink flower | rs. | |
| — Princeton Red, 4'. | | | |
| - Princeton White, 4'. | | | |
| Above varieties at following price | es: | | |
| 18 to 24 in | | .37 | .30 |
| 2 to 3 ft | | .45 | .35 |
| BRIDALWREATH (See SPIREA PRI | UNIFOLIA) | | |
| | | | |

BUCKTHORN (See RHAMNUS)

BUTTERFLY BUSH (See BUDDLEIA)

| | Uni 1-9 | t Price in Qu 10-49 | antities 50-249 |
|--|---------------------|---|--|
| BUXUS sempervirens. 12'-15' | | Comn | non Box |
| Evergreen. Rapid growth. Useful for f | ormal | hedges. | |
| 6 to 8 in., B.R | .70 | .55 | .45 |
| 8 to 10 in, B.R | .90 | .75 | .60 |
| 10 to 12 in., B.R | 1.30 | 1.10 | .90 |
| 10 to 12 in., B&B | 1.90 | 1.50 | 1.25 |
| — suffruticosa, 3'-4' | | Dwarf Engl | lish Box |
| Evergreen. Extensively used for edging. | | | |
| 4 to 6 in., B.R | .55 | .45 | .35 |
| 6 to 8 in., B.R | .75 | .60 | .50 |
| 8 to 10 in., B.R | 1.10 | .95 | .75 |
| 8 to 10 in., B&B | 1.50 | 1.25 | 1.00 |
| CALYCANTHUS floridus, 4'-5' | | | t Shrub |
| An old garden favorite, with fragrant, de | ark re | ddish-brown | flowers. |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | -60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| CAMPSIS (See BIGNONIA) | | | |
| CARAGANA aborescens, 10'-12' | | Siberian I | Pea-tree |
| Yellow, pea-shaped flowers May and Ju | ne. | | |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | .90 | .75 | .60 |
| CARPINUS betulus fastigiata, 30' Pyr | | | rnbeam |
| A very handsome, slow growing, pyrami | | | |
| 3 to 4 ft., B&B | | $\begin{array}{c} 6.00 \\ 9.50 \end{array}$ | |
| 4 to 5 ft., B&B 5 to 6 ft., B&B | 15.00 | 12.00 | |
| | | | , |
| — caroliniana, 30'-40' | | American Ho | |
| Bluish-green foliage. Low, bushy. Excervel in shade. | | | |
| 2 to 3 ft., B.R | | 1.50 | |
| 3 to 4 ft., B.R | $\frac{3.00}{2.5}$ | $\frac{2.50}{2.00}$ | $\frac{2.00}{2.50}$ |
| 4 to 5 ft., B.R | $\frac{3.75}{5.05}$ | $egin{smallmatrix} 3.00 \ 4.40 \end{bmatrix}$ | $egin{array}{c} 2.50 \ 3.50 \end{array}$ |
| 5 to 6 ft., B.R | 5.25 | | |
| — japonica, 40' | | Japanese Ho | |
| Very graceful species. Leaves reddish-bro | own wl | nen unfoldin | g. |
| 18 to 24 in | 1.50 | 1.25 | 1.00 |
| 2 to 3 ft | 1.90 | 1.50 | 1.25 |
| CASTANEA crenata, 20'-30' | | Japanese C | |
| Blight resistant. Large, sweet nuts more Upright habit. Early bearing. | than | one inch wi | de. |
| 18 to 24 in | .85 | .70 | .55 |
| 2 to 3 ft | 1.05 | .90 | .70 |
| 3 to 4 ft | 1.30 | 1.10 | $\frac{.90}{1.05}$ |
| 4 to 5 ft | $\frac{1.90}{2.25}$ | $\substack{1.50\\1.90}$ | $egin{array}{c} 1.25 \ 1.50 \end{array}$ |
| 5 to 6 ft | $\frac{2.25}{2.85}$ | $\frac{1.90}{2.35}$ | $\frac{1.50}{1.90}$ |
| U (U () I(| ≥. 00 | =.00 | _, ~ ~ |

| CASTANEA mollissima, 40'-60' | | Chinese C | hogtnut |
|---|--|---|---|
| | ! 1 1 | | |
| Blight resistant. Large, sweet nuts. This should be planted in a well drained los | is early t | earing var | iety |
| | | 7.0 | |
| 18 to 24 in | $\begin{array}{c} .85 \\ 1.05 \end{array}$ | $\begin{array}{c} .70 \\ .90 \end{array}$ | .55 |
| 2 to 3 ft | 1.03 1.30 | $\frac{.50}{1.10}$ | .90 |
| 4 to 5 ft | 1.90 | $\frac{1.10}{1.50}$ | 1.25 |
| 5 to 6 ft | $\frac{1.35}{2.25}$ | 1.90 | 1.50 |
| 6 to 8 ft | $\frac{2.85}{2}$ | 2.35 | 1.90 |
| CATALPA speciosa, 30'-35' | | Western | Catalpa |
| Heart shaped leaves. Long bean-like se | ed nods | *************************************** | outurpu |
| 4 to 6 ft | 1.10 | .95 | |
| 6 to 8 ft | 1.50 | 1.25 | |
| 8 to 10 ft. | $\frac{1.50}{2.25}$ | $\frac{1.29}{1.90}$ | |
| | | | |
| CEANOTHUS americanus, 3'-4' | | Jers | sey Tea |
| Dwarf, compact, and attractive white flo | owers. | | |
| 12 to 18 in | .70 | .55 | .45 |
| 18 to 24 in | .85 | .70 | .55 |
| CELACEDIC colimana 47/ 00/ | 0- | :4-1 D:44 | |
| CELASTRUS orbiculatus, 15'-20' | | iental Bitt | |
| Rapid growing, high climbing shrubby to expose red seeds in fall. | vine. Ora | ange fruit (| opening |
| 18 to 24 in., 1 year | .37 | .30 | .25 |
| 2 to 3 ft., 2 year | .45 | .37 | .30 |
| 3 to 4 ft., 3 year | .60 | .50 | .40 |
| — scandens, 15'-20' | Δm | erican Bitt | arcwaat |
| Fruit deeper colored and larger than th | | erican bitt | CISWEEL |
| <u>-</u> | | 0.0 | 0.5 |
| 18 to 24 in., 1 year | $\frac{37}{45}$ | .30 | .25 |
| 2 to 3 ft., 2 year 3 to 4 ft., 3 year | $\begin{array}{c} .45 \\ .60 \end{array}$ | $\begin{array}{c} .37 \\ .50 \end{array}$ | $\begin{array}{c} .30 \\ .40 \end{array}$ |
| o to 4 It., o year | .00 | .00 | .10 |
| CELTIS occidentalis, 50'-60' | | На | ckberry |
| Resembles a slow growing elm. Compa soil. | ct in hal | oit. Thrives | in dry |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | $\frac{1.30}{2.10}$ | $\frac{1.25}{1.75}$ | 1.40 |
| 6 to 8 ft | $\frac{2.60}{2.60}$ | $\frac{2.20}{2.20}$ | 1.75 |
| 8 to 10 ft | 3.40 | 2.80 | 2.25 |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 3.75 | |
| CEPHALANTHUS occidentalis, 5'-6' | | But | tonbush |
| Fragrant, creamy white flowers borne i September. Good foliage. Likes moistu | | heads July | - |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| CERCIDIPHYLLUM japonicum, 20'-30' | | Katsu | ra Tree |
| Excellent symmetrical tree. Beautiful | | | |
| colors. | spring at | na autumn | |
| colors. | spring at | 2.50 | 2.00 |
| colors. 2 to 3 ft., B&B 3 to 4 ft., B&B | $\begin{matrix}3.00\\4.10\end{matrix}$ | | |
| colors. 2 to 3 ft., B&B | $\begin{matrix}3.00\\4.10\end{matrix}$ | 2.50 | 2.00 |

| | Unit Price in Quantities 1-9 10-49 50-249 | | |
|--|--|---|---|
| CERCIS canadensis, 12'-15' | | American | Redbud |
| Rosy pink flowers in April. Also called | Judas | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| 4 to 5 ft | 1.90 | 1.50 | 1.25 |
| 5 to 6 ft | $\frac{2.60}{2.60}$ | 2.20 | 1.75 |
| 6 to 8 ft | 3.00 | 2.50 | 2.00 |
| | | | |
| — chinensis, 10'-12' | | Chinese | Redbud |
| Deeper pink than canadensis. Compact | growin | | neabaa |
| 18 to 24 in | .75 | .60 | 5.0 |
| 2 to 3 ft | 1.10 | .95 | .50 $.75$ |
| 3 to 4 ft | $1.10 \\ 1.90$ | 1.50 | 1.25 |
| 4 to 5 ft. | $\frac{1.30}{2.25}$ | 1.90 | $\frac{1.20}{1.50}$ |
| 1 10 9 11 | 2.20 | 1.00 | 1.00 |
| CHAENOMELES lagenaria (See CYDONIA) CHAMAECYPARIS—THE RET | TINOSF | PORAS | |
| CHAMAECYPARIS pisifera, 25'-35' | | Sawara Ret | inospora |
| Fast growing evergreen. Loosely pyrami | | | |
| 15 to 18 in., B&B | 1.65 | 1.35 | 1.10 |
| 18 to 24 in., B&B | $\frac{1.05}{2.25}$ | 1.90 | $\frac{1.10}{1.50}$ |
| 2 to 2 ½ ft. B&B | $\frac{2.23}{3.00}$ | $\frac{1.50}{2.50}$ | $\frac{1.50}{2.00}$ |
| 2 ½ to 3 ft., B&B | $\frac{3.00}{3.75}$ | $\frac{2.30}{3.00}$ | 2.50 |
| 3 to 4 ft., B&B | $\frac{3.19}{4.50}$ | $\frac{3.00}{3.75}$ | $\frac{2.30}{3.00}$ |
| 4 to 5 ft., B&B | $\frac{4.50}{5.60}$ | $\frac{3.75}{4.75}$ | $\frac{3.00}{3.75}$ |
| 4 to 5 It., D&D | 5.00 | 7.10 | 0.10 |
| , | | Sawara Ret | inospora |
| Same growth as pisifera. Foliage bright | | | 4 40 |
| 15 to 18 in., B&B | 1.65 | 1.35 | 1.10 |
| 18 to 24 in., B&B | 2.25 | $\frac{1.90}{2.50}$ | 1.50 |
| 2 to 2 ½ ft., B&B | $\frac{3.00}{2.75}$ | $\frac{2.50}{2.00}$ | $\frac{2.00}{0.50}$ |
| 2 ½ to 3 ft., B&B | $\frac{3.75}{4.50}$ | $\frac{3.00}{2.75}$ | $\frac{2.50}{2.00}$ |
| 3 to 4 ft., B&B | 4.50 | $\frac{3.75}{4.75}$ | $\frac{3.00}{2.75}$ |
| 4 to 5 ft., B&B | 5.60 | 4.75 | 3.75 |
| — — filifera, 15'-20' | | Thread Ret | inospora |
| Long, stringy, drooping, rich green foli | | | |
| 12 to 15 in., B&B | 1.30 | $\frac{1.10}{1.05}$ | |
| 15 to 18 in., B&B | 1.65 | 1.35 | |
| — plumosa, 25′-35′ | | Plume Ret | inospora |
| Evergreen. Dense, fine texture. Shears w | vell. Br | ight green. | |
| 15 to 18 in., B&B | 1.60 | 1.35 | 1.10 |
| 18 to 24 in., B&B | 2.25 | 1.90 | 1.50 |
| 2 to 2½ ft., B&B | 3.00 | 2.50 | 2.00 |
| 2 ½ to 3 ft., B&B | 3.75 | 3.00 | 2.50 |
| — — aurea, 20'-25' | | Golden Ret | inospora |
| Foliage golden yellow. Similar in habit | to plus | | E |
| | | | 1 10 |
| 12 to 15 in., B&B | 1.65 | $\frac{1.35}{1.75}$ | 1.10 1.40 |
| 15 to 18 in., B&B | $\frac{2.10}{2.00}$ | $\frac{1.75}{2.40}$ | |
| 18 to 24 in., B&B | $\frac{2.90}{2.75}$ | $egin{smallmatrix} 2.40 \ 3.00 \end{bmatrix}$ | $\begin{array}{c} 1.95 \\ 2.50 \end{array}$ |
| 2 to 2 ½ ft., B&B | 3.75 | 0.00 | 4.00 |



CHAMAECYPARIS plumosa—Plume Retinospora. Our Retinosporas are well sheared and are an outstanding value.

| | Unit 1-9 | Price in Qu 10-49 | | |
|--|---|--|--|--|
| CHAMAECYPARIS squarrosa veitchi, 25'-30' Foliage blue gray, feathery and dense. | | Moss Ret | inospora | |
| 12 to 15 in., B&B | $\begin{array}{c} 1.50 \\ 1.90 \end{array}$ | $\begin{array}{c} 1.25 \\ 1.50 \end{array}$ | $\begin{smallmatrix}1.00\\1.25\end{smallmatrix}$ | |
| — thyoides, 15'-30' Southern White Cedar Of all the conifers the most tolerant of wet and swampy soil. Rapid growth. Densely columnar habit. | | | | |
| 2 to 3 ft | | $\begin{smallmatrix}2.00\\3.00\end{smallmatrix}$ | | |
| CHERRY, FLOWERING (See PRUNUS) | | | | |
| CHESTNUT (See CASTANEA) | | | | |
| CHIONANTHUS virginicus, 15'-18' | | White Fr | ingetree | |
| Abundant tassel-like white flowers May-J | une. B | lue-black f | ruits. | |
| 12 to 18 in | .85 | .70 | .55 | |
| 18 to 24 in | | .90 | .70 | |
| 2 to 3 ft | | 1.10 | | |
| 3 to 4 ft | 1.65 | 1.35 | 1.10 | |
| CHRISTMASBERRY (See PHOTINIA) | | | | |
| CITRUS trifoliata | | ree Leaved | | |
| An ornamental variety with sharp spines. hedge. Should be planted in protected lo | | mes used a | s formal | |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 | |
| 15 to 18 in., B&B | | 1.90 | 1.50 | |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 | |

| | Unit Pr 1-9 | rice in Quai 10-49 | ntities 50-249 |
|---|---|--|--|
| CLADRASTIS lutea (tinctoria) 30'-40' | | Yello | wwood |
| A striking tree with long panicles of frag | rant whit | e flowers in | June. |
| 3 to 4 ft., B&B | | $\begin{smallmatrix}3.00\\4.05\end{smallmatrix}$ | $\begin{smallmatrix}2.50\\3.25\end{smallmatrix}$ |
| CLEMATIS paniculata, 20'-25' | | Autumn Cl | |
| White fragrant flowers. September. Woo vine. | ly seed p | oods. An ex | cellent |
| 1 year 2 year | $\begin{array}{c} \textbf{.45} \\ \textbf{.60} \end{array}$ | $\begin{array}{c} .37 \\ .50 \end{array}$ | $\begin{matrix} .30 \\ .40 \end{matrix}$ |
| — virginiana, 12'-15' | | Virgin | Bower |
| White medium sized flowers from July to | Septem | | |
| 1 year 2 year | $\begin{smallmatrix} .45\\ .60 \end{smallmatrix}$ | $\begin{array}{c} .37 \\ .50 \end{array}$ | $\begin{matrix} .30 \\ .40 \end{matrix}$ |
| CLETHRA alnifolia, '4-5' | | Summe | rsweet |
| Spikes of richly fragrant flowers, July-Splace. | Sept. Pre | | |
| 12 to 18 in | .52 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 2½ ft | .90 | .75 | .60 |
| COFFEETREE—(See GYMNOCLADUS) | | | |
| COLUTEA arborescens, 8'-10' | | on Bladder | -Senna |
| Yellow flowers June-August. Does well: | | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | $\begin{array}{c} .90 \\ 1.10 \end{array}$ | $\begin{array}{c} .75 \\ .95 \end{array}$ | $\begin{array}{c} .60 \\ .75 \end{array}$ |
| CORKTREE (See PHELLODENDRON) | 1.10 | . 0 0 | ••• |
| CORNUS alba (sibirica), 8'-10' | Red B | ranched Do | gwood |
| Bright red bark. Porcelain blue fruits. Q winter effects. Very adaptable. | uick gro | wer. Excell | ent for |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in. | $\frac{.37}{c}$ | .30 | $\begin{array}{c} .25 \\ .40 \end{array}$ |
| 2 to 3 ft | $\begin{array}{c} .60 \\ .85 \end{array}$ | $\begin{array}{c} .50 \\ .70 \end{array}$ | .55 |
| — alternifolia, 15'-18' | ••• | Blue Do | |
| Horizontal branches. Blue-black fruits. | | Brue Be | /5 11 O O CL |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| - amomum (sericea), 10' | | Silky Do | gwood |
| Pale blue fruits. Young twigs purple. Pr | refers mo | ist location | ١. |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| — elegantissima variegated, 6'-8' | | erblotch Do | |
| Leaves are edged with creamy white. Ve Excellent to pot for retail sales. | ery striki: | | |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | $\begin{array}{c} .70 \\ .85 \end{array}$ | $\begin{array}{c} .55 \\ .70 \end{array}$ | $.45 \\ .55$ |
| 2 to 3 ft | .09 | | .00 |

| | | 20 20 | 00 |
|--|---------------------|---------------------|---------------------|
| CORNUS florida, 15'-25' | Whiteflo | wering | Dogwood |
| | | | |
| White flowers. A most popular spring | nowering s | man tre | e. Red |
| berries. | | | |
| 18 to 24 in., B.R | 1.00 | .80 | .65 |
| 2 to 3 ft., B.R | $\boldsymbol{1.25}$ | 1.05 | .85 |
| 3 to 4 ft., B.R | 2.25 | 1.90 | 1.50 |
| 4 to 5 ft., B.R | $\frac{2.20}{3.40}$ | $\frac{2.80}{2.80}$ | 2.00 |
| | 8.50 | $\frac{2.30}{7.00}$ | |
| 5 to 6 ft., B&B | | | |
| 6 to 8 ft., B&B | 10.25 | 8.50 | |
| | 5 10 | | |
| — — florida rubra, 15'-20' | Reand | wering | Dogwood |
| Beautiful bright red flowers in spring. | Very strik | ing. | |
| 18 to 24 in., B.R | 2.25 | 1.90 | 1.50 |
| 2 to 3 ft., B.R. | 3.00 | 2.50 | 2.00 |
| | | | |
| 3 to 4 ft., B.R | 5.25 | 4.40 | 3.50 |
| 1 401.401 | | TZ | D 1 |
| — kousa, 16'-18' | | | Dogwood |
| White flowers in June. Conspicuous che | erry-like so | earlet fr | uits. |
| Attractive to birds. | | | |
| 2 to 3 ft., B&B | 3.40 | 2.80 | 2.25 |
| 3 to 4 ft., B&B | | $\frac{2.50}{3.50}$ | $\frac{2.25}{2.75}$ |
| 5 to 4 It., D&D | 4.10 | 5.50 | 4.10 |
| mag 90/ 95/ | | Tannalia | n Champy |
| — mas, 20'-25' | | | n Cherry |
| Handsome, large shrub. Small yellow | flowers in | a April. | Shining |
| scarlet fruits in fall. | | | |
| 18 to 24 in | .85 | .70 | .55 |
| 2 to 3 ft | 1.05 | .90 | .70 |
| 3 to 4 ft | $\frac{1.05}{1.30}$ | 1.10 | |
| | | | $\frac{.90}{1.10}$ |
| 4 to 5 ft | 1.65 | 1.35 | 1.10 |
| 2-1-4 (| | Q | D |
| — paniculata (racemosa) 10'-12' | | Gray | Dogwood |
| Small white flowers. May. White fruits | on red st | ems. | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | | .70 | .55 |
| 5 10 4 11, | .00 | . 10 | 66. |
| | 70.1 | 9.2 | Б |
| — sanguinea, 8'-10' | | - | Dogwood |
| Dark red branches. Good foliage. Does | well in da | mp loca | tions. |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 5 to 4 It | . 10 | .00 | .90 |
| | _ | | _ |
| — stolonifera, 7'-8' | Re | d-Osier : | Dogwood |
| Spreading. Dark red bark. White fruits | . Does well | l in dam | (D |
| locations. | | | |
| 18 to 24 in | 9.7 | 2.0 | 9.5 |
| | $\frac{.37}{\circ}$ | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .80 | .60 |
| | | | |
| — — lutea (flaviramea), 6'-7' | V 011 | outurio ' | Dogwood |
| | | JWLWIS . | Dog wood |
| Bright yellow bark. Excellent for winter | er effects. | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| | | | .00 |
| | | | |

| | Unit Price in Quantities 1-9 10-49 50-249 | | |
|---|---|---|--|
| COTONEASTER dielsiana, 4'-5' | | Diels Coto | neaster |
| Upright growth. | | | |
| 12 to 15 in., 6 in. pots | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
| 15 to 18 in., 6 in. pots | 1.90 | 1.50 | 1.25 |
| — divaricata, 5'-6' | _ | ading Coto | |
| Handsome shrub bearing glossy leaves a | _ | | |
| 15 to 18 in., B&B | $egin{smallmatrix} 1.90 \ 2.25 \end{smallmatrix}$ | $egin{array}{c} 1.50 \ 1.90 \end{array}$ | $egin{array}{c} 1.25 \ 1.50 \end{array}$ |
| 2 to 2½ ft., B&B | 3.00 | $\frac{1.50}{2.50}$ | 2.00 |
| — franchetii, 5'-6' | Fra | nchet Coto | neaster |
| Evergreen, upright, orange berries. | | | |
| 9 to 12 in., 6" cans | 1.10 | .95 | .75 |
| 12 to 15 in., 6" cans | 1.50 | 1.25 | 1.00 |
| — horizontalis (davidiana), 2'-3' | | Rock Coto | neaster |
| Spreading, Foliage boxlike, Red berries | s. Excel | lent in ro | ckeries. |
| 6 to 9 in., pots | 1.10 | .95 | .75 |
| 9 to 12 in., pots | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., 6" cans | $egin{array}{c} 1.90 \ 2.25 \end{array}$ | $egin{array}{c} 1.50 \ 1.90 \end{array}$ | 1.25 1.50 |
| 10 to 10 mi, o cans | 2.20 | 1.50 | 1.00 |
| — — perpusilla, 2'-3' | | | |
| Similar to horizontalis but has smaller le | | d larger fru | it. |
| 9 to 12 in., 6" pot | 1.50 | 1.25 | 1.00 |
| — microphylla, 2'-3' | | Roc | ekspray |
| Evergreen. Small dark green leaves. More | e bushv | | |
| 9 to 12 in., 6" cans | - | 1.25 | 1.00 |
| — rotundifolia, (buxifolia), 1½-2' Evergreen, Round leaves, Postrate, Red | | ndleaf Coto | neaster |
| 15 to 18 in., 6" cans | 1.90 | 1.50 | 1.25 |
| 18 to 24 in., 6" cans | 2.25 | 1.90 | 1.50 |
| — salicifolia, 4'-5' | Wille | owleaf coto | neaster |
| Partly evergreen. Spreading. Red berri Cotoneaster. | es. The | e finest lar | ge |
| 9 to 12 in., 6" pot | 1.10 | .95 | 1.75 |
| 12 to 15 in., 6" pot 15 to 18 in., 6" pot | $egin{smallmatrix} 1.50 \ 1.90 \end{smallmatrix}$ | 1.25 1.50 | $egin{array}{c} 1.00 \ 1.25 \end{array}$ |
| - | 1.90 | 1.50 | 1,20 |
| CRABAPPLE (See MALUS) | | | |
| CRATAEGUS coccinea, 15'-20' | | Chicket Ha | |
| Shrubby habit with long curved spines Large white flowers and large red fruits | | | leaves. |
| 2 to 3 ft | 1.90 | 1.50 | 1.25 |
| 3 to 4 ft | $\frac{3.00}{4.50}$ | $\frac{2.50}{2.75}$ | $\frac{2.00}{2.00}$ |
| 4 to 5 ft 5 to 6 ft., B&B | $egin{array}{c} 4.50 \ 11.20 \end{array}$ | $\begin{array}{c} 3.75 \\ 9.50 \end{array}$ | $egin{array}{c} 3.00 \ 7.50 \end{array}$ |
| υ το τι., ΔαΔ | II.4U | J. J V | 1.0V |



CRATAEGUS crusgalli—Cockspur Hawthorn. The best crataegus. For hedges or thorny barrier; glossy foliage.

| | Unit 1-9 | Price in Qua 10-49 | ntities 50-249 |
|---|----------------------|-----------------------|---------------------|
| CRATAEGUS cordata (phaenopyrum), 12'-15 | | shington Ha | wthorn |
| Colorful in fall. Makes an excellent hed | | | |
| 2 to 3 ft., B.R | 1.90 | 1.50 | 1.25 |
| 3 to 4 ft., B.R | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft., B.R | 4.50 | 3.75 | 3.00 |
| 5 to 6 ft., B&B | 11.20 | 9.50 | 7.50 |
| 6 to 8 ft., B&B | 14.50 | 11.70 | 9.50 |
| 8 to 10 ft., B&B | 19.50 | 14.50 | |
| — crusgalli, 15' | | Cockspur | |
| Deep green shiny leaves make this Ha flowers are conspicuous. | iwthorn | distinctive. | White |
| | 4 50 | 1 05 | 1 00 |
| 18 to 24 in | $\frac{1.50}{2.55}$ | $\frac{1.25}{1.00}$ | $\frac{1.00}{1.50}$ |
| 2 to 3 ft | 2.25 | $\frac{1.90}{2.50}$ | 1.50 |
| 3 to 4 ft | 3.00 | 2.50 | 2.00 |
| — mollis, 15' | | Downy Ha | wthorn |
| Strong grower, Large leaves, Red fruits | S. | | |
| 2 to 3 ft., B.R. | 2.25 | 1.90 | 1.50 |
| 3 to 4 ft., B.R | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft., B&B | 7.50 | 6.00 | 5.00 |
| 5 to 6 ft., B&B | 11.20 | 9.50 | 7.50 |
| 6 to 7 ft., B&B | 14.30 | 11.70 | 9.50 |
| — oxycantha, 12'-15' Single white flowers. | | English | Thorn |
| 2 to 3 ft., B.R | 2.25 | 1.90 | 1.50 |
| 3 to 4 ft., B.R. | 3.00 | $\frac{1.50}{2.50}$ | $\frac{1.00}{2.00}$ |
| 4 to 5 ft., B.R. | 4.50 | $\frac{2.30}{3.75}$ | $\frac{2.00}{3.00}$ |
| 5 to 6 ft., B&B | $\frac{4.30}{11.20}$ | 9.50 | $\frac{3.00}{7.50}$ |
| , | | $\frac{9.30}{11.70}$ | 9.50 |
| 6 to 8 ft., B&B | 14.30 | 11.70 | 9.00 |

| | Unit] 1-9 | Price in Qua 10-49 | ntities 50-249 |
|---|--|---------------------------|-------------------|
| CRATAEGUS oxycantha pauli, 12'-15' | Paul's | Scarlet Ha | wthorn |
| Double scarlet flowers. | | | |
| 4 to 5 ft., branched | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft., branched | 4.50 | 3.75 | 3.00 |
| 6 to 8 ft., branched | 6.00 | 5.00 | 4.00 |
| — punctata, 25'-30' | | Dotted Ha | 011 01 11 |
| Broad headed small tree. Large white spotted fruit in October. | | • | ull red |
| 2 to 3 ft | $\begin{smallmatrix}2.25\\3.00\end{smallmatrix}$ | $\substack{1.90 \\ 2.50}$ | |
| — pyracantha lalandi (See PYRACANTHA) | | | |
| CRYPTOMERIA japonica lobbi, 15'-20' | | Lobb Crypt | omeria |
| Forms narrow irregular column; compabronze winter color. | act and | | |
| 18 to 24 in | 3.20 | 2.70 | 2.15 |
| 2 to 3 ft | 4.00 | 3.35 | 2.65 |
| 3 to 4 ft | 5.25 | 4.40 | 3.50 |
| CYDONIA japonica (chaenomeles lagenaria), Scarlet flowers, April, May. Spicy fruits i | | Flowering | Quince |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — HYBRIDS, 4'-5' Boule de feu, double red, 12-18"; 18-24"; Cardinalis, red flowering, 12-18"; 18-24"; Nivalis, white flowering, 12-18"; 18-24" Superba atrosanguinea, redflowering, 12-Vermilion, clear vermilion-red flowers, 12 to 18 in | 2-3'; 2-3' -18"; 18 | | .40 .60 .80 |
| CYPRESS (See CHAMAECYPARIS) | | | |
| • | | 01- 7 | Dank !- |
| DEUTZIA gracilis, 3' Heavily laden with snow white flower shrub. | s in M | Slender l [ay. Useful | |
| 9 to 12 in | .45 | .37 | .30 |
| 12 to 15 in | .60 | .50 | .40 |
| 15 to 18 in | .85 | .70 | .55 |
| —— rosea, 3' | | Rose | panicle |
| Similar in growth to above but with pink | ish flow | ers. | |
| 9 to 12 in | .45 | .37 | .30 |
| 12 to 15 in | .60 | .50 | .40 |
| 15 to 18 in | .85 | .70 | .55 |
| 18 to 24 in | 1.05 | .90 | .70 |
| 2 to 2½ ft | 1.36 | 1.10 | .90 |

| | Unit l 1-9 | Price in Qua 10-49 | ntities 50-249 |
|--|--|---|-------------------|
| DEUTZIA lemoinei, 4'-5' | | Lemoine I | Deutzia |
| Large flowering, white. June. | | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 2 ½ ft | .75 | .60 | .50 |
| $2\frac{1}{2}$ to 3 ft | .90 | .75 | .60 |
| — scabra candidissima, 6'-8' | | Snowflake I | Deutzia |
| Graceful habit. Double white, June. | | | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | |
| 3 to 4 ft | .75 | .60 | .50 |
| — crenata fl. pl., 6'-8' | De | ouble Pink l | Deutzia |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| — Pride of Rochester, 9'-10' | _ | e Flowered 1 | Deutzia |
| Pink changing to white. June. Fast growi | ng. | | |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| Yellow flowers June-July, Vigorous grovage. Excellent for contrast. 18 to 24 in | | | |
| DOGWOOD (See CORNUS) | | | |
| ELAEAGNUS angustifolia, 15'-18' | | | n Olive |
| Silvery leaves and branchlets. Orange be conditions. | erries. S | Stands unfa | vorable |
| 18 to 24 in | .50 | .40 | .30 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | $\begin{array}{c} .85 \\ 1.05 \end{array}$ | .70 | .55 |
| 4 to 5 ft | 1.05 1.30 | $egin{array}{c} .90 \ 1.10 \end{array}$ | $.70 \\ .90$ |
| 5 10 6 11 | 1.00 | 1.10 | .90 |
| — longipes (multiflora) 6'-8' | | Cherry Ela | eagnus |
| Silvery leaves. Yellow flowers, fragrant, ripening in July. | May. | | |
| 12 to 18 in | .75 | .60 | .50 |
| 18 to 24 in | .90 | .75 | .60 |
| 2 to 3 ft | 1.25 | 1.05 | .85 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.90 | 1.50 | |

| | Unit I 1-9 | Price in Qua 10-49 | ntities 50 -2 49 |
|---|------------------------------|-----------------------|----------------------------|
| ELAEAGNUS umbellata, 8'-10' | A | Autumn Ela | eagnus |
| Powdery green leaves. Clusters of amber | | | |
| 18 to 24 in. | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | 1.00 | .80 | .65 |
| 4 to 5 ft | 1.20 | 1.00 | .80 |
| 5 to 6 ft | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
| ELM (See ULMUS) | | | |
| ENGLISH IVY (See HEDERA) | | | |
| EUONYMUS alatus, 9'-10' | | Winged Euc | nymus |
| | | _ | Jily III u.s |
| Has corky bark. Bright crimson autumn | | | 0.0 |
| 12 to 18 in | .90 | .75 | .60 |
| 18 to 24 in | $\frac{1.10}{1.05}$ | .95 | .75 |
| 2 to 3 ft | 1.65 | 1.35 | $\frac{1.10}{1.70}$ |
| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
| — — compactus, 4'-5' | Dwarf ' | Winged Euc | onvmus |
| Dwarf form of alatus. Compact. Exceller coloring. | | | |
| 12 to 15 in | .85 | .70 | .55 |
| 15 to 18 in | 1.10 | .95 | .75 |
| 18 to 24 in | 1.50 | 1.25 | 1.00 |
| 2 to 2½ ft | 2.10 | 1.75 | 1.40 |
| 2 ½ to 3 ft | 2.50 | 2.05 | $\boldsymbol{1.65}$ |
| — europaeus, 12'-14' | _ | ean Burnin | g Bush |
| Pink fruits on long stalks, persisting a l | ong tim | .e. | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| — fortunei carrieri, 3' | Glo | ssy Winter | eraanar |
| Evergreen. Large shiny pointed leaves. | | - | creeper |
| 9 to 12 in | .90 | .75 | .60 |
| 12 to 15 in | 1.20 | 1.00 | .80 |
| 12 00 1 0 1 | | | |
| — patens (sieboldianus), 6'-8' | $\operatorname{Spr}\epsilon$ | eading Euor | nymous |
| Evergreen. Very vigorous. Forming broa ornamental fruits. | d, rathe | er loose shru | ıb. Has |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.60 | 2.20 | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| — radicans, 3'-4' | | Winter | _ |
| Evergreen. Self clinging vine. Good for useful for under planting among evergreen | eens. | | |
| 6 to 9 in., 1 year | .50 | .40 | .30 |
| 9 to 12 in., 2 year | .60 | .50 | .40 |
| 12 to 15 in., 2 year | .75 | .60 | .50 |
| 15 to 18 in., 3 year | .90 | .75 | .60 |

| | Unit I 1-9 | Price in Qu 10-49 | antities 50-249 |
|--|---|----------------------|---|
| EUONYMUS radicans colorata, 6'-12' | Purplelea | ved Winte | rcreeper |
| Evergreen. Foliage narrow, long and ti winter color. | - | | _ |
| 9 to 12 in., 1 year | .30 | .25 | .20 |
| 12 to 15 in., 2 year | .45 | .37 | .30 |
| 15 to 18 in., 2 year | $\begin{array}{c} \textbf{.60} \\ \textbf{.70} \end{array}$ | .50 $.55$ | $\begin{array}{c} .40 \\ .45 \end{array}$ |
| 18 to 24 in., 3 year | . 70 | .66. | .40 |
| — erecta Erect type of Euonymus radicans. | Er | ect Winte | rcreeper |
| 9 to 12 in | .60 | .50 | .40 |
| 12 to 15 in | .75 | .60 | .50 |
| 15 to 18 in | .90 | .75 | .60 |
| 18 to 24 in | 1.10 | .95 | |
| — — vegetus, 4' | _ | leaf Winte | _ |
| Evergreen. Bushy. Leaves round, dull gramong evergreens. Makes good formal | | | Excellent |
| 6 to 9 in., 2 year | .70 | .55 | .45 |
| 9 to 12 in., 2 year | | .75 | .60 |
| 12 to 15 in., 3 year | 1.20 | 1.00 | .80 |
| 15 to 18 in., 3 year | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
| — yedoensis, 10' | | Yeddo E | ionymus |
| Tall upright shrub. Attractive fall cold | oring. Pin | k fruit. | |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .90 | .75 | .60 |
| EXOCHORDA grandiflora, 6'-9' | | Common P | earlbush |
| Dazzling, white flowers, May. Is improve | red by pru | ıning. | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| | | | |
| FALSE SPIREA (See SORBARIA) | | | |
| FIR DOUGLAS (See PSEUDOTSUGA) | | | |
| FIRETHORN (See PYRACANTHA) | | | |
| FLEECEVINE (See POLYGONUM) | | | |
| FLOWERING CHERRIES (See PRUNUS) | | | |
| FLOWERING CRAB (See MALUS) | | | |
| FLOWERING QUINCE (See CYDONIA) | | | |
| FORSYTHIA intermedia, 6'-8' | | Border F | orsythia |
| Bright yellow flowers in April before beautiful. | leaves un | | |
| 18 to 24 in | | .45 | .35 |
| 2 to 3 ft | | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |



FORSYTHIA spectabilis—Showy Border Forsythia. Plenty of branches. We grow good flowering shrubs.

| | Unit 1-9 | Price in Qu 10-49 | iantities 50-249 |
|---|---------------|----------------------|---------------------|
| FORSYTHIA intermedia spectabilis, 6'-8' | Show | y Border I | orsythia |
| Most profuse of all. Rich golden yellow. | | | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 2 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .80 | .65 |
| — ovata, 6'-8' | | Korean I | orsythia |
| An introduction from Northern Korea sythias. Flowers pale primrose-yellow, varieties. | | | |
| 12 to 18 in | .45 | .37 | |
| 18 to 24 in | .60 | .50 | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — Spring Glory, 6'-8' | ew Sprin | g Glory I | orsythia |
| Pale yellow flowers in profusion. | | | |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — suspensa, 4'-6' | | Weeping 1 | Forsythia |
| Bright yellow. Drooping. Excellent on | banks. | | |
| 12 to 18 in | .37 | .30 | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |

| | Unit P 1- 9 | rice in Qu 10-49 | antities 50-249 |
|---|-----------------------|---------------------|--------------------|
| FORSYTHIA suspensa fortunei, 7'-8' |] | Fortune F | orsythia |
| Bright yellow. Strong grower. Arching. | | | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — viridissima, 6'-8' | Gre | eenstem F | orsythia |
| Very vigorous. Green bark, Heavy da | | | - |
| bloom. | | . 10114801 | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| FRAXINUS americana, 70'-80' | | W | hite Ash |
| Medium grower. Good fall coloring. At | home in | moist loca | ations. |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | 2.60 | $\frac{1.00}{2.20}$ | 1.75 |
| 8 to 10 ft., 1 to 1¼ in | $\frac{2.75}{3.75}$ | 3.00 | 2.50 |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.25 | 4.00 | 3.50 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 7.50 | 6.00 | |
| — lanceolata, 50'-60' | | Co | een Ash |
| | falions | | |
| Rapid straight growth. Has dark green locations. | Tomage a | and thrive | es in dry |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | 2.60 | 2.20 | 1.75 |
| 8 to 10 ft., 1 to 1¼ in | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 5.25 | 4.40 | • • • |
| | | | • |
| GENISTA tinctoria, 3' | | Wo | adwaxen |
| Slender bright green branches. Yellow | pea-shap | ed flowers | • |
| 2 to 3 ft | .70 | .55 | |
| 3 to 4 ft | .85 | .70 | |
| GINKGO biloba (Salisburia), 50-75 | | Maidenl | nair Tree |
| Picturesque. Exotic, stately. Distinct for | oliage sh | | |
| hair fern. Immune from insects. Very de | | | |
| 10 to 12 ft., 1½ to 1¾ in | 10.25 | 8.40 | |
| 10 to 12 ft., 1¾ to 2 in. | 12.75 | 10.80 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 16.00 | 13.50 | ****** |
| GLEDITSIA Moraine (Plant Patent No. 836) | ı | Morain | e Locust |
| This variety of Honeylocust is a par | tented v | ariety cov | vered by |
| United States Plant Patent No. 836. The | e name " | Moraine" | is Trade |
| Marked in the United States and Can- under license from the Patent and Tra | ada, and | is being | |
| 5 to 6 ft., branched | 3.30 | 2.75 | 2.50 |
| 6 to 7 ft., branched | 4.00 | 3.35 | 3.00 |
| 7 to 8 ft., branched | 5.35 | 4.50 | 4.00 |
| 5 to 6 ft., whips | 2.70 | 2.25 | 2.00 |
| 6 to 7 ft., whips | 3.30 | 2.75 | 2.50 |
| 7 to 8 ft., whips | 4.00 | 3.35 | 3.00 |
| 2.0 | | | |

GLEDITSIA triacanthos, 60'-70'

Common Honeylocust

Thorny tree. White fragrant flowers. May. Good in gravelly locations. Does not shade out lawns. A graceful tree of good growth characteristics and clean bright foliage.

| 5 to 6 ft | | 1.65 | 1.35 | 1.10 |
|----------------|---------------|------|------|------|
| 6 to 8 ft | | 2.25 | 1.90 | 1.50 |
| | to 1 ¼ in | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft., 1 | ½ to 1½ in | 4.50 | 3.75 | 3.00 |
| 10 to 12 ft., | 1 ½ to 1 ¾ in | 6.75 | 5.50 | 4.50 |

GLEDITSIA TRIA. INERMIS—Thornless Honeylocust—See Page 33

– — inermis aurea

COLE'S NEW SUNBURST LOCUST (Plant Patent No. 1313)

Bright golden-bronze on tips of branches. Brilliant coloring is limited to 8 to 10 inches of branch tips. Tree is well formed and symmetrical with spreading habit.

| 4 | to | 5 | ft., | whips | 2.25 | 1.90 | 1.50 |
|---|----|---|------|-------|------|------|------|
| 5 | to | 6 | ft., | whips | 3.00 | 2.50 | 2.00 |
| 6 | to | 7 | ft., | whips | 3.75 | 3.00 | 2.50 |
| 7 | to | 8 | ft., | whips | 4.50 | 3.75 | 3.00 |

GOLDENCHAIN (See LABURNUM)

GYMNOCLADUS dioicus, 40'-50' Kentucky Coffeetree Light blue green foliage. Slow growing. Picturesque outline.

| 0 ** 0 | 220 | | 8.0011 101100001 81011 810111101 | | que outilies | |
|--------|-----|---|----------------------------------|-------|--------------|--|
| 3 | to | 4 | ft | 1 .30 | 1.10 | |
| 4 | to | 5 | ft | 1.90 | 1.50 | |
| 5 | to | 6 | ft | 2.40 | 2.00 | |
| | | | ft | | 3.75 | |

---₩ H }*---

HACKBERRY (See CELTIS)

nothing else is in bloom.

| HALESIA monticola, 40' | Mountain Silverbell |
|-----------------------------------|----------------------------------|
| The tree form of the Silver Bell. | Ideal as a small lawn or founda- |
| tion specimen. | |


| | $-\mathbf{r}$ | | C111 | | | |
|----------|---------------|---|------|------|------|------|
| 2 | to | 3 | ft | 1.10 | .95 | .75 |
| | | | | | 1.20 | .95 |
| | | | ft | | 1.50 | 1.25 |

— tetraptera (carolina), 12'-15' Great Silverbell White bell-shaped flowers in May. Profusely borne along the branchlets.

| 2 | to | 3 | ft | .75 | .60 | .50 |
|---|----|---|----|------|------|------|
| 3 | to | 4 | ft | 1.05 | .90 | .70 |
| 4 | to | 5 | ft | 1.45 | 1.20 | .95 |
| 5 | to | 6 | ft | 1.90 | 1.50 | 1.25 |
| 6 | to | 8 | ft | 2.25 | 1.90 | 1.50 |

HAMAMELIS vernalis, 8' Vernal Witch-hazel Clear yellow flowers, Jan. and Feb.; spicy fragrance—when

| | 0 | | | | | |
|----|----|----|------|------|------|-----|
| 18 | to | 24 | ł in | .85 | .70 | .55 |
| | | | ft | 1.05 | .90 | .70 |
| | | | ft | | 1.10 | .90 |



OUR GLEDITSIA INERMIS

THORNLESS HONEYLOCUST

For a number of years we have been striving to produce a Thornless Honey-locust with the outstanding characteristics which are so evident in this picture (photographed August 27, 1955).

Our long effort has resulted in the development of what we consider the FINEST THORNLESS HONEYLOCUST AVAILABLE.

OUTSTANDING CHARACTERISTICS ARE:

- 1. Straight strong trunks
- 2. Ascending branches
- 3. Rapid growth
- 4. Requires no staking
- 5. Deep roots
- 6. Drought resistance
- 7. Does not heave sidewalks
- 8. Grass will grow right up to trunk
- 9. Transplants easily

- 10. Heavy dark green foliage
- 11. Holds foliage late in season
- 12. Freedom from diseases and insect pests
- 13. No leaf raking in the fall
- 14. Forms unbelievably symmetrical tops—A radical departure from other Honeylocusts.

This is the street, lawn and park "TREE OF TOMORROW."

Limited supply available this fall.

| | | | 1-9 | 10-49 | 50-249 |
|---|----|---------------------------|------|-------|--------|
| 6 | to | 8 ft | 3.75 | 3.00 | 2.50 |
| | | 10 ft | | 4.40 | 3.50 |
| | | 10 ft., 1 1/4 to 1 1/2 in | | 6.00 | 5.00 |
| | | 12 ft., 1½ to 1¾ in | | 8.80 | 7.50 |

| | Unit 1-9 | Price in Q 10-49 | uantities 50-249 |
|---|--------------|---------------------|---------------------|
| HAMAMELIS virginiana, 10'-12' | C | ommon Wi | tch Hazel |
| Yellow ribbon-like flowers in late fall. cations. | | | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .85 | .70 | |
| 3 to 4 ft | 1.05 | .90 | .70 |
| HAWTHORN (See CRATAEGUS) | | | |
| HAZLENUT (See Corylus) | | | |
| HEDERA helix (hardy strain), 20'-50' | | Eı | nglish Ivy |
| Evergreen, Good ground cover for shady cover. Clinging. | loca | tions. An i | deal wall |
| 12 to 15 in., $2\frac{1}{4}$ in. pots | .22 | .20 | .15 |
| 15 to 18 in., 3 in. pots | .37 | .30 | .25 |
| 15 to 18 in., bare root | .30 | .25 | .20 |
| 18 to 24 in., 4 in. pots | .55 | .45 | .35 |
| — baltica, 20'-50' | | Hardy E | nglish Ivy |
| Hardy strain of Hedera helix. | | | |
| 2 ¼ in. pots | .30 | .25 | . 20 |
| — colchica, 20'-50' | | | iglish Ivy |
| The outstanding evergreen ground cover Huge leaves up to six inches across. | | | dy areas. |
| 15 to 18 in., 2¼ in. pots | .30 | .25 | .20 |
| HEMLOCK (See TSUGA) | | | |
| HIBISCUS syriacus (Althea), 10'-12' | | Shri | ıb-Althea |
| Rather formal in outline, flowering in Au called Rose of Sharon. | gust a | and Septem | ber. Also |
| Ardens, double rose violet. Comte de Haimont, double pink, white Jeanne d'Arc, semi-double white. Lucy, double rose red. Purpureus semiplenus, semi-double pur Rubis, single red. Totus alba, single white. | ple. | | |
| 12 to 18 in | .27 | .22 | .18 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | $.70 \\ .90$ | .55 | |
| — coelestis, 10'-12' | | Single Blu | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .75 | .60 | .50 |

HONEYLOCUST (See GLEDITSIA)

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HORNBEAM (See CARPINUS)

| | 1-0 | 10 10 | 00 -10 |
|--|----------|-------------|----------|
| HYDRANGEA arborescens grandiflora alba, (sterilis) | 4'-5' | Snowhill Hy | drangea |
| Large double white flower panicles in | August. | Rich green | foliage. |
| 12 to 18 in | | .37 | .30 |
| 18 to 24 in | | .45 | .35 |
| 2 to 3 ft | | .55 | |
| — Otaksa, 2'-3' | | Blue Hv | drangea |
| Blue flowers throughout summer. Should be planted in acid soil | | | |
| for best color. Does better with winter 6 to 9 in., 1 yr. field grown | | | , or u |
| heavy strong roots | .55 | .45 | .35 |
| heavy strong roots | .75 | .60 | .50 |
| 12 to 15 in., 2 year field grown | 1.10 | .90 | .70 |
| paniculata (TYPE), 8'-9' Panicle Hydrangea | | | |
| Bears long loose panicles of white flow | ers. Au | gust. | |
| 18 to 24 in | | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| — grandiflora, 8'-9' | | Peegee Hy | drangea |
| Very showy. Large closely packed panicles of white flowers in Au- | | | |
| gust. Turn pink later. | | | |
| 12 to 18 in | | .30 | .25 |
| 18 to 24 in | | .37 | .30 |
| 2 to 3 ft | | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| — petiolaris, 30'-50' Climbing Hydrangea | | | |
| Attractive, rampant-growing vine. Splendid when used against large brick or stone buildings. Clings by rootlets. | | | |
| 12 to 15 in., 4 in. pots | 2.50 | 2.05 | 1.65 |
| 15 to 18 in., 4 in pots | | 2.40 | 1.95 |
| 18 to 24 in., 4 in. pots | 3.40 | 2.80 | 2.25 |
| — quercifolia, 3'-4' Oak Leaf Hydrangea | | | |
| Leaves shaped like an oak leaf. Beau ceeds in shade. Very desirable. | | - | _ |
| 12 to 18 in | .90 | .75 | .60 |
| 18 to 24 in | 1.20 | 1.00 | .75 |
| 2 to 3 ft | 1.50 | 1.25 | 1.00 |
| HYPERICUM densiflorum, 4'-5' Dense St. Johnswort | | | |
| Yellow. July-Sept. Free flowering; god | od in sa | andy soil. | |
| 18 to 24 in | .52 | .45 . | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — moserianum, 2' Goldenflower | | | |
| Hybrid form. Useful in perennial bor | rder Co | | |
| over two inches across. | uer, uu | ruen yenow | nowers |
| 9 to 12 in | .45 | .37 | .30 |
| 12 to 15 in. | .60 | .50 | .40 |
| 15 to 18 in. 5 | .85 | .70 | .55 |
| | | | |



ILEX crenata convexa—Convex Leaved Holly. Sturdy, quality plants.

| | Unit 1 1-9 | Price in Qu 10-49 | antities 50-249 |
|---|---------------|----------------------|---------------------|
| HYPERICUM prolificum, 4'-5' | Shru | bby St. Jo | hnswort |
| Strong, vigorous grower. Masses well as grandy soils. | round c | over in ver | y dry or |
| 18 to 24 in | .52 | .45 | |
| 2 to 3 ft | .70 | .55 | .45 |
| -··* [I] -··- | | | |
| ILEX crenata, 8'-10' | | Japane | se Holly |
| Evergreen. Box-like leaves. Deep green. | Black | berries. | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| —— convexa (bullata) 4'-5' | С | onvex leave | ed Holly |
| Evergreen. Slow growing. Shiny convex | foliage. | | |
| 9 to 12 in., B&B | 1.90 | 1.50 | $\boldsymbol{1.25}$ |
| 12 to 15 in., B&B | 3.00 | 2.50 | 2.00 |
| 15 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| — microphylla, 6'-8' | Littlele | eaf Japane | se Holly |
| Evergreen. Small leaves. Quite hardy. | | | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.30 | 2.95 | 2.20 |
| 18 to 24 in., B&B | 4.90 | 4.05 | 3.25 |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |

| | Unit I 1-9 | Price in Qu 10-49 | antities 50-249 |
|--|---|--|--|
| H EV globys 5/ 6/ | 20 | | nkberry |
| Evergreen. Shiny dark green leaves. berries. Good in shade or sun. | Purplish | | |
| 12 to 15 in., B&B | $2.10 \\ 2.60 \\ 3.40 \\ 4.10$ | $egin{array}{c} 1.75 \ 2.20 \ 2.80 \ 3.50 \ \end{array}$ | $egin{array}{c} 1.40 \ 1.75 \ 2.25 \ 2.75 \end{array}$ |
| —————————————————————————————————————— | | Compact I | nkberry |
| Foliage and berries like glabra. Extren | - | | |
| 12 to 15 in., B&B | $\begin{array}{c} \textbf{3.40} \\ \textbf{4.10} \end{array}$ | $\begin{array}{c} 2.80 \\ 3.50 \end{array}$ | $2.25 \\ 2.75$ |
| — opaca, berried, 45'-50' | | le America | an Holly |
| Evergreen. Does best in moist, partially | | | 4 50 |
| 12 to 18 in., B&B | $egin{smallmatrix} 2.25 \ 3.00 \end{split}$ | $\substack{1.90\\2.50}$ | $egin{array}{c} 1.50 \ 2.00 \end{array}$ |
| 2 to 3 ft., B&B | $\frac{3.00}{4.50}$ | $\frac{2.30}{3.75}$ | 2.00 |
| — verticillata (prinos), 6'-8' | | Win | terberry |
| Bright red berries in winter. Not ever | rgreen | VV 111 | terberry |
| 12 to 18 in. | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| INKBERRY (See ILEX) | | | |
| IVY (See AMPELOPSIS or HEDERA) | | | |
| | | | |
| JAPANESE MAPLE (See ACER palmatum |) | | |
| JAPANESE QUINCE (See CYDONIA) | | | |
| JASMINUM nudiflorum, 3' | | Winter | Jasmine |
| Yellow. April-May. Needs protection in first to bloom in the spring. | northern | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| JERSEY TEA (See CEANOTHUS) | | | |
| JUDAS TREE (See CERCIS) | | | |
| JUNIPERUS chinensis glauca hetzi, 5'-7' | | Hetz Blue | Juniper |
| Fast growing. Blue-green foliage. Med | ium sprea | ding habi | t. |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | $egin{array}{c} 4.10 \ 5.25 \end{array}$ | $\frac{3.50}{4.40}$ | $\begin{array}{c} 2.75 \\ 3.50 \end{array}$ |
| 2 ½ to 3 ft., B&B | | 5.50 | $\frac{3.50}{4.50}$ |
| 3 to 4 ft., B&B | | 7.0θ | 5.50 |
| — japonica, 6'-8' | | Japanese | Juniper |
| Low grower. Spreading. Dark green. G | rows slow | ·ly. | |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | $egin{smallmatrix} 3.00 \ 3.75 \end{smallmatrix}$ | $egin{smallmatrix} 2.50 \ 3.00 \end{smallmatrix}$ | $egin{smallmatrix} 2.00 \ 2.50 \end{bmatrix}$ |
| 2 to 2½ ft,, B&B | | $\frac{3.00}{4.05}$ | 3.25 |
| , 2 () | | | |





JUNIPERUS chinensis glauca hetzi—Hetz Blue Juniper. This is a good fast growing Juniper. Our plants are of excellent quality.

| | Unit 1-9 | Price in Qua 10-49 | ntities 50-249 |
|--|-------------|-----------------------|---------------------|
| JUNIPERUS chinensis pfitzeriana, 5'-6' | | Pfitzer J | - |
| Gray green, feathery appearing. Broad, | bushy 1 | habit. Very po | opular. |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.00 | | 3.25 |
| 2 to 2 ½ ft B&B | 6.00 | 5.00 | $\frac{4.00}{5.00}$ |
| 2 ½ to 3 ft., B&B | 7.50 | 6.00 | 5.00 |
| —-communis canadensis, 5'-6' | | Canadian J | uniper |
| Evergreen. Forms a low vase-shaped | bush. | Leaves dark | green |
| above, bluish underneath. | | | |
| 18 to 24 in., B&B | 1.75 | 1.40 | 1.15 |
| 2 to 2½ ft., B&B | 3.40 | $\frac{2.80}{2.75}$ | 2.25 3.00 |
| 2 ½ to 3 ft., B&B | 4.50 | 3.75 | 5.00 |
| — — hibernica, 20'-30' | | Irish J | Juniper |
| Narrow pyramid. Gray-green foliage. | | | |
| 12 to 18 in., B&B | 1.50 | | 1.00 |
| 18 to 24 in., B&B | 1.90 | | 1.25 |
| 2 to 3 ft., B&B | 2.60 | | 1.75 |
| 3 to 4 ft., B&B | 3.40 | 2.80 | 2.25 |
| — excelsa stricta, 10'-12' | | Spiny Greek | Juniper |
| Broad based pyramid. Gray-green folia | ge. Ver | y popular. | |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.25 | 1.90 | 1.50 |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |

| JUNIPERUS horizontalis douglasi, 1'-1 ½ ' | 7 | Waukegan | Juniper |
|---|---------------------|---------------------|--|
| Evergreen. Long branches trailing alon | | _ | _ |
| age. A splendid ground cover; also effect | | | |
| purple hue in winter. | ctive and | ing rocks. | Distinct |
| | 1 0 " | 4 0 7 | |
| 9 to 12 in., B&B | $\frac{1.65}{2.50}$ | 1.35 | |
| 12 to 15 in., B&B | 2.50 | 2.05 | |
| — — plumosa (depressa plum.) | | Andorra | Juniper |
| Spreading type. Hardy. Purplish in win | tor Attr | | o ampor |
| | | | 4.05 |
| 12 to 15 in., B&B | 1.90 | $\frac{1.50}{2.22}$ | 1.25 |
| 15 to 18 in., B&B | $\frac{2.60}{0.40}$ | 2.20 | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.80 | $\boldsymbol{2.25}$ |
| — squamata procumbens, 1'-2' | Chine | se Garden | Juniper |
| A good prostrate Juniper with gray-gre | | | |
| 12 to 15 in., B&B | 2.50 | 2.05 | 1.65 |
| | $\frac{2.30}{3.40}$ | $\frac{2.03}{2.80}$ | 2.25 |
| 15 to 18 in., B&B | 4.65 | $\frac{2.80}{4.05}$ | 3.25 |
| 18 to 24 in., B&B | 5.60 | $\frac{4.05}{4.75}$ | |
| 2 to 3 ft., B&B | 5.00 | 4.10 | ****** |
| | | | |
| — € K }- | | | |
| ♥ () ♥ | | | |
| KALMIA latifolia, 8'-10' | | Mountai | n-laurel |
| Evergreen. Pink flowers, June. Glossy for | oliage Pr | refers shad | e |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | | $\frac{2.30}{3.00}$ | 2.00 2.50 |
| 18 to 24 m., b&b | 5.19 | 5.00 | 4.00 |
| KERRIA japonica pleniflora, 4'-5' | | Double | Kerria |
| Golden yellow double flowers, June-Sept | tember. (| Freen bran | ches |
| 12 to 18 in | .75 | .60 | .50 |
| 18 to 24 in. | 1.00 | .80 | .65 |
| 2 to 3 ft. | | 1.10 | .00 |
| 2 to 5 ft | 1.00 | 1.10 | * * * * * * * * * * |
| KOELREUTERIA paniculata, 25'-30' | | Varni | sh tree |
| Bright yellow flowers in July, A very val | luable an | d attractiv | e small |
| tree. Also called Goldenraintree. | | | |
| 3 to 4 ft | 2.50 | 2.05 | 1.65 |
| 4 to 5 ft | 3.75 | 3.00 | 2.50 |
| 5 to 6 ft | 5.00 | 4.10 | 3.30 |
| 6 to 8 ft | 6.75 | 5.50 | |
| TOT TOWNS ALON | | | |
| KOLKWITZIA amabilis, 6'-8' | | | ıtybush |
| A distinctive pink flowering shrub. Very | effective | e. | |
| 12 to 18 in | .50 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| | | | |
| a(I)e | | | |
| | | | |
| LABURNUM vulgare, 30' | * | Golde | enchain |
| Attractive, small tree with yellow pea-sh | aned flo | | |
| racemes. | -apou no | , 111 10 | 0 |
| 4 to 5 ft | 3.00 | 2.50 | 9 00 |
| 5 to 6 ft | 3.75 | $\frac{2.30}{3.00}$ | $egin{array}{c} 2.00 \ 2.50 \end{array}$ |
| D DO W December 1 | 0.10 | 9.00 | 4.00 |

| | Unit P 1-9 | rice in Quan 10-49 5 | itities 50-249 |
|---|--|---|--|
| LABURNUM vossi, 18'-20' | | | |
| This is a selected hybrid of the all flower clusters. | bove with lan | ger and sh | nowier |
| 4 to 5 ft | 3.75 | 3.00 | 2.50 |
| 5 to 6 ft | $\dots 5.25$ | 4.40 | 3.50 |
| 6 to 8 ft | 7.50 | 6.00 | 5.00 |
| LARCH (See LARIX) | | | |
| LARIX europea (decidua), 50'-60' | | European | Larch |
| Grows rapidly. Especially good for | spring effects. | | |
| 3 to 4 ft., B&B | 4.50 | 3.75 | |
| 4 to 5 ft., B&B | \dots 6.00 | 5.00 | |
| 5 to 6 ft., B&B | 8.00 | 6.50 | |
| LAUREL (See KALMIA) | | | |
| LEUCOTHOE axillaris, 3'-4' | | Coast Leu | |
| Similar to catesbaei being more corable where the space is limited. | npact in habi | t and more | desir- |
| 9 to 12 in., B&B | 1.90 | 1.50 | |
| 12 to 15 in., B&B | $\dots 2.40$ | 2.00 | |
| 15 to 18 in., B&B | 3.25 | 2.75 | |
| — catesbaei, 3'-4' | Dr | coping Leu | cothoe |
| Evergreen. White flowers, May. Glo | | | |
| | | 1.90 | 1.50 |
| 12 to 15 in., B&B 15 to 18 in., B&B | | $\frac{1.50}{2.50}$ | |
| 10 (0 10 111.) | | | |
| 1 | 0 10-40 | 50-240 | 250-un |
| 1- | 9 10-49 | | _ |
| LIGUSTRUM amurense, 14'-15' | | Amur | 250-up Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive gree | en foliage. Ve | Amur ery hardy. | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive gree 12 to 18 in | en foliage. Ve | Amur ery hardy. .14 | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive gree 12 to 18 in | en foliage. Ve | Amur ery hardy. .14 .19 | .12 .16 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstern of the semi-evergreen of the semi-evergreen. 23 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 | Amur ery hardy. .14 | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greens 12 to 18 in. .25 18 to 24 in. .25 2 to 3 ft. .34 3 to 4 ft. .55 | en foliage. Ve 3 .19 5 .23 4 .29 | Amur ery hardy. .14 .19 .24 | .12 .16 .22 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenst 12 to 18 in. .23 18 to 24 in. .25 2 to 3 ft. .34 3 to 4 ft. .55 | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 | Amur ery hardy. .14 .19 .24 .35 | .12 .16 .22 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstate 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. | Amur ery hardy. .14 .19 .24 .35 Ibolium | .12 .16 .22 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstate 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. 5 .12 | Amur ery hardy. .14 .19 .24 .35 | .12 .16 .22 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstate 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. 5 .12 0 .17 | Amur ery hardy. .14 .19 .24 .35 Ibolium | Privet .12 .16 .22 Privet .09 .12 .17 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstate 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. 5 .12 0 .17 8 .23 | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 | Privet .12 .16 .22 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstates 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. 5 .12 0 .17 8 .23 | Amur ery hardy. .14 .19 .24 .35 Ibolium .10 .14 .19 .25 | Privet .12 .16 .22 Privet .09 .12 .17 |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Ve 3 .19 5 .23 4 .29 2 .45 uch hardier. 5 .12 0 .17 8 .23 7 .30 | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota | Privet .12 .16 .22 Privet .09 .12 .17 .22 Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Ve 3 | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace | Privet .12 .16 .22 Privet .09 .12 .17 .22 Privet ck |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Ven sen fol | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace. | Privet .12 .16 .22 Privet .09 .12 .17 .22 Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Ven sen fol | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative black corative black corative black corative black corative black corative black corative corative black corative corative black corative c | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greenstates 12 to 18 in | en foliage. Ven sen fol | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace. | Privet .12 .16 .22 Privet .09 .12 .17 .22 Privet ck |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive green. 12 to 18 in | en foliage. Ven sen fol | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace .20 .25 .35 .45 | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive green 12 to 18 in | en foliage. Version of the second of the sec | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace .20 .25 .35 .45 | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive green 12 to 18 in | en foliage. Version of the second of the sec | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative black corative c | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Version of the second of the sec | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace .20 .25 .35 .45 | Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Version of the second of the sec | Amur ery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative black cora | Privet .12 .16 .22 .22 Privet .09 .12 .17 .22 Privet ck Privet |
| LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive greense 12 to 18 in | en foliage. Version of the second of the sec | Amurery hardy14 .19 .24 .35 Ibolium .10 .14 .19 .25 Ibota corative blace .20 .25 .35 .45 Regal .2 $\frac{1}{2}$.3 $\frac{1}{2}$ | Privet .12 .16 .22 Privet .09 .12 .17 .22 Privet ck |



LIGUSTRUM obtusifolium regelianum—Regal Privet. Grown from cuttings. The true spreading type.

| | 1-9 | Unit 1 10-49 | Price in Qu 50-249 | ıantities 250-up |
|---|---|-----------------|-----------------------|---------------------|
| LIGUSTRUM obtusifolium vicaryi, | 8'-10' | G | olden Ibo | ta Privet |
| Striking yellow foliage, clear sales. | | | for good | summer |
| 9 to 12 in | .37 | .30 | .25 | |
| 12 to 15 in | .55 | .45 | .35 | |
| 15 to 18 in | .70 | .55 | .45 | |
| 18 to 24 in | .90 | .75 | .60 | |
| — ovalifolium, 12'-15' | | | Californi | ia Privet |
| Most popular hedge plant. G | lossy greer | ı foliage | • | |
| 12 to 18 in | .15 | .11 | .09 | .07 |
| 18 to 24 in | .20 | .14 | .11 | .09 |
| 2 to 3 ft | .27 | .22 | .18 | .15 |
| 3 to 4 ft | .37 | .27 | .22 | .20 |
| 4 to 5 ft | .55 | .45 | .37 | .30 |
| 5 to 6 ft | .75 | .60 | .50 | .40 |
| LILAC (See SYRINGA) | | | | |
| LINDEN (See Tilia) | | | | |
| LINDERA (See BENZOIN) | | | | |
| min barni (Bee Barnaem) | | 1-9 | 10-49 | 50-249 |
| LIQUIDAMBAR styraciflua, 50'-60 | , | | Sw | eet Gum |
| Excellent, rich autumn color. interesting corky bark. | | ell in mo | | |
| 4 to 5 ft | | 2.10 | 1.75 | 1.40 |
| 5 to 6 ft | | 2.60 | 2.20 | 1.75 |
| 6 to 8 ft | | 3.40 | 2.80 | $\boldsymbol{2.25}$ |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | • | 4.50 | 3.75 | 3.00 |





LONICERA fragrantissima—Winter Honeysuckle. Our bush Honeysuckle are of supreme quality, and this is a scarce item.

| | Unit] 1-9 | Price in Qu 10-49 | |
|--|---------------|----------------------|------------------|
| LIRIODENDRON tulipifera, 60'-80' | | r | Γuliptree |
| Rapid growing. Yellow tulip-like flowers | s, June. | | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 3.75 | 3.00 | |
| 8 to 10 ft | 5.25 | 4.40 | |
| 8 to 10 ft., 1 ½ to 1 ½ in | 6.30 | 5.25 | |
| 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 8.00 | 6.50 | |
| LONICERA bella albida, 8'-9' Vigorous, white flowers. Blue green foli | | Belle Hon | eysuckle |
| 18 to 24 in | | .37 | .30 |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .75 | .60 | $.\overline{50}$ |
| — fragrantissima, 6'-8' White fragrant flowers, April, May. Semi | | inter Hon | eysuckle |
| 18 to 24 in. | | .37 | .30 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | | | .60 |
| — heckrotti, 15'-20' Medium growing vine with orange red | | lame Hon | eysuckle |
| 1 year, No. 1 | .50 | .40 | .30 |
| 2 year, No. 1 | | | .40 |
| — japonica halliana, 15'-25' Vine. Almost evergreen. Free blooming vergrant. Ideal for covering steep banks | vhite an | | |
| 1 year, fld, gr. | | .22 | .18 |
| 2 year, fld. gr. | .33 | .27 | .22 |

| | Unit I 1-9 | Price in Qua 10-49 | antities 50-249 |
|--|-------------------|-------------------------|--------------------|
| LONICERA maacki podocarpa, 8'-9' Strong grower. Stands neglect. Yellow a Red fruit in fall. | | Late Hone e flowers | |
| | 4 = | 9.7 | 2.0 |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| — morrowi, 7'-8' | Mo | rrow Hone | vsuckle |
| Spreading habit. White flowers, May, Jur | | | |
| 18 to 24 in | .45 | .3'7 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| ± (0 0 1t | 1.10 | .00 | .10 |
| ruprechtiana, 8'-9' Creamy white flowers, June. Red and ora | | urian Hone rries. | ysuckle |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| — tatarica alba, 9'-10' White flowers. Red fruit. Very adaptable | | arian Hone | ysuckle |
| 18 to 24 in | .45 | .37 | .30. |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | .90 | .75 | .60 |
| 5 to 6 ft | 1.10 | .90 | .75 |
| —— rosea, 9'-10' Pi Pink flowers. Red fruit. Very adaptable. 12 to 18 in | .30 .45 .60 | .25 .37 .50 | .20 .30 .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| 5 to 4 It | . 1 3 | .00 | .50 |
| — zabelli, 9'-10' An improved strain of red tatarian Hone | | abell Hone | ysuckle |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| LYCIUM chinense, 10'-12' Violet flowers, June. Bright red fruits. Ic | | se Matrimo holding b | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| ∻€{ M }\$ | | | |
| MAGNOLIA glauca (virginiana), 15'-20' Fragrant creamy white flowers, May. Ne moist location. | arly eve | | weetbay efers |
| 12 to 18 in., B&B | 2.60 | 2.20 | 1.75 |
| 18 to 24 in., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 3 ft., B&B | 4.10 | 3.50 | 2.75 |
| 3 to 4 ft., B&B | 5.25 | 4.40 | 3.50 |
| 4 to 5 ft., B&B | 6.75 | 4.50 | |
| 5 to 6 ft., B&B | 9.00 | | |
| | | | |



MAGNOLIA soulangeana—Saucer Magnolia. The most popular of all Magnolias. Did you ever see finer plants?

| | Unit 1-9 | Price in Qu 10-49 | antities 50-249 |
|--|---------------------|----------------------|---------------------|
| MAGNOLIA soulangeana, 15'-18' | | Saucer N | Iagnolia |
| Purplish-pink flowers, May. Most poplants. Well branched and budded. Out | | | grown |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 3 ft., B&B | 4.10 | 3.50 | 2.75 |
| 3 to 4 ft., B&B | 5.60 | 4.75 | 3.75 |
| 4 to 5 ft., B&B | 7.50 | 6.00 | 5.00 |
| 5 to 6 ft., B&B | 10.00 | 8.00 | 6.50 |
| — alexandrina, 15'-18' This variety is very similar to soulang | eana, bi | ıt a few da | ys later |
| and deeper color. 18 to 24 in., B&B | 3.75 | 3.00 | 9 50 |
| 2 to 3 ft., B&B | | 4.40 | $\frac{2.50}{3.50}$ |
| 3 to 4 ft., B&B | $\frac{5.25}{6.75}$ | 5.50 | $\frac{5.50}{4.50}$ |
| 4 to 5 ft., B&B | 8.50 | 7.00 | 5.50 |
| 5 to 6 ft., B&B | 10.50 | 8.80 | |
| —— lennei, 15'-18' | | Lenne M | lagnolia |
| Late blooming. Rich, deep purple flower | s in Ap | ril. | |
| 18 to 24 in., B&B | 3.75 | 3.00 | 2.50 |
| 2 to 3 ft., B&B | 5.25 | 4.40 | 3.50 |
| 3 to 4 ft., B&B | 6.70 | 5.50 | 4.50 |
| 4 to 5 ft., B&B | 8.50 | 7.00 | 5.50 |
| 5 to 6 ft., B&B | 10.50 | 8.80 | 7.00 |

| | Unit 1-9 | t Price in Qu 10-49 | antities 50-249 |
|--|---|---|---|
| MAGNOLIA soulangeana verbanica, 12'-15' | | Verbanica N | Iagnolia |
| Rich orchid flowers, May. Very bright an | d vivi | \mathbf{d} . | |
| 18 to 24 in., B&B | 3.75 | 3.00 | $\boldsymbol{2.50}$ |
| 2 to 3 ft., B&B | 5.25 | 4.40 | 3.50 |
| 3 to 4 ft., B&B | 6.75 | $\begin{array}{c} 5.50 \\ 6.50 \end{array}$ | 4.50 |
| 4 to 5 ft., B&B | 8.00 | 0.00 | * * * * * * * * * |
| — stellata, 8'-10' | | Star M | Iagnolia |
| Shrubby habit. Fragrant semi-double flow | vers co | oming before | e leaves. |
| 12 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| 18 to 24 in., B&B | 6.00 | 5.00 | 4.00 |
| 2 to 2 ½ ft., B&B | 8.50 | 7.00 | 5.50 |
| — rosea, 8'-10' | | Rosy Star M | Iagnolia |
| Pink flowering form of above. | | | |
| 12 to 18 in., B&B | 3.75 | 3.00 | 2.50 |
| 18 to 24 in., B&B | 6.00 | 5.00 | 4.00 |
| 2 to 2½ ft., B&B | 8.50 | 7.00 | 5.50 |
| — tripetala, 30'40' | | Umbrella M | Iagnolia |
| Very large leaves, white flowers, pink se | ed po | ds. | |
| 3 to 4 ft., BR | 2.10 | 1.75 | |
| 4 to 5 ft., BR | 2.70 | 2.25 | |
| 5 to 6 ft., BR | $\begin{array}{c} 3.75 \\ 5.25 \end{array}$ | $\frac{3.00}{4.50}$ | |
| 6 to 8 ft., BR | 5.45 | 4.00 | |
| MAHONIA aquifolia, 4' | | Oregon Holl | - |
| Evergreen. Glossy leaves, scarlet in autum | ın. Ye | llow flowers | in May. |
| Blue-black berries. Likes partial shade. | 4 50 | | 4 0 0 |
| 10 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | $\frac{1.90}{2.60}$ | $egin{smallmatrix} 1.50 \ 2.20 \end{smallmatrix}$ | $\begin{array}{c} 1.25 \\ 1.75 \end{array}$ |
| 18 to 24 in., B&B | $\frac{2.00}{3.40}$ | $\frac{2.20}{2.80}$ | 2.25 |
| , | | | |
| MAIDENHAIR (See GINKGO) | | | |
| MALUS—FLOWERING C | RAB | | |
| MALUS aldenhamensis, 25'-30' | | Aldenha | am Crab |
| A variety popular in Europe. Reddish cas | st to 1 | foliage; crin | nson |
| flowers. | | | |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 5 to 6 ft | $\frac{1.90}{2.60}$ | $egin{smallmatrix} 1.50 \ 2.20 \end{smallmatrix}$ | 1.25 |
| • | 2.00 | 2.20 | |
| — arnoldiana, 8'-10' | | Arno | old Crab |
| White flowers. Very compact. | 4 0 5 | 0.0 | |
| 3 to 4 ft 4 to 5 ft | $\frac{1.05}{1.30}$ | $\begin{array}{c} .90 \\ 1.10 \end{array}$ | .70 |
| 5 to 6 ft | 1.90 | 1.50 | $\begin{array}{c} .90 \\ 1.25 \end{array}$ |
| 6 to 8 ft | $\frac{2.60}{2.60}$ | $\frac{1.00}{2.20}$ | 1.75 |
| — atrosanguinea, 10′-15′ | | Carmi | ne Crab |
| Single red flowers in abundance. | | Out IIII | no cian |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | 2.50 | 2.05 | 1.65 |

| | Unit 1-9 | Price in Qua 10-49 | ntities 50-249 |
|--|--|---|---|
| MALUS coronaria, 30' | Wi | ld Sweet Cra | abapple |
| Fragrant single blush-pink flowers in ea | | | _ |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 5 to 6 ft | $\frac{1.30}{1.90}$ | 1.50 | 1.25 |
| 6 to 8 ft | $\frac{1.50}{2.50}$ | $\frac{1.00}{2.05}$ | $\frac{1.25}{1.65}$ |
| 0 00 0 10 | =.00 | | 2,00 |
| — eleyii, 10'-15' | 1 | Ely Flowerin | ng Crab |
| A free blooming crab. Reddish foliage, | | - | |
| grower. | CITITISOI | i nowers. | 1801045 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | 2.50 | $\frac{2.05}{2.05}$ | 1.65 |
| 0 00 0 20000000000000000000000000000000 | | | |
| — floribunda, 10'-15' | | ese Flowerii | ng Crab |
| Single rose colored flowers. Yellow fruit | | 0.0 | = 0 |
| 3 to 4 ft | $\frac{1.05}{1.50}$ | $\frac{.90}{1.05}$ | .70 |
| 4 to 5 ft | 1.50 | $\frac{1.25}{1.50}$ | 1.00 |
| 5 to 6 ft | $\frac{1.90}{2.50}$ | $egin{smallmatrix} 1.50 \ 2.05 \end{smallmatrix}$ | $\begin{array}{c} 1.25 \\ 1.65 \end{array}$ |
| 6 to 8 ft | 2.50 | 4.05 | 1.00 |
| — purpurea, 10'-15' Rich, reddish purple foliage; crimson | _ | e Purple Cr | abapple |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft. | 2.25 | 1.90 | 1.50 |
| 8 to 10 ft | 3.40 | $\frac{1}{2.80}$ | 2.25 |
| | | | |
| — halliana parkmani, 10'-15' | | Parkma | an Crab |
| Semi-double pink. Compact habit, Slow | growin | g. | |
| 2 to 3 ft | 1.05 | .90 | .70 |
| 3 to 4 ft | 1.30 | $1.\overline{10}$ | .90 |
| 4 to 5 ft | $\frac{1.00}{2.00}$ | 1.65 | 1.30 |
| — hoppi, 12'-15' | | Red Flowerii | |
| Rose red flowers. Red fruit. Hardy, Att | _ | c ca 1 10 11 011 | |
| | | 1.10 | .90 |
| 4 to 5 ft | $egin{array}{c} 1.30 \ 1.90 \end{array}$ | $\frac{1.10}{1.50}$ | $\frac{.30}{1.25}$ |
| 5 to 6 ft | $\frac{1.90}{2.25}$ | $\frac{1.30}{1.90}$ | 1.50 |
| 6 to 8 ft 8 to 10 ft | $\frac{2.25}{3.40}$ | $\frac{1.30}{2.80}$ | $\frac{1.35}{2.25}$ |
| 8 to 10 1t | 0.10 | 4.00 | 2.20 |
| — ioensis plena, 10'-15' | | | el Crab |
| Large double bright pink. Fragrant. La | | | |
| 18 to 24 in | 1.00 | .80 | .65 |
| 2 to 3 ft | 1.25 | $\frac{1.05}{1.05}$ | .85 |
| 3 to 4 ft | 1.65 | $\frac{1.35}{1.75}$ | 1.10 |
| 4 to 5 ft | $\frac{2.10}{2.70}$ | $egin{array}{c} 1.75 \ 2.25 \end{array}$ | |
| 5 to 6 ft | 2.70 | 4.49 | |
| Katherine | | Katheri | |
| A new, double pink Crab with masses young plants are covered with flowers. | of two | inch flower | s. Even |
| 3 to 4 ft | 1.30 | 1.10 | .90 |
| 4 to 5 ft | 2.00 | 1.65 | 1.30 |
| 2 00 0 20000000000000000000000000000000 | | | |

| | 1-9 | 10-49 | 30-249 |
|---|---------------------|--|---------------------|
| MALUS Prince Georges | ī | Prince Georg | ges Crab |
| A new Bechtel Hybrid. Better foliage and | | | |
| | | | |
| 18 to 24 in | 1.00 | $\begin{array}{c} .80 \\ 1.05 \end{array}$ | $.65 \\ .85$ |
| 2 to 3 ft | $\frac{1.25}{1.65}$ | 1.05 1.35 | |
| 5 to 4 It | 1.00 | 1.55 | 1.10 |
| — sargenti, 6'-8' | | Sarge | ent Crab |
| Spreading. Straw colored flowers. Scarlet | fruit | hanging all | winter. |
| 2 to 3 ft. | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.50 | 1.25 | |
| 5 to 1 tt | 1.00 | 1.40 | |
| — scheideckeri, 10′-15′ | | Scheidecl | ker Crab |
| Double red buds changing to pink. Yellov | w frui | its. | |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 1.90 | 1.50 | 1.25 |
| 6 to 8 ft | 2.50 | 2.05 | 1.65 |
| | ~ | *** | |
| — spectabilis, 10'-15' | | ese Flower | ing Crab |
| Beautiful, double pink flowers; sweet sc | ented. | , | |
| 3 to 4 ft | 1.10 | .95 | .75 |
| 4 to 5 ft | 1.50 | $\boldsymbol{1.25}$ | 1.00 |
| 5 to 6 ft | 1.90 | 1.50 | $\boldsymbol{1.25}$ |
| 6 to 8 ft | 2.50 | 2.05 | |
| — theifera (hupehensis), 15'-20' | | r | Tea Crab |
| Sturdy, spreading. Literally covered with | nink | | |
| | | | |
| 3 to 4 ft | $\frac{1.10}{1.50}$ | $\begin{array}{c} .95 \\ 1.25 \end{array}$ | * * * * * * * * |
| 5 to 6 ft | $\frac{1.30}{2.25}$ | $\frac{1.25}{1.90}$ | |
| 6 to 8 ft. | $\frac{2.23}{2.70}$ | $\frac{1.30}{2.25}$ | |
| 0 0 10, | 2.10 | 2.20 | |
| — zumi calocarpa, 12'-1 5' | | | |
| Has large handsome bright red fruit and l | arge | pink flowers | . A good |
| strong growing type. | 4 40 | 0.5 | |
| 3 to 4 ft | 1.10 | | |
| 4 to 5 ft | 1.50 | 1.25 | |
| MAPLE (See ACER) | | | |
| MATRIMONY VINE (See LYCIUM) | | | |
| MOCKORANGE (See PHILADELPHUS) | | | |
| | APTES A | | |
| MORAINE LOCUST (See GLEDITSIA MORAI | NE) | | |
| MORUS ALBA, 35'-50' | | White I | Aulberry |
| Rapid growing and bushy. Bears fruits at | | | |
| 4 to 6 ft | 1.10 | | |
| 6 to 8 ft | 1.50 | 1.25 | |
| MOUNTAIN ASH (See SORBUS) | | | |
| MOUNTAIN LAUREL (See KALMIA) | | | |
| MULBERRY (See MORUS) | | | |
| | | | |
| MYRICA pennsylvanica, 4'-5' | | Northern I | |
| Does well in poor, gravelly soil. Has dec | orativ | e, gray beri | ies, and |
| glossy green foliage. Good for seashore. | 4 0 0 | | |
| 15 to 18 in,, B&B | 1.90 | $\frac{1.50}{2.50}$ | 1.25 |
| 18 to 24 in., B&B | 3.00 | $\frac{2.50}{2.50}$ | $\frac{2.00}{2.75}$ |
| 2 to 2 ½ ft., B&B 2 ½ to 3 ft., B&B | $\frac{4.10}{5.25}$ | $egin{array}{c} 3.50 \ 4.40 \end{array}$ | $\frac{2.75}{2.50}$ |
| 2 72 to 5 It., D&D | 0.20 | 4.40 | 3.50 |

Sourgum or Tupelo

MYRTLE (See VINCA)

NYSSA sylvatica, 40'-60'

| NINEBARK | (See | PHYSOCARP | US) |
|----------|------|-----------|-----|
|----------|------|-----------|-----|

| Handsome foliage which assumes bright in wet places. | colors in | fall. Wi | ll grow |
|--|------------|----------|----------|
| - | 4 = 0 | 0.05 | 0.05 |
| 2 to 3 ft., B&B | 4.50 | 3.35 | 2.65 |
| 3 to 4 ft., B&B | 5.00 | 4.10 | |
| 4 to 5 ft., B&B | 6.00 | 5.00 | |
| | | | |
| OAK (See QUERCUS) | | | |
| OREGON GRAPE (See MAHONIA) | | | |
| OSTRYA virginica, 25'-30' | | Hopho | rnbeam |
| Slender, spreading branches; beech-lik | e foliage. | vellow | in fall. |
| Smooth blue-gray bark, hop-like fruits. | | | |
| 3 to 4 ft | 3.00 | 2.50 | |
| 4 to 5 ft | 4.10 | 3.50 | |
| 5 to 6 ft | 5.25 | 4.40 | |
| 6 to 7 ft | 6.75 | 5.50 | |
| | 0.10 | | |

OXYDENDRON arboreum, 25'-30'

Sourwood

Showy white flowers in August. Leathery foliage. Striking, crimson fall coloring. The very finest native small tree.

| | | _ | | | | |
|----|----|----|----|------|--------------|------|
| 18 | to | 24 | in | 1.30 | 1.10 | .90 |
| 2 | to | 3 | ft | 1.65 | ${\bf 1.35}$ | 1.10 |

PACHYSANDRA terminalis, 6"-8"

Japanese Spurge

Evergreen. Ideal ground cover for shady places.

PARTHENOCISSUS (See AMPELOPSIS)

PEACH, FLOWERING (See PRUNUS)

PHELLODENDRON chinensis, 25'-30'

PEARL BUSH (See EXOCHORDA)

| A rapid a | rowing tropical appearing small | ll tree. | | |
|-----------|---------------------------------|----------|------|-----|
| 2 to | 3 ft | 1.10 | .85 | .70 |
| 3 to | 4 ft | 1.30 | 1.10 | |
| 4 to | 5 ft | 2.10 | 1.75 | |

PHILADELPHUS—MOCKORANGE

PHILADELPHUS coronarius, 9'-10'

Sweet Mockorange

Chinese Corktree

| White fragrant | flowers. | Profusely | borne. | May | and June. | |
|----------------|----------|-----------|--------|-----|-----------|--|
| | | | | | | |

| 18 to 24 | in | .45 | .37 | .30 |
|----------|----|-----|-----|-----|
| 2 to 3 | ft | .60 | .50 | .40 |
| | ft | .75 | .60 | .50 |
| | ft | .90 | .75 | .60 |

| Unit | Price | in | Quantities |
|------|-------|-----|------------|
| 1.0 | 10. | .40 | 50.249 |

PHILADELPHUS coronarius aurea, 4'-5'

Goldleaf Mockorange

Dwarf, compact form. Bright yellow foliage.

| 9 t | o 12 | in | .75 | .60 | .50 |
|------|------|----|------|------|-----|
| | | in | | .75 | .60 |
| | | in | 1.10 | .95 | .75 |
| 18 t | 0.24 | in | 1 45 | 1.20 | .95 |

- lemoine, 4'-5'

Lemoine Mockorange

Good, compact habit. Intensely fragrant, single flowers. A supreme dwarf shrub.

| 12 | to | 18 in | .50 | .40 | .32 |
|-----|----|-------|-----|-----|-----|
| 1.8 | to | 2 4in | .60 | .50 | .40 |
| 2 | to | 3 ft | .75 | .60 | .50 |

- virginalis, 7'-8'

Virginal Mockorange

Our strain is the true virginalis and blooms all summer. Its semi-double flowers are fragrant and it is not to be confused with the inferior variety which is offered by many.

| 12 | to | 18 in | .37 | .30 | .25 |
|----|----|-------|-----|-----|-----|
| 18 | to | 24 in | .55 | .45 | .35 |
| 2 | to | 3 ft | .70 | .55 | .45 |
| 3 | to | 4 ft | .90 | .75 | .60 |

SMALL GROWING SPECIES

PHILADELPHUS albatre, 4'-5'

Low, bushy growth. Large single, white flowers in dense panicles.

- avalanche, 4'-5-

Graceful arching habit.

- bouquet blanc, 4'-5'

Low, compact habit. Blooms freely. May-June.

- enchantment, 4'-5'

Double white flowers, very showy and fragrant. A gem in the foundation planting.

| 12 to 18 in | .55 | .45 | .35 |
|-------------|-----|-----|-----|
| 18 to 24 ft | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |

LARGE GROWING SPECIES

Distinctive habit and large showy flowers.

PHILADELPHUS atlas, 6'-8'. Tall variety and large showy flowers. 12-18", 18-24", 2-3'.

— floribundus, 9'-10'. Resembles coronarius. Very free blooming; flowers slightly fragrant. 2-3'; 3-4'; 4-5'; 5-6'.

pyramidalis, 8'-10'. Narrow upright growth. 3-4'; 4-5'; 5-6'.

Above Species at following prices:

| 12 | to | 13 | 8 in | .45 | .37 | .30 |
|----|----|---------|------|------|------|-----|
| 18 | to | 2^{4} | 4 in | .60 | .50 | .40 |
| | | | ft | | .60 | .50 |
| 3 | to | 4 | ft | .90 | .75 | .60 |
| 4 | to | 5 | ft | 1.10 | .95 | .75 |
| 5 | to | 6 | ft | 1.30 | 1.10 | .90 |

| | Unit 1-9 | Price in Qu 10-49 | antities 50-249 |
|---|---|---|---|
| PHOTINIA subumbellata, 10' | | Christn | asberry |
| Slender branched shrub. Shrubby in cha | racter | Scarlet fru | ita |
| 12 to 18 in | | | |
| 18 to 24 in. | $\begin{array}{c} .45 \\ .60 \end{array}$ | .37 | .30 |
| 2 to 3 ft | .75 | .50 | .40 |
| 3 to 4 ft | .90 | .60 | .50 |
| 4 to 5 ft. | 1.10 | $\begin{array}{c} .75 \\ .95 \end{array}$ | .60 |
| 5 to 6 ft | $\frac{1.10}{1.45}$ | 1.20 | $\begin{array}{c} .75 \\ .95 \end{array}$ |
| — villosa, 15' | 1.10 | Oriental F | |
| A large shrub; hawthorn like flowers. Co berries. | lorful f | all foliage. | Red |
| 12 to 18 in | .45 | .37 | 2.0 |
| 18 to 24 in | .60 | .50 | .30 |
| 2 to 3 ft | .75 | .60 | .40 |
| 3 to 4 ft | .90 | .75 | $\begin{array}{c} .50 \\ .60 \end{array}$ |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | 1.30 | 1.10 | |
| PHYSOCARPUS opulifolius, 9'-10' | | Common N | |
| Creamy white, June. Vigorous. Good for | ahada | Common N | шевагк |
| 18 to 24 in | | | |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | .50 |
| 5 to 6 ft | $\frac{.90}{1.10}$ | .75 | .60 |
| 0 00 0 10 | 1.10 | .95 | .75 |
| — — aurea, 9'-10' | | Golden Ni | inebark |
| Golden-leaved variety; white flowers in | early J | une. | |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| — — nana, 5' | | Dwarf Ni | nehark |
| Dwarf variety of the species. | | | nebal h |
| 18 to 24 in | 75 | 0.0 | W 0 |
| 2 to 3 ft | $\begin{array}{c} .75 \\ .90 \end{array}$ | .60 | .50 |
| 3 to 4 ft | $\frac{.50}{1.10}$ | .75 | .60 |
| | 1.10 | .95 | .75 |
| PICEA excelsa (abies), 80'-100' | | Norway | Spruce |
| Dark green foliage. Rapid growth. | | | |
| 18 to 24 in., B&B | 1.90 | 1.50 | |
| 2 to 2½ ft., B&B | 2.60 | 2.20 | * * * * * * * * * |
| 2½ to 3 ft., B&B | 3.40 | $\frac{2.80}{2.80}$ | |
| — pungens glauca, 60'-80' | Blue | e Colorado | Snruce |
| Evergreen. Branches in distinct whorls, specimen. | formin | g handsome | e lawn |
| | 1.90 | 1.50 | 1.25 |
| PIERIS japonica, 5'-6' | Jan | anese Andr | omeda |
| Evergreen. Drooping clusters of small, wh | nite flor | vers onen s | n Mar |
| | | | |
| 19 to 15 in DOD | 2.25 | $\frac{1.90}{2.80}$ | 1.50 |
| 1 F 4 a 1 0 3 a | 3.40 4.10 | $\frac{2.80}{2.50}$ | 2.25 |
| 10 4a 04 to Don | $\frac{4.10}{5.25}$ | $\frac{3.50}{4.40}$ | $\frac{2.75}{2.50}$ |
| 9 to 9.1/ \$4 DOD | $\begin{array}{c} 6.25 \\ 6.35 \end{array}$ | $\begin{array}{c} 4.40 \\ 5.30 \end{array}$ | $\frac{3.50}{4.95}$ |
| | 5.00 | J. 9 U | 4.25 |

| PINUS montana mughus, 3'-4' | | Mugl | no Pine |
|--|---|---|---|
| Evergreen. Forms a round-topped clump | o. Useful | for rock p | lanting |
| and foundation work. | | | |
| 9 to 12 in., B&B | 1.00 | 1.50 | |
| 12 to 15 in., B&B | $\frac{2.60}{5.00}$ | 2.20 | |
| 15 to 18 in., B&B | $\begin{smallmatrix}5.00\\6.00\end{smallmatrix}$ | $\begin{array}{c} \textbf{4.00} \\ \textbf{5.00} \end{array}$ | |
| 18 to 24 in., B&B 2 to 2½ in., B&B | 7.50 | 6.00 | |
| 2 ½ to 3 ft., B&B | 9.00 | 7.50 | |
| — strobus, 80'-100' | | Whi | te Pine |
| Probably our most useful and adaptable old. | e pine. | Picturesqu | e when |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 3 ft., B&B | 4.10 | 3.50 | 2.75 |
| 3 to 4 ft., B&B | 6.00 | 5.00 | 4.00 |
| 4 to 5 ft., B&B | 7.50 | 6.00 | 5.00 |
| — sylvestris, 25′-30′ | | | ch Pine |
| Evergreen. A rapid-growing, handsome to Good for windbreaks. | ree, espe | cially when | young. |
| 2 to 3 ft., B&B | 3.75 | 3.00 | |
| 3 to 4 ft., B&B | 6.75 | 5.50 | |
| — thunbergi, 80'-100' | | apanese Bla | |
| Evergreen. A large growing tree with ri long needles; good for grouping effects. | | | age and |
| 2 to 3 ft., B&B | 7.50 | 6.00 | |
| 3 to 4 ft., B&B 4 to 5 ft., B&B | $10.25 \\ 13.50$ | $\begin{array}{c} 8.25 \\ 11.00 \end{array}$ | |
| | 15.50 | 11.00 | |
| PLANE TREE (See PLATANUS) | | | |
| TOT AMANTIC acomidations (amion talia) FOLON | | Tandan Di | anatnaa |
| PLATANUS acerifolium (orientalis), 70'-80' | wl. 4woo | London Pl | |
| A desirable, quick growing street or pacondition. | | Withstands | smoky |
| A desirable, quick growing street or parcondition. 4 to 5 ft. | 1.65 | Withstands | s smoky |
| A desirable, quick growing street or par condition. 4 to 5 ft. 5 to 6 ft. | $\frac{1.65}{2.10}$ | 1.35 1.75 | 1.10 1.40 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | $1.65 \\ 2.10 \\ 3.00$ | 1.35 1.75 2.50 | 1.10 1.40 2.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. | $\frac{1.65}{2.10}$ | 1.35 1.75 | 1.10 1.40 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. | $egin{array}{c} 1.65 \ 2.10 \ 3.00 \ 5.25 \ 7.15 \ 9.00 \ \end{array}$ | 1.35 1.75 2.50 4.40 5.85 7.50 | 1.10 1.40 2.00 3.50 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. | $egin{array}{c} 1.65 \ 2.10 \ 3.00 \ 5.25 \ 7.15 \ 9.00 \ \end{array}$ | 1.35 1.75 2.50 4.40 5.85 | 1.10 1.40 2.00 3.50 4.75 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. — occidentalis, 75'-100' American Plane | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 | 1.10 1.40 2.00 3.50 4.75 6.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 | 1.10 1.40 2.00 3.50 4.75 6.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. 10 to 12 ft., 1 3/4 to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 | 1.10 1.40 2.00 3.50 4.75 6.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. 10 to 12 ft., 1 3/4 to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 | 1.10 1.40 2.00 3.50 4.75 6.00 vcamore when |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 | 1.10 1.40 2.00 3.50 4.75 6.00 veamore when 95 1.25 1.75 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/4 to 1 1/2 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. 10 to 12 ft., 1 3/4 to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 | 1.10 1.40 2.00 3.50 4.75 6.00 vcamore when 95 1.25 1.75 2.75 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/2 to 1 1/2 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. 10 to 12 ft., 1 3/4 to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 6.00 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 5.00 | 1.10 1.40 2.00 3.50 4.75 6.00 vcamore when 95 1.25 1.75 2.75 4.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 | 1.10 1.40 2.00 3.50 4.75 6.00 vcamore when 95 1.25 1.75 2.75 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in. 8 to 10 ft., 1 1/2 to 1 1/4 in. 9 to 11 ft., 1 1/2 to 1 3/4 in. 10 to 12 ft., 1 3/4 to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 6.00 7.50 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 5.00 6.00 | 1.10 1.40 2.00 3.50 4.75 6.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in. 9 to 11 ft., 1½ to 1¾ in. 10 to 12 ft., 1¾ to 2 in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 6.00 7.50 9.00 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 5.00 6.00 7.50 | 1.10 1.40 2.00 3.50 4.75 6.00 |
| A desirable, quick growing street or parcondition. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1 ¼ in. 9 to 11 ft., 1 ½ to 1 ¾ in. 10 to 12 ft., 1 ¾ to 2 in. — occidentalis, 75'-100' American Planet Rugged, strong growing. Has smooth, a developed. Very picturesque. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 in., 1 to 1 ¼ in. 10 to 12 ft., 1 ¼ to 1 ½ in. 10 to 12 ft., 1 ¼ to 1 ½ in. 11 to 13 ft., 1 ¾ to 2 in. 11 to 13 ft., 2 to 2 ¼ in. | 1.65 2.10 3.00 5.25 7.15 9.00 10.50 tree or A almost w 1.45 1.90 2.60 4.10 6.00 7.50 9.00 10.50 | 1.35 1.75 2.50 4.40 5.85 7.50 9.00 American Sy white bark 1.20 1.50 2.20 3.50 5.00 6.00 7.50 9.00 China Fle | 1.10 1.40 2.00 3.50 4.75 6.00 |



PLATANUS acerifolium (orientalis)—London Planetree. Princeton quality and a Princeton specialty.

| | Unit 1-9 | Price in Qu | |
|---|-------------|-------------|---------------------|
| | 1-9 | 10-49 | 50-249 |
| POPULUS alba bolleana, 50'-60' | | Bollean | a Poplar |
| Leaves white underneath. Columnar ha | bit. Goo | d for scree | ens. |
| 4 to 5 ft | 1.10 | .95 | .75 |
| 5 to 6 ft | 1.30 | 1.10 | .90 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft., 1 to 1 1/4 in | 2.35 | 1.90 | 1.50 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.50 | 2.00 |
| 10 to 12 ft., 1½ to 2 in | 3.75 | 3.00 | 2.50 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 4.50 | 3.75 | 3.00 |
| | | | |
| — eugenie, 75'-90' | | Carolin | a Poplar |
| Rapid grower. Succeeds in dry places | and near | r seashore. | |
| 5 to 6 ft | 1.10 | .95 | .75 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft., 1 to 1 1/4 in | 2.25 | 1.90 | 1.50 |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 2.50 | $\frac{2.00}{2.00}$ |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.75 | 3.00 | • |
| 11 to 13 ft., 1 ¾ to 2 in. | | | |
| 11 to 19 tt., 1 1/4 to 2 iii | 4.90 | 4.05 | 3 25 |
| — maximowiczii, 60'-80' | | | |
| | | Japanes | e Poplar |
| Dark green foliage. Medium spreading stately, clean tree. | form, G | ray white | bark. A |
| 4 to 5 ft | .90 | .75 | .60 |
| 5 to 6 ft | 1.20 | 1.00 | .80 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft., 1 to 1 1/4 in | 2.25 | 1.90 | 1.50 |

| POPULUS nigra italica, 60'-80' | | Lombardy P | oplar |
|--|---------------------|---|---------------------|
| Tall, spire-like. Good for landscape work | and | screens. | |
| 4 to 5 ft | .60 | .50 | .40 |
| 5 to 6 ft | .85 | .70 | .55 |
| 6 to 8 ft | 1.10 | .95 | .75 |
| 8 to 10 ft | 1.50 | 1.25 | 1.00 |
| 10 to 12 ft., 1¼ to 1½ in | 1.90 | 1.50 | 1.25 |
| 10 to 12 ft., 1½ to 1¾ in | $\frac{1.30}{2.25}$ | 1.90 | 1.50 |
| 10 to 12 ft., 1 ½ to 1 ¼ m | $\frac{2.25}{3.75}$ | 3.00 | 2.50 |
| POTENTILLA farrieri, 2½' | Dwa | arf Bush Cinqu | |
| Compact, hardy. Fernlike leaves. Bright ye A wonderful, really dwarf shrub. | ellow | flowers all sun | nmer. |
| 15 to 18 in | 1.00 | .80 | .65 |
| 18 to 24 in | 1.25 | 1.05 | .85 |
| — fruticosa, 3'-4' | | Shrubby Cinqu | uefoil |
| Blooms profuseful, yellow. June-Septemb | er Ve | erv adantable. | |
| | .42 | .35 | .27 |
| 9 to 12 in | .50 | .40 | .32 |
| 12 to 15 in | .60 | .50 | .40 |
| 15 to 18 in | .75 | .60 | .50 |
| 2 to 2 ½ ft | .90 | .75 | .60 |
| 2 to 2 ½ tt | | ., 9 | |
| PRIVET (See LIGUSTRUM) | | | |
| PRUNUS Blireana | | Blireana | Plum |
| Very large, double pink flowers. Spectaco copper foliage. | ılar i | n spring. Attra | active |
| 2 to 3 ft | 1.25 | 1.05 | .85 |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.75 | 1.40 | 1.15 |
| 5 to 6 ft | 2.50 | 2.05 | |
| 6 to 8 ft | 3.30 | 2.75 | |
| — cerasifera pissardi, 12'-15' | | Purpleleaf | Plum |
| Valued chiefly because of purplish foliage | ; sho | uld be pruned | every |
| year for best color effect. | | | |
| 2 to 3 ft | 1.05 | .90 | .70 |
| 3 to 4 ft | 1.25 | 1.05 | .85 |
| 4 to 5 ft | 1.65 | 1.35 | 1.10 |
| 5 to 6 ft | 2.10 | 1.75 | 1.40 |
| 6 to 8 ft | 2.60 | 2.20 | 1.75 |
| — — Newport, 10'-12' | | Purpleleaf | |
| Rich purple-red foliage which retains its | color | throughout the | sum- |
| mer. Compact symmetrical habit. White | lower | s in spring. | 7 0 |
| 2 to 3 ft | 1.05 | .90 | .70 |
| 3 to 4 ft | 1.25 | $\frac{1.05}{1.05}$ | .85 |
| 4 to 5 ft | 1.65 | $\frac{1.35}{1.75}$ | $\frac{1.10}{1.40}$ |
| 5 to 6 ft | 2.10 White | 1.75 e Flowering A | |
| — glandulosa alba, 5'-6' | | e rioweiing A | inionu |
| Double white flowers in May. Very attract | | | A E |
| 18 to 24 in | 70 | .55 | .45 |
| 2 to 3 ft | .85 | $\begin{array}{c} .70 \\ .90 \end{array}$ | $.55 \\ .70$ |
| 3 to 4 ft | 1.05 | . <i>9</i> U | . 1 0 |
| W 0 | | | |



PRUNUS maritima — Beach Plum and RHAMNUS frangula — Glossy Buckthorn. Princeton quality; good landscape shrubs.

| | Unit 1 1-9 | Price in Qu 10-49 | |
|---|---------------|----------------------|----------|
| PRUNUS glandulosa pink, 5'-6' | Pink | Flowering | Almond |
| Double pink flowers in May. Very attrac | tive. | | |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| — maritima, 5'-6' | | Bea | ch Plum |
| Small white flowers, April. Ideal for saplanting. Edible fruit. | andy soi | l and sea | side |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .80 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| 4 to 5 ft | 1.30 | 1.10 | .90 |
| — padus, 30'-40' | Eur | opean Bird | d Cherry |
| Long, drooping racemes of white flowers | . Black | fruit. | |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.25 | 1.05 | .85 |
| — subhirtella autumnalis, 25'-30' Autum | | | |
| Small tree. Semi-double flowering in Oct | ober or | early sprii | ng. |
| 3 to 4 ft | 1.75 | 1.40 | |
| 4 to 5 ft | 2.50 | 2.10 | 1.70 |
| 5 to 6 ft | 3.30 | 2.75 | |



PRUNUS subhirtella pendula — Weeping Japanese Cherry. Ours are grown on their own stems and are absolutely winter hardy. The best Weeping Cherry that can be grown.

| * | | | |
|---|---------------------|---------------------|----------|
| | | Price in Qu | |
| | 1-9 | 10-49 | 50-249 |
| PRUNUS subhirtella pendula, 12'-15' | Weeping | g Japanese | e Cherry |
| These trees are grown on Prunus pend and of good quality. Preferred by many | ula stems | s and are | graceful |
| 2 to 3 ft., own stems | 1.65 | 1.35 | 1.10 |
| 3 to 4 ft., own stems | 2.60 | 2.20 | 1.75 |
| 4 to 5 ft., own stems | 4.10 | 3.50 | 2.75 |
| 5 to 6 ft., own stems | 6.00 | 5.00 | 4.00 |
| 6 to 8 ft., own stems | 7.75 | $\boldsymbol{6.25}$ | 5.25 |
| — Thundercloud, 12'-15' | urple Lea | f Flowerin | ng Plum |
| Rich, purple foliage. The very best of th pink flowers. | | | |
| 2 to 3 ft | 1.25 | 1.05 | |
| 3 to 4 ft | 1.50 | 1.25 | |
| 4 to 5 ft | 1.75 | 1.40 | |
| 5 to 6 ft | 2.50 | 2.05 | |
| 6 to 8 ft | 3.30 | 2.75 | |
| — tomentosum, 6'-7' | | Nanking | Cherry |
| Fruits are light red; flowers white, befo showy. | re leaves | appear. V | ery |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .80 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| — triloba plena, 7'-8' Double, pink flowers, April-May. Hands | Double ome and | Flowerin | ng Plum |
| 18 to 24 in | | - | |
| 2 to 3 ft | $\frac{.75}{1.00}$ | .60 | .50 |
| 2 to 4 ft | $\frac{1.00}{1.05}$ | .80 | .65 |
| 3 to 4 ft | 1.25 | 1.05 | .85 |

JAPANESE CHERRIES

| PRUNUS amanogawa, 20'-35' | | | |
|---|---|---------------------|------------------|
| Semi-double pale pink flowers in profus | ion Nari | row growe | r |
| | | 2.05 | |
| 3 to 4 ft | $egin{smallmatrix} 2.50 \ 3.00 \end{smallmatrix}$ | $\frac{2.03}{2.50}$ | |
| 4 to 5 ft | 3.75 | $\frac{2.30}{3.00}$ | |
| 5 to 6 1t | 0.10 | 9.00 | |
| — ichiyo (hisakura), 25'-35' | | | |
| Flowers double pink. | | | |
| 2 to 3 ft | 1.65 | 1.35 | 1.10 |
| 3 to 4 ft | 2.50 | 2.05 | 1.65 |
| 4 to 5 ft | 3.40 | 2.80 | 2.25 |
| 5 to 6 ft | 4.10 | 3.50 | 2.75 |
| 6 to 8 ft | 4.90 | 4.05 | |
| -J. H. Veitch (fugenzo), 30' | | | |
| Flowers double pink. | | | |
| 2 to 3 ft | 1.65 | 1.35 | 1.10 |
| 3 to 4 ft | 2.50 | $\frac{2.05}{2.05}$ | 1.65 |
| 4 to 5 ft | $\frac{2.50}{3.40}$ | 2.80 | 2.25 |
| 5 to 6 ft | 4.10 | 3.50 | $\frac{1}{2.75}$ |
| 6 to 8 ft | 4.90 | 4.05 | |
| 0 00 0 11 | 2.00 | | |
| - Kanzan (Serr. Sekiayama) (Kwanzan), 4 | 0' | | |
| Dbl. deep pink. The best double flowering | ng cherry | . Ours are | voung. |
| thrifty, and well grown. | | | , , , , , |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.90 | 1.50 | 1.25 |
| 4 to 5 ft | 2.60 | $\frac{2.20}{2.20}$ | 1.75 |
| 5 to 6 ft | $\frac{2.00}{3.40}$ | $\frac{2.80}{2.80}$ | 2.25 |
| 6 to 8 ft | 4.50 | 3.75 | 3.00 |
| 8 to 10 ft. | 5.60 | 4.75 | |
| | | | |
| — naden, 40' | | | |
| Semi-double. Pale pink. | | | |
| 3 to 4 ft | 2.50 | 2.10 | |
| 4 to 5 ft | 3.30 | 2.75 | |
| 5 to 6 ft | 4.10 | 3.50 | |
| 6 to 8 ft | 4.90 | 4.05 | |
| — Paul Wohlert, 25'-30' | | | |
| | form | | |
| Double, deep pink flowers; semi-dwarf | | 4.00 | |
| 3 to 4 ft | 2.25 | $\frac{1.90}{2.50}$ | |
| 4 to 5 ft | 3.00 | 2.50 | |
| — shirofugen (Serr. Alba-Rosea), 25'-30' | | | |
| | | | |
| Dbl. white, pink buds. | 0.70 | 0.05 | |
| 3 to 4 ft | $\frac{2.70}{2.00}$ | $\frac{2.25}{2.75}$ | |
| 4 to 5 ft | 3.30 | 2.75 | |

EXTRA CHARGE FOR DIGGING CHERRIES B&B—SEE B&B SCHEDULE, Page 2



PRUNUS kwanzan—Double Pink Flowering Cherry. Our Kwanzan are well branched and have good roots. You can't find better Kwanzan. The best double pink Cherry.

| | Unit 1-9 | Price in Qu 10-49 | |
|--|---------------------|----------------------|------------|
| PRUNUS shirotae, 20'-45' | | Mt Fu | ji Cherry |
| The best double-white, Japanese cherry. | | Mrc, I'd, | onerry |
| 3 to 4 ft | 2.50 | 2 .05 | |
| 4 to 5 ft | $\frac{2.30}{3.40}$ | 2.80 | |
| 5 to 6 ft | 4.50 | $\frac{2.75}{5}$ | |
| PSEUDOTSUGA taxifolia (douglasi), 70'-80' | | Do | ouglas-fir |
| Hardy, Dark bluish green coloring, Doe | | | |
| location. | s best 1 | ii well dia | ineu |
| 2 to 3 ft., B&B | 4.90 | 4.05 | 3.25 |
| 3 to 4 ft., B&B | 6.75 | 5.50 | 4.50 |
| 4 to 5 ft., B&B | 9.00 | 7.50 | 6.00 |
| 5 to 6 ft., B&B | 11.25 | 9.50 | 7.50 |
| 6 to 8 ft., B&B | 13.75 | 11.25 | |
| PYRACANTHA coccinea lalandi, 9'-12' | | Laland F | 'irethorn |
| Evergreen. A beautiful broad-leaved ever | ergreen | with large | clusters |
| of orange berries in the fall. Needs prote | ection in | the North | 1. |
| 12 to 15 in., 6 in. Cans | 1.10 | .95 | .75 |
| 15 to 18 in., 6 in. Cans | 1.15 | 1.25 | 1.00 |
| crenulata, 9'-12' | | Nepal F | irethorn |
| Glossy foliage; bright red berries. Extr | emely s | | |
| desirable. | omery a | iciactive (| ana |
| 12 to 15 in., 5 in. Pots | 1.50 | 1.25 | 1.00 |
| 15 to 18 in., 6 in. Cans | 1.90 | 1.50 | 1.25 |
| 18 to 24 in., 6 in. Cans | 2.25 | 1.90 | 1.50 |
| \$ * | | | |



QUERCUS palustris—Pin Oak. Better Pin Oak can't be grown.

NURSERY GROWN OAKS

| QUERCUS coccinea, 75'-90' | | Sca | rlet Oak |
|---|----------|----------|----------|
| Stately, tall grower. Deeply cut leaves. | Striking | autumn c | olor. |
| 3 to 4 ft | 1.65 | 1.35 | 1.10 |
| 4 to 5 ft | 2.25 | 1.90 | 1.50 |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 4.50 | 3.75 | |
| 8 to 10 ft., 1 to 1 1/4 in. | 6.00 | 5.00 | |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 8.50 | 7.00 | 5.50 |
| —macrocarpa, 75'-80' | | Mossy | eup Oak |
| Vigorous. Has corky branches. | | | |
| 4 to 5 ft | 2.25 | 1.90 | |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | 4.50 | 3.75 | |
| — palustris, 75'-100' | | | Pin Oak |
| Most desirable and adaptable. Excellent | autumn | foliage. | |
| 3 to 4 ft | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft | 1.90 | 1.50 | 1.25 |
| 5 to 6 ft | 2.60 | 2.20 | 1.75 |
| 6 to 8 ft | 3.75 | 3.00 | 2.50 |
| 8 to 10 ft., 1 to 1¼ in | 5.60 | 4.75 | 3.75 |
| 9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 7.50 | 6.00 | 5.00 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 10.50 | 8.80 | 7.00 |
| 10 to 12 ft., 1 3/4 to 2 in | 13.50 | 11.00 | 9.00 |
| 11 to 13 ft., 2 to 2 1/4 in | 16.00 | 13.00 | |

| QUERCUS robur, 50'-60' | | En | glish Oak |
|--|--|-----------------------------------|---------------|
| Interesting spreading habit. | | | J |
| 5 to 6 ft | 3.00 | 2.50 | |
| 6 to 8 ft | | $\frac{2.30}{3.75}$ | ****** |
| 8 to 10 ft. 1 to 1½ in | 6.00 | 5.00 | * * * * * * * |
| 9 to 11 ft. 1½ to 1½ in | | 6.00 | |
| 0 to 11 it. 1/4 to 1/2 in | . 1.50 | 0.00 | |
| — rubra (borealis maxima), 75'-90' | Co | mmon | Red Oak |
| A quick growing and clean tree. Fine | autumn color | ing. | |
| 3 to 4 ft | | 1.35 | 1.10 |
| 4 to 5 ft | | 1.90 | 1.50 |
| 5 to 6 ft | | $\frac{1.50}{2.50}$ | 2.00 |
| 6 to 8 ft. | | $\frac{2.35}{3.75}$ | 3.00 |
| 8 to 10 ft., 1 to 1¼ in | | 5.00 | 4.00 |
| QUINCE, FLOWERING (See CYDONIA) | 0.00 | 0.00 | 2100 |
| goines, The White (See Ofbornit) | | | |
| | | | |
| REDBUD (See CERCIS) | | | |
| REDBUD (See CERCIS) | | | |
| RETINOSPORA (See CHAMAECYPARIS) | | | |
| RHAMNUS cathartica, 9'-10' | Com | mon B | uckthorn |
| Dark green foliage. Black berries. | | | |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | *** | .60 | .50 |
| 3 to 4 ft | | .75 | .60 |
| | | | |
| — frangula, 8'-9' | Gl | ossy B | uckthorn |
| Excellent foliage. Red berries turning | black when | ripe. | |
| 18 to 24 in. | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| DHODODENDBON and and the office | Q | | |
| RHODODENDRON catawbiense, 6'-9' | | | odendron |
| Large rosy purple flowers, May-June. I | | partial | shade. |
| 12 to 15 in., B&B | | 1.90 | 1.50 |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| — maximum, 8'-10' | Rosobay | Phode | odendron |
| | | | |
| Striking light pink flowers, May-June. | | | d areas. |
| 2 to 2½ ft., B&B | 4.10 | 3.50 | |
| 2 ½ to 3 ft., B&B | F 0 0 | 4 0 0 | |
| | 5.00 | 4.00 | |
| 3 to 4 ft., B&B | 6.00 | 5.00 | ••••• |
| 4 to 5 ft., B&B | 6.00 | | |
| 4 to 5 ft., B&B | $\begin{smallmatrix}6.00\\9.00\end{smallmatrix}$ | $\frac{5.00}{7.00}$ | |
| 4 to 5 ft., B&B | 6.00 9.00 Korean | 5.00 7.00 Rhodo | odendron |
| 4 to 5 ft., B&B | 6.00 9.00 Korean | 5.00 7.00 Rhodo | odendron |
| 4 to 5 ft., B&B | 6.00 9.00 Korean me scarlet-tin | 5.00 7.00 Rhodo ited lea | odendron |
| 4 to 5 ft., B&B | 6.00 9.00 Korean | 5.00 7.00 Rhodo | odendron |

HYBRID RHODODENDRONS

In addition to the varieties listed we have a number of large plants of fair and good quality which will be priced according to variety and size. Sold only on customer's personal selection at the nursery.

HYBRID RHODODENDRONS

| All Timbs block about a series | :4- 0.01/ | //. 01/ 9/ | |
|--|---|---|---|
| Album elegans. Light blush changing to whi | ite. 2-2 ½ | 2^{1} , $2\frac{1}{2}$ -3. | • |
| Caractacus. Red. 18-24"; 2-2½' | | | |
| Catawbiense alba. White. 18-24", 2-2½'. | | 0.4 | |
| Catawbiense grandiflora. Lavender pink. 2-2 | | | |
| F. D. Godman. Crimson with dark blotch. 18 | -24"; 2-2 | $2\frac{1}{2}$ '; $2\frac{1}{2}$ - | 3' |
| Mrs. C. S. Sargent. Rich crimson. 12-15"; 15 | -18" | | |
| Lee's Dark Purple. Purple. 2-2 ½'; 2½-3'. | | | |
| President Lincoln. Lavender. 18-24"; 2-2½' | | | |
| Purpureum Elegans. Purple. 18-24"; 2-2 ½'. | | | |
| Roseum elegans. Lavender-pink. 2-2 1/2'; 2 1/2 | $\frac{7}{2}$ - 3 $^{\prime}$. | | |
| Roseum superbum. Clear, soft coral-rose. 2-2 | 2 ½ ′; 2 ½ | 2-3'. | |
| Foregoing varieties at the following pr | | | |
| 12 to 15 in., B&B | 3.50 | 2.90 | |
| 15 to 18 in., B&B | 5.00 | $\frac{2.00}{4.00}$ | |
| 18 to 24 in., B&B | 7.50 | 6.00 | |
| 2 to 2 ½ in., B&B | | $\frac{0.00}{7.50}$ | |
| 2 1/2 to 3 ft., B&B | | 10.00 | |
| 4 ½ to 3 It., B&B | 12.50 | 10.00 | |
| - Boule de Neige. Dwarf. Clear White. | | | |
| 15 to 18 in., B&B | 6.00 | 5.00 | |
| 18 to 24 in., B&B | | 7.50 | |
| | 10.00 | • • • • • | |
| — roseum elegans, own root | | | |
| 12 to 15 in., B&B | 3.40 | 2.80 | 2.25 |
| 15 to 18 in., B&B | 4.50 | 3.75 | 3.00 |
| 18 to 24 in., B&B | | 5.00 | 4.00 |
| See also AZALEA for species and varieties of | | | c Azaloa |
| | ommoni | | |
| RHODOTYPOS kerrioides (scandens), 4'-5' | | Whi | te Kerria |
| | | | |
| Fresh green foliage. White flowers, M | Jay, Jun | e. Shiny | bead-like |
| Fresh green foliage. White flowers, Molack berries all winter. | May, Jun | e. Shiny | bead-like |
| black berries all winter. | | | |
| black berries all winter. 12 to 18 in | .45 | .37 | .30 |
| black berries all winter. 12 to 18 in. 18 to 24 in. | $\begin{array}{c} .45 \\ .70 \end{array}$ | .37 | $\begin{matrix} .30 \\ .45 \end{matrix}$ |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. | $.45 \\ .70 \\ .85$ | $\begin{array}{c} .37 \\ .55 \\ .70 \end{array}$ | $\begin{array}{c} .30 \\ .45 \\ .55 \end{array}$ |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. | .45 $.70$ $.85$ 1.10 | $\begin{array}{c} .37 \\ .55 \\ .70 \\ .95 \end{array}$ | $\begin{array}{c} .30 \\ .45 \\ .55 \\ .75 \end{array}$ |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | $.45 \\ .70 \\ .85$ | $\begin{array}{c} .37 \\ .55 \\ .70 \\ .95 \\ 1.20 \end{array}$ | $\begin{array}{c} .30 \\ .45 \\ .55 \\ .75 \\ .95 \end{array}$ |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. | .45 $.70$ $.85$ 1.10 | $\begin{array}{c} .37 \\ .55 \\ .70 \\ .95 \\ 1.20 \end{array}$ | $\begin{array}{c} .30 \\ .45 \\ .55 \\ .75 \end{array}$ |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' | $\begin{array}{c} .45 \\ .70 \\ .85 \\ 1.10 \\ 1.45 \end{array}$ | .37 .55 .70 .95 1.20 | .30 .45 .55 .75 .95 nt Sumac |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | .45 .70 .85 1.10 1.45 | .37 .55 .70 .95 1.20 Fragra May, fol | .30 .45 .55 .75 .95 nt Sumac |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica | .45 .70 .85 1.10 1.45 | .37 .55 .70 .95 1.20 Fragra May, fol | .30 .45 .55 .75 .95 nt Sumac lowed by |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical to 18 in. | .45 .70 .85 1.10 1.45 April and tic foliag | .37 .55 .70 .95 1.20 Fragra May, fol | .30 .45 .55 .75 .95 nt Sumac lowed by |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical to 18 in. 18 to 24 in. | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 | .30 .45 .55 .75 .95 nt Sumac lowed by |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica of the small of the second seco | .45 .70 .85 1.10 1.45 April and tic foliag | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical to 18 in. 12 to 18 in. 18 to 24 in. 2 to 3 ft. — copallina, 12'-13' | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica of the small of t | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica in June. Arom | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica of the small of t | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinii | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatica in June. Arom | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical process of the state of the | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinii | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatically to 18 in. 12 to 18 in. 2 to 3 ft. — copallina, 12'-13' Showy crimson fruits. Rich autumn coldry locations. 12 to 18 in. 18 to 24 in. 2 to 3 ft. — cotinus, 14'-15' | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol ee. .37 .50 .60 Shiningood in po | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatically to 18 in. 12 to 18 in. 2 to 3 ft. — copallina, 12'-13' Showy crimson fruits. Rich autumn cold dry locations. 12 to 18 in. 18 to 24 in. 2 to 3 ft. — cotinus, 14'-15' Also called Purple Fringe. Large panical | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol ee. .37 .50 .60 Shiningood in po | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical properties of the street of th | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol e37 .50 .60 Shinin cood in po .37 .37 .39 .37 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical properties of the street of th | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin cood in po .37 ommon Sn thery, film | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical properties of the street of th | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin cood in po .30 .37 ommon Sn thery, film | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree ty, smoke- |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical and the small an | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin cood in po .37 ommon Sn thery, film .50 .60 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree ty, smoke- |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatically a few forms of the street of the smaller of the street of the smaller of the sm | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G .37 .45 .45 .60 .75 1.10 1.65 | .37 .55 .70 .95 1.20 Fragra May, follow .50 .60 Shining cood in po .37 .37 .50 .60 .37 .50 .60 .37 .50 .60 .37 .37 .50 .60 .37 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree ty, smoke- |
| black berries all winter. 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. RHUS canadensis (aromatica), 4'-5' Clusters of small, yellow flowers in A bright coral red fruits in June. Aromatical and the small an | .45 .70 .85 1.10 1.45 April and tic foliag .45 .60 .75 loring. G .37 .45 .45 .60 .75 1.10 1.65 2.00 | .37 .55 .70 .95 1.20 Fragra May, fol se. .37 .50 .60 Shinin cood in po .37 ommon Sn thery, film .50 .60 | .30 .45 .55 .75 .95 nt Sumac lowed by .30 .40 .50 ng Sumac or soil or .25 .30 noke Tree ty, smoke- |



RHODOTYPOS kerriodes—White Kerria and KOLKWITZIA amabilis—Beautybush. Cut back, bushy plants.

| | Unit Price in Quantities 1-9 10-49 50-249 | | |
|---|---|------------|-----------|
| DHITC wlobus 10/ 10/ | • • | | 00 |
| RHUS glabra, 10'-12' | | | h Sumac |
| Crimson fruits in bunches. Rich autumn poor soil. | colorin | g. Good in | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .45 | .37 | .30 |
| —trilobata, 3' | | Lemonad | e Sumac |
| A good, low growing sumac. Splendid fall | colora | tion. | |
| 12 to 18 in | 45. | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| — typhina, 15'-18' | | Staghori | Sumac |
| Picturesque habit. Brilliant autumn effec | t. | | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| ROBINIA hispida, 5'-6' | | Ros | e-acacia |
| Rosy pink pea shaped flowers, May, June | · | 2002 | |
| 18 to 24 in., Single stem | | .45 | .35 |
| 2 to 3 ft., Single stem | .70 | .55 | .35 $.45$ |
| , | • • • | .00 | .40 |
| ROSA blanda, 4'-5' | | Meado | ow Rose |
| Pink, May. Almost thornless. Reddish br | anches. | | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | . 4 5 |
| | | .00 | 6 17 . |

| ROSA hugonis, 6' Bright yellow flowers. Reddish wood. Up rose. | | len Rose of cellent type | |
|--|-----------|---------------------------------------|--------|
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| — humilis (carolina), 2'-3' | | Pastur | e Rose |
| The common, sweetly scented, pink, wild | | | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — lucida (virginiana), 5'-6' Pink, June, July. Excellent border or naneglect. | | | Stands |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| — multiflora Fragrant, white flowers in June. Strong a for hedges, screens and game conserv strong transplants for quick permanent | ation pla | Japanes n popular d anting. Use | emand |
| 12 to 18 in | .18 | .15 | .12 |
| 18 to 24 in | .22 | .20 | .15 |
| 2 to 3 ft | .37 | .30 | .25 |
| — nitida, 3'-4' Deep pink, June. Good for holding banking; good autumn coloring. | rs and ge | eneral mass | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| - palustris (carolina), 6'-8' Pink, June-August. Does best in moist | | *** | p Rose |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| | | | |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — rubiginosa, 5'-6' Bright pink flowers in June. Good foliag | ge with a | | |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .75 | . 6 0 | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| — rubrifolia, 5'-6' Has distinct purplish-red foliage and bar | rk Evcell | | f Rose |
| | K, EACCH | OH WIHOU | |
| subject. | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | .85 | . 10 | .00 |
| — rugosa, 4'-6' Rich green foliage. Large red fruits. Pir Good seaside plant. | | Red Rugos s June-Sept | |
| 12 to 18 in. | .55 | | |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |



ROSA rugosa—Red Rugosa Rose. Very heavily branched; excellent in seaside plantings.

| | Unit Price in Quantities | | |
|---|--------------------------|------------|---------|
| | 1-9 | 10-49 | 50-249 |
| ROSA setigera, 5'-6' | | Prair | ie Rose |
| Deep rose flower, June-July. Vigorous g | rower. | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .52 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| wichuraiana white, 10'-12' | | Wichuria | n Rose |
| Prostrate trailing plant. Rich, shiny fol White flowers, late blooming. | liage, al | most everg | reen. |
| 12 to 18 in., 1 year | .37 | .30 | .25 |
| 18 to 24 in., 1 year | .55 | .45 | .35 |
| 2 to 3 ft., 2 year | .70 | .55 | .45 |
| RUSSIAN OLIVE (See ELAEAGNUS) | | | |

SALISBURIA adiantifolia (See GINKGO)

| SALIX babylonica, 50'-60' | Babylon | Weeping | Willow |
|---|-----------|-------------|----------|
| One of the best weepers. Long pendulo waterside planting. | us branch | nes. Excell | lent for |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.25 | 1.05 | .85 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft | 2.60 | 2.20 | 1.75 |
| 69 | | | |

| | Unit P 1-9 | rice in Qua 10-49 | ntities 50-249 |
|--|---|---|--|
| SALIX babylonica salamoni (sepulcralis), 40 |)'-50' | | ***** |
| | | weeping | Willow |
| Similar to Babylonica, but not so pendu | | = 0 | |
| 4 to 5 ft | .85 | $\frac{.70}{0.5}$ | .55 |
| 5 to 6 ft | 1.25 | $\frac{1.05}{1.50}$ | .85 |
| 6 to 8 ft. | $egin{smallmatrix} 1.90 \ 2.60 \end{smallmatrix}$ | $egin{smallmatrix} 1.50 \ 2.20 \end{split}$ | $egin{array}{c} 1.25 \ 1.75 \end{array}$ |
| 8 to 10 ft | $\frac{2.60}{3.30}$ | 2.75 | $\frac{1.75}{2.20}$ |
| — blanda, 40'-50' | Wisconsin | Weeping | Willow |
| Spreading habit. Pendulous at tips. Ha | | | |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.25 | 1.05 | .85 |
| 6 to 8 ft. | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft | 2.60 | 2.20 | 1.75 |
| cupren, 20 = 0 | | n Weeping | |
| Very desirable for spring effects. Will d places. | o well in | dry as well | l as wet |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| — elegantissima, 60'-70' | Thurlov | v Weeping | Willow |
| Vigorous upright grower; best for stree | et plantin | g. | |
| 5 to 6 ft | 1.25 | 1.05 | .85 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| 8 to 10 ft | 2.60 | 2.20 | 1.75 |
| — incana, 8'-10' | | Eleagnus | Willow |
| Attractive silvery leaves. Slow growing in appearance. | g. Resemi | bles Russia | an Olive |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .75 | .60 | .50 |
| — niobe, 40'-50' | Niob | e Weeping | Willow |
| Weeping form with golden bark. | 0.5 | 7.0 | .55 |
| 4 to 5 ft | $\begin{array}{c} .85 \\ 1.25 \end{array}$ | $\begin{matrix} .70 \\ 1.05 \end{matrix}$ | .85 |
| 5 to 6 ft | $\frac{1.25}{1.90}$ | $\frac{1.05}{1.50}$ | 1.25 |
| | 1.00 | _,,, | l Willow |
| — pentandra, 20'-30' Upright. Shiny dark-green leaves. Exce | allont in | | |
| 3 to 4 ft | .60 | .50 | .40 |
| 4 to 5 ft | .75 | .60 | $.\overline{50}$ |
| 5 to 6 ft | 1.05 | $.9\overset{\circ}{0}$ | .70 |
| 6 to 8 ft | 1.30 | 1.10 | .90 |
| 8 to 10 ft. | | $1.\overline{50}$ | 1.25 |
| — vitellina aurea pendula, 25'-30' Weeping tree similar to Salix babyloni | Weep | ing Golder golden bra | willow nches. |
| 4 to 5 ft | .85 | .70 | .55 |
| 5 to 6 ft | 1.25 | 1.05 | .85 |
| 6 to 8 ft | 1.90 | 1.50 | 1.25 |
| | | | |

ST. JOHNSWORTH (See HYPERICUM)

SCHOLARTREE (See SOPHORA)

| SHADBLOW (See AMELANCHIER) SILVERBELL (See HALESIA) SNOWBALL (See VIBURNUM) | | | |
|--|--|---|---|
| SNOWBELL (See STYRAX) SNOWBERRY (See SYMPHORICARPOS) | | | |
| SOPHORA japonica, 30'-40' | C | hinese Sch | olartree |
| White flowers in late summer. Notice Also called Pagoda Tree. An excellent scity conditions. | able gree | n bark in | winter. |
| 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | $2.25 \\ 3.75 \\ 4.65 \\ 6.75$ | 1.90 3.00 4.05 5.50 | 1.50 2.50 3.25 |
| SORBARIA aitchisoni, 4'-5' | | shmir Fals | |
| Graceful compound foliage. Creamy wh | | | |
| 18 to 24 in. | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 4 to 5 ft | $\begin{smallmatrix} .85\\ 1.05 \end{smallmatrix}$ | $\begin{array}{c} .70 \\ .90 \end{array}$ | $.55 \\ .70$ |
| 5 to 6 ft | | 1.10 | .90 |
| SORBUS aucuparia, 25'-30' | Euror | ean Mount | ain-ash |
| A valuable tree on a small lawn; the s striking. | | | |
| 4 to 5 ft | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft | 2.25 | 1.90 | 1.50 |
| 6 to 8 ft | $\frac{3.00}{0.75}$ | 2.50 | 2.00 |
| 8 to 10 ft | 3.75 4.65 | $egin{smallmatrix} 3.00 \ 4.05 \end{bmatrix}$ | $egin{array}{c} 2.50 \ 3.25 \end{array}$ |
| 10 to 12 ft., 1½ to 1¾ in | 6.00 | $\frac{4.05}{5.00}$ | $\frac{3.25}{4.00}$ |
| 11 to 13 ft., 1 \(\frac{3}{4} \) to 2 in | 7.50 | 6.00 | 5.00 |
| 11 to 13 ft., 2 to 2½ in | 10.00 | 8.00 | 6.50 |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 12.00 | 10.00 | |
| SOURGUM (See NYSSA) | | | |
| SOURWOOD (See OXYDENDRON) | | | |
| SOUTHERN BUSH HONEYSUCKLE (See DI | IERVILL | A) | |
| SPICE BUSH (See BENZOIN) | | | |
| SPIREA arguta, 5'-6' | | Garland | |
| Very free flowering. Somewhat similar vigorous. | | | |
| 12 to 18 in | .37 | .30 | .25 |
| 2 to 3 ft. | $\begin{array}{c} .55 \\ .70 \end{array}$ | $egin{smallmatrix} .45 \ .55 \end{smallmatrix}$ | $\begin{array}{c} .35 \\ .45 \end{array}$ |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.00 | .80 | .65 |
| — billiardi, 5'-6' | | Billiond | Cninos |
| Bright pink, fluffy flower spikes, July-O | ctober. G | Billiard ood in drv | spirea |
| locations. | | ui | |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .85 | .70 | .55 |
| 64 | | | |

| | Unit Pr 1-9 | rice in Quar 10-49 | ntities 50 -24 9 |
|---|-----------------|-------------------------|----------------------------|
| SPIREA bumalda Anthony Waterer, 3' | Anthony | y Waterer | Spirea |
| Deep rich, rose-pink. Sometimes slight v Blooms all summer. Rich, reddish gree | ariegation | n in foliag | |
| 9 to 12 in | .30 | .25 | .20 |
| 12 to 15 in | .37 | .30 | .25 |
| 15 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 2 ½ ft | .85 | .70 | .55 |
| 2 ½ to 3 ft | 1.00 | .80 | .65 |
| — — froebeli, 4'-5' | | Frobel | Spirea |
| Taller and more vigorous than Anthony flowers. | | | |
| 12 to 18 in | . 3 3 | .27 | .22 |
| 18 to 24 in | .55 | . 45 | .35 |
| 2 to $2\frac{1}{2}$ ft | .70 | .55 | .45 |
| 2 ½ to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | 1.05 | .90 | .70 |
| — japonica coccinea Similar in growth to Spirea Anthony Wa | | Japanese owers vivid | |
| crimson. A superior type. | 9.7 | 9.0 | 9.5 |
| 12 to 15 in | $\frac{37}{45}$ | .30 | .25 |
| 15 to 18 in | .45 | .37 | .30 |
| 18 to 24 in. | -60 | .50 | .40 |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ | .75 | .60 | .50 |
| — prunifolia plena, 7'-8' The true bridalwreath. White double flow | wers in al | | wreath |
| Glossy dark green leaves. Rich fall cold | | 9.7 | 0.0 |
| 12 to 18 in | .33 | .27 | .22 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — reevesiana, 7'-8' Pure white, May-June. Graceful, arching late in season. | habit. Re | Reeves etain foliag | |
| 15 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | | .30 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| —— fl. pl. (lanceata), 7'-8' Arching habit. Similar in habit and flow | | ole Reeves rea Vanho | |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | . 3 0 | .25 |
| 2 to 3 ft | .55 | .45 | .35 |
| — thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. | pure whi | Thunberg te flowers, | |
| 9 to 12 in | .30 | .25 | .20 |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in. | .55 | .45 | .35 |
| 2 to 2 ½ ft | .70 | .55 | .45 |
| · - | 0 | | |
| — tomentosum, 4' | r Cood: | | rdhack ad |
| Wooly, rose-pink flowers, July-September | i. Good 1 | n lowgroul | iu |
| plantings. 18 to 24 in | 4 5 | .37 | .30 |
| | .45 | | .30 $.40$ |
| 2 to 3 ft | .60 | .50 | .50 |
| 3 to 4 ft | .75 | .60 | .00 |



SPIREA vanhouttei—Vanhoutte Spirea and PRUNUS glandulosa rosea—Pink Flowering Almond. Both are indispensable varieties. Note the heavy branching.

| | Unit I 1 - 9 | Price in Qua 10-49 | |
|--|------------------------|-----------------------|----------|
| SPIREA vanhouttei, 8'-9' | | Vanhoutte | e Spirea |
| White, May-June. Graceful habit. Free floand useful shrub. | wering. | | _ |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| 4 to 5 ft | .90 | .75 | .60 |
| STAPHYLEA colchica, 10'-12' | _ | Colchis Bla | |
| Fragrant white flowers in May and June | | | |
| 4 to 5 ft | 1.30 | 1.10 | .95 |
| 5 to 6 ft | 1.65 | 1.35 | 1.10 |
| 6 to 8 ft | 2.10 | 1.75 | 1.40 |
| SPRUCE (See PICEA) | | | |
| SPURGE (See PACHYSANDRA) | | | |
| STEPHANANDRA flexuosa, 5'-6' | Cut | leaf Stepha | ınandra |
| Graceful, compact habit; handsome folia | ıge. | | |
| 15 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |

| STYRAX japonica, 12'-15' | J | apanese Si | nowbell |
|--|---|---|---------------------|
| White bell-shaped pendant flowers, June handsome specimen. | -July. Ma | ikes a stri | king, |
| _ | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 3.75 | $\frac{2.30}{3.00}$ | 2.00 2.50 |
| 2 to 3 ft., B&B | 4.65 | | |
| 3 to 4 ft., B&B | | $\frac{4.05}{5.50}$ | $\frac{3.25}{4.50}$ |
| 4 to 5 ft., B&B | 6.75 | 5.50 | 4.50 |
| 5 to 6 ft., B&B | $\begin{matrix} 8.50 \\ 10.50 \end{matrix}$ | $\begin{array}{c} 7.00 \\ 8.80 \end{array}$ | |
| 6 to 8 ft., B&B SUMAC (See RHUS) | 10.50 | 0.00 | ****** |
| | | | |
| SUMMERSWEET (See CLETHRA) | | | |
| SWEET GUM (See LIQUIDAMBAR) | | | |
| SWEETLEAF (See SYMPLOCUS) | | | |
| SYCAMORE (See PLATANUS) | | | |
| SYMPHORICARPOS chenaulti, 6'-8' | $\mathbf{C}\mathbf{h}$ | enault Sno | wberry |
| Brighter berries than vulgaris. Excellen | t for sha | de plantin | gs. |
| 12 to 18 in | .30 | .25 | .20 |
| 18 to 24 in | .37 | .30 | .25 |
| 2 to 3 ft | .52 | .45 | .35 |
| 3 to 4 ft | .70 | .55 | .45 |
| | | Q | |
| — racemosus (albus), 5'-6' | | | wberry |
| Conspicuous white berries. Attractive for and moist locations. | oliage. Go | ood in hal | f shade |
| 12 to 18 in | .25 | .21 | .17 |
| 18 to 24 in | .33 | .27 | .22 |
| 2 to 3 ft | .45 | \cdot .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| — vulgaris (orbiculatus), 4'-5' | m shoda o | | alberry |
| Coral-red berries through winter. Good i | | | |
| 12 to 18 in | .25 | .21 | .17 |
| 18 to 24 in | .33 | .27 | .22 |
| 2 to 3 ft | .45 | .37 | .30 |
| 3 to 4 ft | .60 | .50 | .40 |
| SYMPLOCUS paniculata, 25'-40' | | Sv | veetleaf |
| Deciduous shrub with slender spreadin fragrant flowers. | g branch | es. Hardy | ; white |
| 18 to 24 in | .70 | .55 | |
| 2 to 3 ft | .85 | .70 | |
| SYRINGA chinensis (rothomagensis), 8'-9' | | Chine | se Lilac |
| Slender branches. Graceful habit. Violet Free-flowering. | flowers | in May. | |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| — — saugeana, 8'-9' | Pu | rple Chine | se Lilac |
| Deep purple flowers. | | | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in. | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| | | | |





SYRINGA vulgaris—Common Purple Lilac and SYRINGA japonica—Japanese Tree Lilac. Our Lilacs are all of comparable quality.

| | Unit Price in Quantities | | |
|--|--------------------------|------------|-----------|
| | 1-9 | 10-49 | 50-249 |
| SYRINGA japonica, 18'-20' | \mathbf{J}_{i} | apanese Tr | ee Lilac |
| Loose bunches of creamy white flowers, foliage. Develops into well-shaped small for landscaping. | | | |
| 2 to 3 ft | .75 | .60 | .50 |
| 3 to 4 ft | 1.00 | .80 | .65 |
| 4 to 5 ft | 1.20 | 1.00 | .80 |
| — persica, 9'-10' | | Persi | an Lilac |
| Blooms freely—lilac. May-June. | | | |
| 18 to 24 in | .60 | .50 | |
| 2 to 3 ft | .75 | .60 | |
| villosa, 7'-8' | | La | ite Lilac |
| Pale pinkish-lilac, fragrant. Compact, bu | shy hab | oit. | |
| 12 to 18 in | .33 | .27 | .22 |
| 18 to 24 in | .45 | .37 | .30 |
| 2 to 3 ft | .60 | .50 | .40 |
| 3 to 4 ft | .85 | .70 | .55 |
| — vulgaris, 12'-15' | Com | mon Purp | le Lilac |
| Delicate purple flowers, fragrant. May. | | | |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| 4 to 5 ft | 1.10 | .95 | .75 |
| | | | |

SYRINGA vulgaris alba, 12'-15'

Common White Lilac

| Fragrant, | white. | single | flowers. | May. |
|-----------|--------|--------|----------|------|
|-----------|--------|--------|----------|------|

| 15 | to | 18 | in | .45 | .37 | .30 |
|----|----|----|----|------|-----|-----|
| 18 | to | 24 | in | .60 | .50 | .40 |
| 2 | to | 3 | ft | .75 | .60 | .50 |
| | | | ft | 1.00 | .80 | .65 |

FRENCH LILACS—NAMED VARIETIES

Adelaide Dunbar. Double. Red. 12-18"; 18-24"; 2-3'.

Alphonse Lavalle. Double. Blue. 12-18"; 18-24"; 2-3'; 3-4'.

Belle de Nancy. Double. Pink. 18-24"; 2-3'.

Charles Joly. Double. Red. 12-18"; 18-24"; 2-3'; 3-4'.

Congo. Single. Red. 12-18"; 18-24";.

Ellen Willmott. Double. White. 12-18"; 18-24"; 2-3'.

Florent Stepman. Single. White large flower. 12-18"; 18-24"; 2-3'.

Jan Van Tol. Single. White. 12-18"; 18-24".

Katherine Havemeyer. Double. Mauve. 12-18"; 18-24"; 2-3'.

Ludwig Spaeth. Single. Red. 12-18"; 18-24"; 2-3'.

Mme. Casimir Perier. Double. White. 12-18"; 18-24"; 2-3"

Mme. F. Morel. Single. Red. 12-18"; 18-24".

Mme. Lemoine. Double. White. 12-18"; 18-24"; 2-3'

Marie LeGraye. Single. White. 12-18"; 18-24".

Michel Buchner. Double. Pinkish lilac. 12-18"; 18-24"; 2-3'.

Mont Blanc. Single. White. 12-18"; 18-24"; 2-3'.

President Lincoln. Single. Clear blue. 12-18"; 18-24".

President Grevy. Double. Light blue. 18-24"; 2-3'; 3-4'.

President Poincare. Double. Clear purple. 12-18"; 18-24"; 2-3'.

Wm. Robinson. Double, Pink. 12-18"; 18-24".

FRENCH LILAC PRICES

| 12 to 18 in | .60 | .50 | .40 |
|-------------|------|------|-----|
| 18 to 24 in | .85 | .70 | .55 |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.30 | 1.10 | .90 |

^{*}Our variety list is very large, covering many excellent kinds not listed here. If you desire to leave your selections by color to us, there will be a 5ϕ per plant reduction.

| TAMARIX parviflora, | 12'-14' | | Algerian 7 | lamarix |
|---------------------|---------------------|-----------|------------|----------|
| Panicles of pink | flowers. Blue green | evergreen | appearing | foliage. |
| 18 to 24 in | | 37 | .30 | .25 |
| 2 to 3 ft | | 55 | .45 | .35 |
| 3 to 4 ft | | 70 | .55 | .45 |





FRENCH HYBRID LILACS—Our variety list includes only the best strong growing, heavy blooming kind. Our Lilacs are good.

| | Unit 1-9 | Price in Qu 10-49 | antities 50-249 | | | |
|--|---|---|--|--|--|--|
| TAMARIX pentandra (Amurensis), 12'-15' Slender and spreading growth. Pink flow dry or sandy soils. | | vestamen August. Li | | | | |
| 18 to 24 in | $\begin{array}{c} .37 \\ .55 \end{array}$ | $\begin{array}{c} .30 \\ .45 \end{array}$ | $.25 \\ .35$ | | | |
| 3 to 4 ft | $\begin{array}{c} .70 \\ .85 \end{array}$ | $\begin{array}{c} .55\\ .70 \end{array}$ | .45 .55 | | | |
| TAMARIX Pink Cascade, (Plant Patent No | | | | | | |
| An outstanding novelty. Masses of cascading flesh-pink panicles in late summer. Excellent for seashore planting. | | | | | | |
| 18 to 24 in | | $.60 \\ .75$ | $\begin{array}{c} .50 \\ .60 \end{array}$ | | | |
| TAXODIUM distichum, 75'-100' Tall pyramidal, symmetrical, deciduous to Distinct in appearance. | | mmon Bal h feathery | | | | |
| 3 to 4 ft., B&B 4 to 5 ft., B&B | $\frac{6.50}{8.00}$ | $\frac{5.40}{6.50}$ | $\frac{4.40}{5.25}$ | | | |
| 5 to 6 ft., B&B | 10.00 | 8.00 | $\begin{array}{c} 6.25 \\ 6.50 \end{array}$ | | | |
| TAXUS—THE YEWS | | | | | | |
| TAXUS baccata repandens, 18"-24" Spreading, Horizontal branches, Dark glow planting. | | ading Engliage. Exce | | | | |
| 9 to 12 in., B&B | 2.25 | | _,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| 12 to 15 in., B&B 15 to 18 in., B&B | $egin{array}{c} 3.00 \ 4.50 \end{array}$ | $egin{array}{c} 2.50 \ 3.75 \end{array}$ | $\begin{smallmatrix}2.00\\3.00\end{smallmatrix}$ | | | |

| | 1-9 | 10-49 | 50-249 |
|---|--|---|--|
| TAXUS cuspidata, 10'-15' | | ing Japanes | |
| Rich, deep green leaves Spreading, bushy | y habit. | Very adap | table. |
| 12 to 15 in., B&B | 2.40 | 2.00 | 1.60 |
| 15 to 18 in., B&B | 4.10 | 3.50 | 2.75 |
| 18 to 24 in., B&B | 6.00 | 5.00 | $\frac{1}{4}.00$ |
| 2 to 2½ ft., B&B | 7.50 | 6.00 | 5.00 |
| 2 ½ to 3 ft., B&B | 9.00 | 7.50 | |
| — capitata, 25'-40' | Upri | ght Japanes | se Yew |
| Upright form of cuspidata. Broad pyrami | | | |
| 15 to 18 in., B&B | 3.40 | 2.80 | 2.25 |
| 18 to 24 in., B&B | 5.25 | $\frac{2.00}{4.40}$ | 3.50 |
| 2 to 2½ ft., B&B | 6.75 | 5.50 | 4.50 |
| 2 to 2 ½ tt., B&B | 8.75 | $\begin{array}{c} 3.30 \\ 7.25 \end{array}$ | 5.75 |
| —— nana (brevifolia), 2'-3' | Dw | arf Japane | se Vew |
| Broad, thick leaves, very dark green. Dy | | | |
| spreading habit. Very hardy. | · WI II SII | una 11108a. | |
| | 2.50 | 2.05 | 1.65 |
| 9 to 12 in., B&B | $\frac{2.50}{3.75}$ | $\frac{2.03}{3.00}$ | $\frac{1.05}{2.50}$ |
| 12 to 15 in., B&B | | | |
| 15 to 18 in., B&B | 5.90 | 4.90 | |
| ··· | | ed Spreadin | g Type |
| A selected strain of Taxus cuspidata. Fru | ıit large | e, borne in | |
| profusion. | | | |
| 15 to 18 in., B&B | 4.10 | 3.50 | 2.75 |
| 18 to 24 in., B&B | 6.35 | 5.30 | 4.25 |
| 2 to 2½ ft., B&B | 9.00 | 7.50 | 6.00 |
| | F773.7 | | 77 |
| — thayeri, 6'-8' | Thaye | ers Spreadi | ng Yew |
| — thayeri, 6'-8' Low, wide, spreading form. Dark green. | Thaye | ers Spreadii | ng Yew |
| Low, wide, spreading form. Dark green. | 6.00 | ers Spreadi 5.00 | 4.00 |
| • | | | |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 | $\begin{matrix} 5.00 \\ \textbf{6.00} \end{matrix}$ | 4.00 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 | $\begin{matrix} 5.00 \\ \textbf{6.00} \end{matrix}$ | $\frac{4.00}{5.00}$ |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B 2 to 2½ ft., B&B — intermedia, 12'-15' Hybrid between baccata and cuspidata. | 6.00 | $\begin{matrix} 5.00 \\ \textbf{6.00} \end{matrix}$ | $\frac{4.00}{5.00}$ |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | $\frac{6.00}{7.50}$ | 5.00 6.00 Hybr | 4.00 5.00 id Yew |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 | 5.00 6.00 Hybr 2.50 | 4.00 5.00 id Yew 2.00 2.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 | 5.00 6.00 Hybr 2.50 3.00 road Uprig | 4.00 5.00 id Yew 2.00 2.50 ht Yew |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specin | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green used a tight a | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specin | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specin t base. 2.50 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green used a tight a | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specin | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specin t base. 2.50 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 8.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specin t base. 2.50 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used tight a 3.00 8.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a speciment base. 2.50 7.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used a tight a 3.00 8.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a speciment base. 2.50 7.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used tight a 3.00 8.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a speciment base. 2.50 7.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used tight a 3.00 8.50 3.00 4.50 6.00 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a speciment base. 2.50 7.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used tight a 3.00 8.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 3.00 3.75 B green used tight a 3.00 8.50 3.00 4.50 6.00 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 8.50 3.00 4.50 6.00 7.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 8.50 3.00 4.50 6.00 7.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Co as a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 8.50 3.00 4.50 6.00 7.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 Hatfie | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |
| Low, wide, spreading form. Dark green. 18 to 24 in., B&B | 6.00 7.50 3.00 3.75 B green e used a tight a 3.00 8.50 3.00 4.50 6.00 7.50 | 5.00 6.00 Hybr 2.50 3.00 road Uprig foliage. Coas a specim t base. 2.50 7.00 2.50 3.75 5.00 6.00 Hatfie | 4.00 5.00 id Yew 2.00 2.50 ht Yew ompact, nen for 2.00 5.50 |

Unit Price in Quantities





TAXUS media hatfieldi—Hatfield Yew. The finest upright Taxus.

| | Unit Price in Quantities | | |
|--|--------------------------|------------------|-----------------|
| | 1-9 | 10-49 | 50- 24 9 |
| TAXUS media hicksi, 20'-25' | | Н | icks Yew |
| Columnar form with upright branches. | | | |
| 15 to 18 in., B&B | 3.00 | 2.50 | 2.00 |
| 18 to 24 in., B&B | 4.50 | $\frac{2}{3}.75$ | 3.00 |
| 2 to 2 ½ ft., B&B | 6.00 | 5.00 | 4.00 |
| 2 ½ to 3 ft., B&B | 8.50 | 7.00 | 5.50 |
| 3 to $3\frac{1}{2}$ ft., B&B | 10.50 | 8.80 | 7.00 |
| — — ovata, 20'-25' | | Ova | ta Taxus |
| Rich dark green foliage; broad columna | r form; | upright h | ranches. |
| 12 to 15 in., B&B | 2.25 | 1.90 | 1.50 |
| 15 to 18 in., B&B | | 2.50 | |
| 18 to 24 in., B&B | | 3.75 | |
| THORN, FLOWERING (See CRATAEGUS) | | | |
| THUJA—Arborvitae | e | | |
| THUJA occidentalis compacta, 2½'-4' | Р | arsons A | borvitae |
| Bright green. Almost globe shaped. | | | 501,1000 |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | 2.85 | 2.35 | 1.90 |
| | | | |
| — — elegantissima, 10'-15' | | ntipped Ar | |
| Evergreen. Branches tipped with yellow | . Rich, l | ustrous g | reen. |
| 15 to 18 in., B&B | 1.65 | 1.35 | 1.10 |
| 18 to 24 in., B&B | | 1.50 | 1.25 |
| 2 to 2 ½ ft., B&B | 2.85 | 2.35 | 1.90 |



THUJA occidentalis globosa—Globe Arborvitae. Very hardy, slow growing, bushy sheared plants. THUJA occidentalis pyramidalis—Pyramidal Arborvitae in the background.

| | Unit 1-9 | Price in Qu 10-49 | antities 50-249 |
|--|--|--|--|
| THUJA occidentalis globosa, 3'-4' | | Globe A | rborvitae |
| Rich green. Globe shape. | | | |
| 9 to 12 in., B&B | 1.50 1.90 2.85 | $egin{array}{c} 1.25 \ 1.50 \ 2.35 \end{array}$ | $egin{array}{c} 1.00 \ 1.25 \ 1.90 \end{array}$ |
| — hoveyi, 3'-4' Evergreen. Oval in shape, nearly as broa foliage. | d as hi | Hovey Argh. Bright | |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | 1.90 | 1.50 | 1.25 |
| 15 to 18 in., B&B | $\frac{2.85}{2.80}$ | $\frac{2.35}{5}$ | $\frac{1.90}{2.5}$ |
| 18 to 24 in., B&B | 3.60 | 2.85 | 2.25 |
| —— plicata, 10'-12' Formal pyramid. Rich blue-green foliage give pleasing effect. | . Short | | rborvitae ichlets |
| 18 to 24 in., B&B | $\begin{smallmatrix}1.90\\2.60\end{smallmatrix}$ | $\begin{smallmatrix}1.50\\2.20\end{smallmatrix}$ | $\frac{1.25}{1.75}$ |
| —— nigra, 15'-30' New improved strain of American Arbo in form, deeper in color, especially during cuttings. Very desirable. The best of the green. Compact. Shears well. | rvitae; g the w | vinter. Gro | nmetrical wn from |
| 18 to 24 in., B&B | 2.10 2.60 3.40 4.50 | 1.75 2.20 2.80 3.75 | $egin{array}{c} 1.40 \\ 1.75 \\ 2.25 \\ 3.00 \\ \end{array}$ |





THUJA occidentalis nigra—Dark American Arborvitae. Certainly the best tall growing Arborvitae. Good dark green foliage throughout the winter.

| | Unit Price in Quantities | | |
|--|--------------------------|------------|---------------------|
| | 1-9 | 10-49 | 50-249 |
| THUJA occidentalis pyramidalis, 15'-30' | Py | ramidtl A | rborvitae |
| Bright, rich green foliage, narrow colum: | nar shaj | pe. | |
| 18 to 24 in., B&B | 2.10 | 1.75 | 1.40 |
| 2 to $2\frac{1}{2}$ ft., B&B | | 2.20 | 1.75 |
| $2 \frac{1}{2}$ to 3 ft., B&B | 3.40 | | 2.25 |
| 3 to 4 ft., B&B | 4.50 | 3.75 | 3.00 |
| — — wareana, 12'-15' | 8 | Siberian A | rborvitae |
| Light green. Fleshy foliage. Broad pyran | mid. Ve | ry adaptal | ole. |
| 12 to 15 in., B&B | 1.50 | 1.25 | 1.00 |
| 15 to 18 in., B&B | 1.90 | 1.50 | $\boldsymbol{1.25}$ |
| 18 to 24 in., B&B | 2.50 | 2.05 | 1.65 |
| BIOTA or CHINESE ARBO | RVITA | Ð | |
| THUJA orientalis aurea conspicua, 10'-12' | Ge | oldspire A | rborvitae |
| Pyramid in form. Golden-yellow in sprin bronze-yellow in winter. Very distinctive | | ummer. R | ich |
| 18 to 24 in., B&B | | 1.90 | 1.50 |
| 2 to 2 ½ ft., B&B | 3.00 | 2.50 | 2.00 |
| — — nana, 2½'-3' Bero | ekmans | Golden A | rborvitae |
| Rich golden yellow foliage. Compact, ro | undish | shape. | |
| 9 to 12 in., B&B | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., B&B | | 1.50 | $\boldsymbol{1.25}$ |
| 15 to 18 in., B&B | | | 1.75 |
| 18 to 21 in., B&B | 3.30 | 2.75 | 2.20 |
| • | | | |



THUJA orientalis aurea nana — Berckman's Golden Arborvitae. Golden Biotas as good as these are hard to find. An absolute necessity for the sales yard, or plant market.

Unit Price in Quantities 1-9 10-49 50-249

THUJA orientalis elegantissima (biota), 7'-8' Yellow Column Argorvitae Assumes a rich, deep golden-bronze color in winter. Compact, columnar.

| 2 | to 3 | ft., | B&B | 3.00 | 2.50 | 2.00 |
|------|------|------|-----|------|------|------|
| 3 | to 4 | ft | B&B | 3.75 | 3.00 | |

TILIA americana, 75'-90'

American Linden

Grows rather quickly, forming an open head. Has fragrant, yellow flowers.

| 6 | to | 8 ft | 2.60 | 2.20 | 1.75 |
|---|----|-------|------|------|------|
| 8 | to | 10 ft | 3.40 | 2.80 | 2.25 |

- cordata, 70'

Littleleaf European Linden

Small leaves. Very symmetrical tree, splendid for avenues, no diseases. Very fragrant flowers.

| 3 to 4 ft | 2.25 | 1.90 | 1.50 |
|--------------------------------|------|------|------|
| 4 to 5 ft | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft | 3.75 | 3.00 | 2.50 |
| 6 to 7 ft | 4.50 | 3.75 | 3.00 |
| 7 to 8 ft., 1 to 1 1/4 in | 5.60 | 4.75 | 3.75 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 6.75 | 5.50 | 4.50 |

| | Unit 1-9 | Price in Quε 10-49 | ntities 50- 24 9 |
|---|-------------|-----------------------|----------------------------|
| TILIA tomentosum, 40'-60' | | Silver | Linden |
| Handsome, dense headed tree that will will Leaves dark green above, white beneath | | d heat and d | rought. |
| 5 to 6 ft | 3.75 | 3.00 | 2.50 |
| 6 to 8 ft | 4.50 | 3.75 | |
| 8 to 10 ft | 6.00 | | |
| HEMLOCK | | | |
| TSUGA canadensis, 75'-90' | | Canada H | emlock |
| Most graceful and adaptable. Excellent for | or heds | | |
| planting. Shears well. | or medi | 50 01 11110111 | 141 |
| 1½ to 2 ft., B&B | 3.40 | 2.80 | 2.25 |
| 2 to 2½ ft., B&B | 4.90 | 4.05 | 3.25 |
| 2½ to 3 ft., B&B | 6.75 | 5.50 | 4.50 |
| 3 to 4 ft., B&B | 9.00 | 7.50 | |
| TULIPTREE (See LIRIODENDRON) | | | |
| | | | |
| | | | |
| ULMUS americana, 80'-100' | | Americ | an Elm |
| Fast growing, forming graceful head. | | | |
| 6 to 8 ft | 2.10 | 1.75 | 1.40 |
| 8 to 10 ft | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 3.75 | 3.00 |
| — — Moline, 80'-100' | | Moli | ne Elm |
| A remarkable variety with handsome larg | re deer | | |
| 6 to 8 ft | 2.10 | 1.75 | 1.40 |
| 8 to 10 ft., 1 to 1 ¼ in | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., 1 1/4 to 1 1/2 in | 4.50 | 3.75 | 3.00 |
| · · · · · · · · · · · · · · · · · · · | 4.50 | | 3.00 |
| 10 to 12 ft., 1½ to 1¾ in | | 5.00 | 4.00 |
| | | | |
| — "PRINCETON", 80′-100′ | | | on Elm |
| A selected strain of American Elm. All buing habit. Glossy foliage. | | | spread- |
| 6 to 8 ft | 2.10 | 1.75 | 1.40 |
| 8 to 10 ft., 1 to 1 1/4 in | 3.40 | 2.80 | 2.25 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.50 | 3.75 | 3.00 |
| 9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.85 | 4.75 | ****** |
| — pumila, 50'-75' | | Chine | ese Elm |
| Forms symmetrical head. Rapid grower. under city conditions. | Good | foliage. Do | es well |
| 3 to 4 ft | .75 | .60 | .50 |
| 4 to 5 ft | 1.00 | .80 | .60 |
| 5 to 6 ft | 1.20 | 1.00 | .80 |
| 6 to 8 ft | 1.50 | 1.25 | 1.00 |
| 76 | | | |



| () of Hotel () | | | |
|---|---------------------|---------------------|---------------------|
| VIBURNUM americana (trilobum), 8'-9' | Americ | an Cran | berrybush |
| Good foliage. Bright scarlet berries all | winter. | Extreme | elv hardy. |
| 12 to 18 in. | .45 | .37 | .30 |
| 18 to 24 in. | .70 | .55 | .45 |
| 2 to 3 ft. | .85 | .70 | .55 |
| 3 to 4 ft. | 1.00 | .80 | .65 |
| 4 to 5 ft. | 1.20 | 1.00 | .80 |
| 1 00 0 10. | 1.20 | 1.00 | ,00 |
| — burkwoodi, 4' | Bu | rkwood | Viburnum |
| Medium open growing. Pinkish white fiftgrant. | lowers, 1 | May, Jun | e. Very |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 2½ ft., B&B | $\frac{3.00}{4.10}$ | $\frac{2.50}{3.50}$ | $\frac{2.00}{2.75}$ |
| 2 ½ to 3 ft., B&B | $\frac{4.10}{4.65}$ | $\frac{3.30}{4.05}$ | $\frac{2.15}{3.25}$ |
| 3 to 4 ft., B&B | 6.00 | 5.00 | 4.00 |
| — carlesi, 4'-6' | | | Viburnum |
| One of the most desirable, semi-dwarf fl | | | |
| | | surubs, | with very |
| fragrant flower clusters of white, shade | | 4 80 | 4.0= |
| 12 to 15 in., B&B | 1.90 | $\frac{1.50}{2.50}$ | 1.25 |
| 15 to 18 in., B&B | 3.00 | 2.50 | |
| 18 to 24 in., B&B | 4.50 | 3.75 | 3.00 |
| — cassinoides, 5'-6' | | | Withe-rod |
| White flowers, May-June. Pink berries c | | | ich |
| autumn foliage coloring. Good planted | near wa | ter. | |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| — dentatum, 10'-12' | | \mathbf{A} | rrowwood |
| White flowers, May-June. Blue-black autumn coloring. Excellent in wet soil. | berries. | Purple | and red |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| — dilatatum, 8'-9' | | Linden | Viburnum |
| White flowers in May and June. Scarle late. Very handsome. | t showy | berries | persisting |
| 12 to 18 in | .60 | .50 | .40 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.10 | .95 | .75 |
| — lantana, 15'-18' | | Wavf | aring-tree |
| White flowers, May-June. Dark green wi | inklad f | _ | |
| changing to black. | inkieu i | onage. n | ed bellies |
| 12 to 18 in | .37 | .30 | .25 |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| | | | |

| 1-9 | 10-49 | 50-249 |
|------|----------|------------|
| Unit | Price in | Quantities |

| VIBURNUM lentago, 18'-20' | | Nanr | yberry |
|---|-------------------|-------------|---------|
| White flowers, May, June. Glossy foliage | e. Blue-b | lack fruits | S. |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .85 | .70 | .55 |
| 4 to 5 ft | 1.05 | .90 | .70 |
| — molle, 10'-12' | Ke | ntucky Vib | urnum |
| White flowers, May and June. Large, dark fall coloring. | k green f | foliage. Go | od |
| 18 to 24 in | .55 | .45 | .35 |
| 2 to 3 ft | .70 | .55 | .45 |
| 3 to 4 ft | .90 | .75 | .60 |
| nudum, 15' | | ımhaw Vib | |
| Glossy, waxy foliage, scarlet in fall. Sho Thrives in wet ground. | wy, dark | blue frui | ts. |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| — opulus, 9'-10' | | an Cranber | |
| Very similar in habit of growth and fruit | to Vibur | num ameri | canum. |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .70 | .55 | .45 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | .90 | .75 | .60 |
| — nana, 18"-24" | Dwa | rf Cranber | rybush |
| Very compact. Rarely flowers. | | | |
| 4 to 6 in | .70 | .55 | .45 |
| 6 to 9 in | .90 | .75 | .60 |
| 9 to 12 in | 1.20 | 1.00 | .80 |
| ———————sterile. 9'-10' White flowers, May, June. Very showy. | (| Common Sr | nowball |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .75 | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| | 2.00 | | |
| — prunifolium, 10'-12' | . • | Bla | ackhaw |
| White flowers, May, June. Blue-black fru | | | 4 = |
| 12 to 18 in | $\frac{.70}{0.0}$ | .55 | .45 |
| 18 to 24 in | .90 | .75 | .60 |
| 2 to 2 ½ ft | 1.10 | .95 | .75 |
| rhytidophyllum, 6'-8' | | herleaf Vil | urnum |
| Evergreen, Large oblong leaves, Deep gr | | age. | |
| 18 to 24 in., B&B | 3.00 | 2.50 | 2.00 |
| 2 to 2½ ft., B&B | 3.75 | 3.00 | 2.50 |
| 2½ to 3 ft., B&B | 5.25 | 4.40 | 3.50 |
| - SETIGERUM (See Viburnum theiferum) | | | |

| | Unit H 1-9 | Price in Quar 10-49 - 5 | ntities 50 -24 9 |
|---|---------------------|-----------------------------|----------------------------|
| VIBURNUM sieboldi (japonicum), 9'-10' | | Siebold Vib | ırnum |
| White flowers, May, June. Pink fruits chagreen foliage. | | | |
| 12 to 18 in | .45 | .37 | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | .85 | .70 | .55 |
| 3 to 4 ft | $\boldsymbol{1.05}$ | .90 | .70 |
| — theiferum (V. setigerum) | 6-1: | Tea Vib | |
| Narrow, upright grower. Very handsome berries in clusters. A spectacular fall it | | . Brilliant, s | scariet |
| 12 to 18 in | .70 | .55 | .45 |
| 18 to 24 in | .90 | .75 | .60 |
| 2 to 3 ft | 1.10 | .95 | .75 |
| 3 to 4 ft | 1.30 | 1.10 | .90 |
| — tomentosum, 7'-8' | Dou | ıblefile Vib | urnum |
| White flowers borne in flat heads, June. | Red to b | lack berries | |
| 12 to 18 in | .55 | .45 | .35 |
| 18 to 24 in | .70 | $.\overline{5}\overline{5}$ | .45 |
| 2 to 3 ft | .90 | .75 | .60 |
| 3 to 4 ft | 1.10 | $.9\overline{5}$ | .75 |
| | | | |
| — — plicatum, 7'-8' | | Japanese Sn | owball |
| Showy, white flowers in balls, June. Hand | | - | |
| autumn coloring. | .70 | .55 | |
| | | | .45 |
| 18 to 24 in | .90 | $.75 \\ .95$ | .60 |
| 2 to $2\frac{1}{2}$ ft | 1.10 | .95 | .75 |
| — wrighti, 7'-8' | | Wright Vib | |
| A native of Japan. Upright habit. Brigh abundantly. | | et fruits pro | |
| 18 to 24 in | $.75$ $^{-}$ | .60 | .50 |
| 2 to 3 ft | 1.00 | .80 | .65 |
| 3 to 4 ft | 1.20 | 1.00 | .80 |
| VINCA minor, 6"-8" | | riwinkle or | Myrtle |
| Trailing evergreen. Glossy foliage. Blue Excellent ground cover in sun or shade | | in spring. | |
| 3 in. pots, 2 year | .30 | .25 | .20 |
| VITEX macrophylla (latifolia), 3'-4' Larg | | | |
| Lilac flowers, August, September. Gray- Prefers sun. | | | |
| 12 to 18 in | .45 | $\frac{.37}{50}$ | .30 |
| 18 to 24 in | .60 | .50 | .40 |
| 2 to 3 ft | . 75 | $\frac{60}{50}$ | .50 |
| 3 to 4 ft | .90 | .75 | .60 |
| VITIS labrusca, 40' | | Fox | Grape |
| Very rapid growing vine. Excellent coaquickly cover banks, fences, etc. | rse gro | und cover o | or will |
| 2 year, 2 to 3 ft | .60 | .50 | .40 |
| 2 year, 3 to 4 ft | .75 | .60 | $.\overline{50}$ |
| 2 Jour, 0 to 1 Lt | | | |

---€{ W }---

| | ed Weigelia |
|--|-----------------------------|
| Carmine, free flowering, June-August. Rich foliage. | |
| 12 to 18 in | |
| 18 to 24 in | |
| 2 to 3 ft | |
| — Feerie, 5'-8' Rose Ro | ed Weigelia |
| Rich rose-colored flowers. Probably the best pink Weig | gelia. |
| 18 to 24 in | 5 |
| 2 to 3 ft | |
| — floribunda, 8' Crimso | on Weigelia |
| Upright growing. Crimson flowers. | |
| 18 to 24 in | 5 .35 |
| 2 to 3 ft | 0 .40 |
| 3 to 4 ft | 0 .50 |
| Cryster Mellet (2) (2) | od Woigolia |
| — Gustav Mallot, 6'-8' Rose-red, June-August. Good grower. The hardiest of all | ed Weigelia l Weigelias. |
| 18 to 24 in | 0 .40 |
| 2 to 3 ft | 0 .50 |
| 3 to 4 ft | 5 	 0.60 |
| — rosea (florida rosea), 7'-8' | nk Weigelia |
| Pink flowers, June. Strong grower. Good foliage. | |
| 12 to 18 in | 0 .25 |
| 18 to 24 in | 5 .35 |
| 2 to 3 ft | - |
| 3 to 4 ft | 0 .55 |
| | ed Weigelia |
| Vigorous growing, red Weigelia. Similar in flower and | d foliage to |
| Eva Rathke, The finest red Weigelia. Very hardy. | |
| 15 to 18 in | |
| 18 to 24 in | |
| 2 to 3 ft | |
| 3 to 4 ft | 0 .70 |
| WHITE ASH (See FRAXINUS) | |
| WHITE KERRIA (See RHODOTYPOS) | |
| WILLOW (See SALIX) | |
| WINTERCREEPER (See EUONYMUS) | |
| WISTERIA floribunda macrobotrys (Multijuga), 35'-50' | |
| | er Wisteria |
| Has long drooping racemes of purple flowers. Unusual cover a trellis or pergola. | ly fine to |
| | 0 .50 |
| | 5 .75 |
| - alba, 35'-50' White Longclust | er Wisteria |
| Fragrant white flowers. | |
| 1 year grafts | 5 .45 |
| WITCH-HAZEL (See HAMAMELIS) | |

YELLOWWOOD (See CLADRASTIS)

YEW (See TAXUS)

--- Z } ---

ZANTHORIZA APIIFOLIA, 2'-3'

Yellowroot

(Xanthoriza Simplicissima)

Small purplish flower, May-June. Excellent ground cover. Does well in dry, sandy soil, on banks, and in the shade.

| 9 | to | 12 | in., | 2 | year | .45 | .37 | .30 |
|----|----|----|------|---|------|-----|-----|-----|
| 12 | to | 15 | in., | 3 | year | .70 | .55 | .45 |



TO ASSURE BEST RESULTS in transplanting all kinds of nursery stock, we recommend the use of "Wilt Pruf" or similar preparations to be used at the time of planting.

Our experience has been that such treatment is definitely very beneficial and that both evergreen and deciduous plants respond quickly and vigorously through the protection given by the treatment.



A HELPFUL SERVICE

WHAT SHALL I PLANT?

To assist in the proper selection of plant material for various conditions, uses and requirements, and to easily classify plants as to fruit, colors, and other characteristics, we refer you to the following lists.

All plants recommended are offered in this calalogue and the use of this reference will enable you to quickly and easily arrive at the proper variety list to cover your needs for any special or unusual requirements.

For a Quick-growing Screen

TREES

Acer dasycarpum Chamaecyparis pisifera and varieties Picea excelsa Pinus strobus Pinus sylvestris Populus in variety Pseudotsuga douglasi Salix in variety Thuja occid. pyramidalis Thuja occidentalis nigra Tsuga canadensis

SHRUBS

Eleagnus angustifolia Euonymus bungeanus Ligustrum ibota Ligustrum ovalifolium Lonicera in variety Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

For a Formal Clipped Hedge

TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus cordata
Crataegus crusgalli
Crataegus oxycantha

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tsuga canadensis

SHRUBS

Berberis thunbergi Buxus sempervirens Euonymus alatus Euonymus alatus compactus Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla Ligustrum ibolium Ligustrum ovalifolium Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

For an Informal, Flowering or Fruiting, or Evergreen Hedge

Berberis in variety
Cydonia japonica
Deutzia gracilis
Deutzia lemoinei
Euonymus patens
Forsythia spectabilis
Hibiscus syriacus
Juniperus pfitzeriana
Juniperus hetzi
Lonicera (bush forms)
Mahonia aquifolia
Philadelphus coronarius
Philadelphus lemoinei
Rhodotypos kerrioides

Rosa hugonis
Rosa rubiginosa
Rosa rugosa
Spirea bum. Anthony Waterer
Spirea thunbergi
Spirea Van Houttei
Sorbaria aitchisoni
Syringa alba
Syringa vulgaris
Taxus browni
Taxus hatfieldi
Viburnum dentatum
Viburnum lantana
Viburnum tomentosum

For a Wet Location

TREES

Evergreen

Chamaecyparis thyoides Thuja occidentalis and varieties Tsuga canadensis

Deciduous

Acer dasycarpum Acer rubrum Amelanchier canadensis Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus occidentalis
Populus in variety
Quercus palustris
Salix in variety
Tilia americana
Ulmus americana

SHRUBS

Aronia arbutifolia
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus amomum
Cornus stolonifera
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Rosa lucida
Rosa palustris
Salix in variety
Spirea tomentosa
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago
Viburnum opulus

For a Dry Location

TREES

Acer campestre
Acer ginnala
Ailanthus glandulosa
Betula populifolia
Celtis occidentalis
Fraxinus lanceolata
Gleditsia varieties

Koelreuteria paniculata Pinus strobus Pinus sylvestris Quercus coccinea Quercus macrocarpa Sophora japonica Ulmus pumila

For a Dry Location

SHRUBS

Acanthopanax pentaphyllum
Amorpha fruticosa
Ceanothus americanus
Caragana arborescens
Colutea arborescens
Cornus paniculata
Eleagnus angustifolia
Eleagnus longipes
Juniperus chin. sargenti
Juniperus communis and
varieties
Juniperus horiz, douglasi
Ligustrum in variety

Lonicera tatarica varieties
Lycium chinense
Potentilla fruticosa
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa nitida
Rosa rugosa
Tamarix parviflora
Tamarix pentandra
Viburnum prunifolium

Berry-Bearing Trees and Shrubs

RED BERRIES

Aronia arbutifolia Benzoin aestivale Berberis thunbergi Cornus florida Corrus kousa Cornus mas Cotoneaster dielsiana Cotoneaster divaricata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster horiz, perpusilla Cotoneaster rotundifolia Cotoneaster salici F. floccosa Cotoneaster simonsi Cratoegus coccinea Crataegus cordata Crataegus crusgalli Eleagnus longipes Euonymus alatus Euonymus alatus compacta Euonymus europaeus Euonymus radicans vegetus Ilex opaca

Ilex verticillata Lonicera maacki Lonicera morrowi Lonicera tartarica Magnolia glauca Malus hopa Malus sargenti Photinia villosa Pyracantha cocc. lalandi Rhus canadensis Rosa blanda Rosa palustris Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum theiferum Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis Aronia melanocarpa Berberis verruculosa Cotoneaster acutifolia Ilex crenata convexa Ilex crenata microphylla Ilex glabra Ligustrum ibota Ligustrum regelianum Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus alba sibirica Cornus stolonifera Cornus paniculata Myrica carol. (gray) Pachysandra terminalis Symphoricarpos racemosus

DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Viburnum cassinoides Viburnum dentatum Viburnum molle Viburnum nudum

Small or Dwarf Plants for the Border

Abelia grandiflora Acer palmatum and varieties Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Buxus Ceanothus americanus Cotoneaster horiz, perpusilla Cotoneaster microphylla Deutiza gracilis Deutzia lemoinei Diervilla sessilifolia Euonymus radicans and varieties Hypericum moserianum Ilex convexa (bullata)

Juniperus (spreading types) Leucothoe catesbaei Mahonia aquifolium Pachysandra terminalis Pieris floribunda Pieris japonica Potentilla varieties Prunus glandulosa Rosa nitida Spirea bum. Anthony Waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus cuspidata nana Thuja (globe and dwarf forms) Viburnum opulus nana Zanthorhiza apiifolia

For a Smoky, Dusty, City Situation

TREES

Acer platanoides
Ailanthus glandulosa
Carpinus betulus
Celtis occidentalis
Crataegus crusgalli
Ginkgo biloba
Gleditsia triacanthus varieties

Ilex crenata microphlla

Phellodendron species
Pinus nigra austriaca
Pinus sylvestris
Platanus orientalis
Populus eugenie and
maximowiczii
Sophora japonica

SHRUBS

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety Lonicera fragrantissima Lonicera morrowi Physocarpus opulifolius Rhodotypos kerrioides Spiraea Van Houttei Symphoricarpos in variety Syringa vulgaris Viburnum cassinoides

For Partially Shaded Locations

TREES

Acer ginnala Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera Magnolia glauca Ilex opaca (Evergreen) Oxydendron arboreum Tsuga canadensis (Evergreen)

For Partially Shaded Locations

SHRUBS

Abelia grandiflora
Acanthopanax pentaphyllum
Aronia species
*Benzoin aestivale

*Benzoin aestivale
Berberis julianae
Calycanthus floridus
Cephalanthus occidentalis
Cercis canadensis and
chinensis
Clethra alnifolia

Cornus alternifolia Cornus mas

Diervilla sessilifolia Euonymus fortunei and varieties

*Hamamelis

*Hedera helix Hydrangea arborescens grand.

Hydrangea quercifolia Hypericum aureum Ilex crenata microphylla

Ilex glabra Ilex verticillata *Kerria japonica

*Kalmia

*Leucothoe cataesbaei Ligustrum ibota regelianum Ligustrum ovalifolium Lonicera fragrantissima Lonicera morrowi

*Mahonia aquifolia
Pachysandra terminalis
Pieris floribunda
Pieris japonica
Potentilla fruticosa
Pyracantha cocc. lalandi

*Rhododendron raximum Rhodotypos kerrioides Stephanandra flexuosa

*Symphoricarpos
Taxus baccata repandens
Taxus cuspidata
Viburnum acerifolium
Viburnum lentago
Viburnum opulus
Viburnum prunifolium

*Vinca minor Zanthorhiza apiifolia

(*tolerates dense shade)

Trees for Avenues and Streets

Habit — Tall, formal and heavy

Acer platanoides
Acer saccharum
Liriodendron tulipifera
Platanus orientalis
Quercus rubra
Tilia americana
Tilia tomentosa

Habit — Tall, medium to light textured

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Fraxinus lanceolata Ginkgo biloba Gleditsia triacanthos inermis Quercus coccinea Quercus palustris Ulmus americanum

Habit — Medium height for narrow, residential street

Acer campestre
Acer plat. columnare
Betula alba
Celtis occidentalis
Cercidiphyllum japonicum
Koelreuteria paniculata
Liquidambar styraciflua
Phellodendron chinense
Prunus Kwanzan
Prunus yedoensis
Sophora japonica
Sorbus aucuparia
Tilia cordata

For Seashore Locations

TREES

Acer pseudoplatanus Amelanchier canadensis Ilex opaca Nyssa sylvatica Pinus thunbergi Plantanus acerifolium Populus alba bolleana Populus eugenei

For Seashore Locations

SHRUBS

Aronia arbutifolia
Clethra alnifolia
Eleagnus angustifolia
Eleagnus umbellata
Hibiscus syriacus
Hydrangea Otaksa
Ilex glabra
Juniperus horiz. Bar Harbor
Juniperus horiz. plumosa
Ligustrum ovalifolium

Myrica pennsylvanicum Prunus maritima Rhus species Rosa rugosa Rosa blanda Rosa wichuriana Syringa vulgaris Tamarix species Viburnum dentatum

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering two groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

| | 100 or more | 1000 or more |
|---|----------------|-----------------|
| GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea, | | |
| Lonicera and others | .40 | .30 |
| GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including many good ornamental | | |
| varieties as above | .45 | .35 |

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.

Send Us Your Want List



PRINCETON PRODUCTS ARE QUALITY PRODUCTS